



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07K 14/00	A2	(11) International Publication Number: WO 00/61612 (43) International Publication Date: 19 October 2000 (19.10.00)															
(21) International Application Number: PCT/US00/08896 (22) International Filing Date: 3 April 2000 (03.04.00) (30) Priority Data: <table border="0"> <tr> <td>09/285,479</td> <td>2 April 1999 (02.04.99)</td> <td>US</td> </tr> <tr> <td>09/466,396</td> <td>17 December 1999 (17.12.99)</td> <td>US</td> </tr> <tr> <td>09/476,496</td> <td>30 December 1999 (30.12.99)</td> <td>US</td> </tr> <tr> <td>09/480,884</td> <td>10 January 2000 (10.01.00)</td> <td>US</td> </tr> <tr> <td>09/510,376</td> <td>22 February 2000 (22.02.00)</td> <td>US</td> </tr> </table> (71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US). FAN, Liqun [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US). (74) Agents: MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US) et al.		09/285,479	2 April 1999 (02.04.99)	US	09/466,396	17 December 1999 (17.12.99)	US	09/476,496	30 December 1999 (30.12.99)	US	09/480,884	10 January 2000 (10.01.00)	US	09/510,376	22 February 2000 (22.02.00)	US	(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
09/285,479	2 April 1999 (02.04.99)	US															
09/466,396	17 December 1999 (17.12.99)	US															
09/476,496	30 December 1999 (30.12.99)	US															
09/480,884	10 January 2000 (10.01.00)	US															
09/510,376	22 February 2000 (22.02.00)	US															
(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER (57) Abstract <p>Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.</p>																	

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER

TECHNICAL FIELD

5 The present invention relates generally to therapy and diagnosis of cancer, such as lung cancer. The invention is more specifically related to polypeptides comprising at least a portion of a lung tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of lung cancer, and for the
10 diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

 Lung cancer is the primary cause of cancer death among both men and women in the U.S., with an estimated 172,000 new cases being reported in 1994. The five-year survival rate among all lung cancer patients, regardless of the stage of disease
15 at diagnosis, is only 13%. This contrasts with a five-year survival rate of 46% among cases detected while the disease is still localized. However, only 16% of lung cancers are discovered before the disease has spread.

 Early detection is difficult since clinical symptoms are often not seen until the disease has reached an advanced stage. Currently, diagnosis is aided by the
20 use of chest x-rays, analysis of the type of cells contained in sputum and fiberoptic examination of the bronchial passages. Treatment regimens are determined by the type and stage of the cancer, and include surgery, radiation therapy and/or chemotherapy. In spite of considerable research into therapies for the disease, lung cancer remains difficult to treat.

25 Accordingly, there remains a need in the art for improved vaccines, treatment methods and diagnostic techniques for lung cancer.

SUMMARY OF THE INVENTION

 Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as lung cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a lung tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises a sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; (b) variants of a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; and (c) complements of a sequence of (a) or (b). In specific embodiments, the polypeptides of the present invention comprise at least a portion of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 152, 155, 156, 165, 166, 169, 170, 172, 174, 176, 226-252, 338-344 and 346, and variants thereof.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a lung tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a lung tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above, and (b) an immunostimulant.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with an immunostimulant.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Determined T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells determined from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a lung tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be lung cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the

sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

5

SEQUENCE IDENTIFIERS

- SEQ ID NO: 1 is the determined cDNA sequence for LST-S1-2
SEQ ID NO: 2 is the determined cDNA sequence for LST-S1-28
SEQ ID NO: 3 is the determined cDNA sequence for LST-S1-90
10 SEQ ID NO: 4 is the determined cDNA sequence for LST-S1-144
SEQ ID NO: 5 is the determined cDNA sequence for LST-S1-133
SEQ ID NO: 6 is the determined cDNA sequence for LST-S1-169
SEQ ID NO: 7 is the determined cDNA sequence for LST-S2-6
SEQ ID NO: 8 is the determined cDNA sequence for LST-S2-11
15 SEQ ID NO: 9 is the determined cDNA sequence for LST-S2-17
SEQ ID NO: 10 is the determined cDNA sequence for LST-S2-25
SEQ ID NO: 11 is the determined cDNA sequence for LST-S2-39
SEQ ID NO: 12 is a first determined cDNA sequence for LST-S2-43
SEQ ID NO: 13 is a second determined cDNA sequence for LST-S2-43
20 SEQ ID NO: 14 is the determined cDNA sequence for LST-S2-65
SEQ ID NO: 15 is the determined cDNA sequence for LST-S2-68
SEQ ID NO: 16 is the determined cDNA sequence for LST-S2-72
SEQ ID NO: 17 is the determined cDNA sequence for LST-S2-74
SEQ ID NO: 18 is the determined cDNA sequence for LST-S2-103
25 SEQ ID NO: 19 is the determined cDNA sequence for LST-S2-N1-1F
SEQ ID NO: 20 is the determined cDNA sequence for LST-S2-N1-2A
SEQ ID NO: 21 is the determined cDNA sequence for LST-S2-N1-4H
SEQ ID NO: 22 is the determined cDNA sequence for LST-S2-N1-5A
SEQ ID NO: 23 is the determined cDNA sequence for LST-S2-N1-6B
30 SEQ ID NO: 24 is the determined cDNA sequence for LST-S2-N1-7B
SEQ ID NO: 25 is the determined cDNA sequence for LST-S2-N1-7H

- SEQ ID NO: 26 is the determined cDNA sequence for LST-S2-N1-8A
SEQ ID NO: 27 is the determined cDNA sequence for LST-S2-N1-8D
SEQ ID NO: 28 is the determined cDNA sequence for LST-S2-N1-9A
SEQ ID NO: 29 is the determined cDNA sequence for LST-S2-N1-9E
5 SEQ ID NO: 30 is the determined cDNA sequence for LST-S2-N1-10A
SEQ ID NO: 31 is the determined cDNA sequence for LST-S2-N1-10G
SEQ ID NO: 32 is the determined cDNA sequence for LST-S2-N1-11A
SEQ ID NO: 33 is the determined cDNA sequence for LST-S2-N1-12C
SEQ ID NO: 34 is the determined cDNA sequence for LST-S2-N1-12E
10 SEQ ID NO: 35 is the determined cDNA sequence for LST-S2-B1-3D
SEQ ID NO: 36 is the determined cDNA sequence for LST-S2-B1-6C
SEQ ID NO: 37 is the determined cDNA sequence for LST-S2-B1-5D
SEQ ID NO: 38 is the determined cDNA sequence for LST-S2-B1-5F
SEQ ID NO: 39 is the determined cDNA sequence for LST-S2-B1-6G
15 SEQ ID NO: 40 is the determined cDNA sequence for LST-S2-B1-8A
SEQ ID NO: 41 is the determined cDNA sequence for LST-S2-B1-8D
SEQ ID NO: 42 is the determined cDNA sequence for LST-S2-B1-10A
SEQ ID NO: 43 is the determined cDNA sequence for LST-S2-B1-9B
SEQ ID NO: 44 is the determined cDNA sequence for LST-S2-B1-9F
20 SEQ ID NO: 45 is the determined cDNA sequence for LST-S2-B1-12D
SEQ ID NO: 46 is the determined cDNA sequence for LST-S2-I2-2B
SEQ ID NO: 47 is the determined cDNA sequence for LST-S2-I2-5F
SEQ ID NO: 48 is the determined cDNA sequence for LST-S2-I2-6B
SEQ ID NO: 49 is the determined cDNA sequence for LST-S2-I2-7F
25 SEQ ID NO: 50 is the determined cDNA sequence for LST-S2-I2-8G
SEQ ID NO: 51 is the determined cDNA sequence for LST-S2-I2-9E
SEQ ID NO: 52 is the determined cDNA sequence for LST-S2-I2-12B
SEQ ID NO: 53 is the determined cDNA sequence for LST-S2-H2-2C
SEQ ID NO: 54 is the determined cDNA sequence for LST-S2-H2-1G
30 SEQ ID NO: 55 is the determined cDNA sequence for LST-S2-H2-4G
SEQ ID NO: 56 is the determined cDNA sequence for LST-S2-H2-3H

- SEQ ID NO: 57 is the determined cDNA sequence for LST-S2-H2-5G
SEQ ID NO: 58 is the determined cDNA sequence for LST-S2-H2-9B
SEQ ID NO: 59 is the determined cDNA sequence for LST-S2-H2-10H
SEQ ID NO: 60 is the determined cDNA sequence for LST-S2-H2-12D
5 SEQ ID NO: 61 is the determined cDNA sequence for LST-S3-2
SEQ ID NO: 62 is the determined cDNA sequence for LST-S3-4
SEQ ID NO: 63 is the determined cDNA sequence for LST-S3-7
SEQ ID NO: 64 is the determined cDNA sequence for LST-S3-8
SEQ ID NO: 65 is the determined cDNA sequence for LST-S3-12
10 SEQ ID NO: 66 is the determined cDNA sequence for LST-S3-13
SEQ ID NO: 67 is the determined cDNA sequence for LST-S3-14
SEQ ID NO: 68 is the determined cDNA sequence for LST-S3-16
SEQ ID NO: 69 is the determined cDNA sequence for LST-S3-21
SEQ ID NO: 70 is the determined cDNA sequence for LST-S3-22
15 SEQ ID NO: 71 is the determined cDNA sequence for LST-S1-7
SEQ ID NO: 72 is the determined cDNA sequence for LST-S1-A-1E
SEQ ID NO: 73 is the determined cDNA sequence for LST-S1-A-1G
SEQ ID NO: 74 is the determined cDNA sequence for LST-S1-A-3E
SEQ ID NO: 75 is the determined cDNA sequence for LST-S1-A-4E
20 SEQ ID NO: 76 is the determined cDNA sequence for LST-S1-A-6D
SEQ ID NO: 77 is the determined cDNA sequence for LST-S1-A-8D
SEQ ID NO: 78 is the determined cDNA sequence for LST-S1-A-10A
SEQ ID NO: 79 is the determined cDNA sequence for LST-S1-A-10C
SEQ ID NO: 80 is the determined cDNA sequence for LST-S1-A-9D
25 SEQ ID NO: 81 is the determined cDNA sequence for LST-S1-A-10D
SEQ ID NO: 82 is the determined cDNA sequence for LST-S1-A-9H
SEQ ID NO: 83 is the determined cDNA sequence for LST-S1-A-11D
SEQ ID NO: 84 is the determined cDNA sequence for LST-S1-A-12D
SEQ ID NO: 85 is the determined cDNA sequence for LST-S1-A-11E
30 SEQ ID NO: 86 is the determined cDNA sequence for LST-S1-A-12E
SEQ ID NO: 87 is the determined cDNA sequence for L513S (T3).

SEQ ID NO: 88 is the determined cDNA sequence for L513S contig 1.

SEQ ID NO: 89 is a first determined cDNA sequence for L514S.

SEQ ID NO: 90 is a second determined cDNA sequence for L514S.

SEQ ID NO: 91 is a first determined cDNA sequence for L516S.

5 SEQ ID NO: 92 is a second determined cDNA sequence for L516S.

SEQ ID NO: 93 is the determined cDNA sequence for L517S.

SEQ ID NO: 94 is the extended cDNA sequence for LST-S1-169 (also known as L519S).

SEQ ID NO: 95 is a first determined cDNA sequence for L520S.

10 SEQ ID NO: 96 is a second determined cDNA sequence for L520S.

SEQ ID NO: 97 is a first determined cDNA sequence for L521S.

SEQ ID NO: 98 is a second determined cDNA sequence for L521S.

SEQ ID NO: 99 is the determined cDNA sequence for L522S.

SEQ ID NO: 100 is the determined cDNA sequence for L523S.

15 SEQ ID NO: 101 is the determined cDNA sequence for L524S.

SEQ ID NO: 102 is the determined cDNA sequence for L525S.

SEQ ID NO: 103 is the determined cDNA sequence for L526S.

SEQ ID NO: 104 is the determined cDNA sequence for L527S.

SEQ ID NO: 105 is the determined cDNA sequence for L528S.

20 SEQ ID NO: 106 is the determined cDNA sequence for L529S.

SEQ ID NO: 107 is a first determined cDNA sequence for L530S.

SEQ ID NO: 108 is a second determined cDNA sequence for L530S.

SEQ ID NO: 109 is the determined full-length cDNA sequence for L531S short form

SEQ ID NO: 110 is the predicted amino acid sequence encoded by SEQ ID NO: 109.

25 SEQ ID NO: 111 is the determined full-length cDNA sequence for L531S long form

SEQ ID NO: 112 is the predicted amino acid sequence encoded by SEQ ID NO: 111.

SEQ ID NO: 113 is the determined full-length cDNA sequence for L520S.

SEQ ID NO: 114 is the predicted amino acid sequence encoded by SEQ ID NO: 113.

SEQ ID NO: 115 is the determined cDNA sequence for contig 1.

30 SEQ ID NO: 116 is the determined cDNA sequence for contig 3.

SEQ ID NO: 117 is the determined cDNA sequence for contig 4.

- SEQ ID NO: 118 is the determined cDNA sequence for contig 5.
- SEQ ID NO: 119 is the determined cDNA sequence for contig 7.
- SEQ ID NO: 120 is the determined cDNA sequence for contig 8.
- SEQ ID NO: 121 is the determined cDNA sequence for contig 9.
- 5 SEQ ID NO: 122 is the determined cDNA sequence for contig 10.
- SEQ ID NO: 123 is the determined cDNA sequence for contig 12.
- SEQ ID NO: 124 is the determined cDNA sequence for contig 11.
- SEQ ID NO: 125 is the determined cDNA sequence for contig 13.
- SEQ ID NO: 126 is the determined cDNA sequence for contig 15.
- 10 SEQ ID NO: 127 is the determined cDNA sequence for contig 16.
- SEQ ID NO: 128 is the determined cDNA sequence for contig 17.
- SEQ ID NO: 129 is the determined cDNA sequence for contig 19.
- SEQ ID NO: 130 is the determined cDNA sequence for contig 20.
- SEQ ID NO: 131 is the determined cDNA sequence for contig 22.
- 15 SEQ ID NO: 132 is the determined cDNA sequence for contig 24.
- SEQ ID NO: 133 is the determined cDNA sequence for contig 29.
- SEQ ID NO: 134 is the determined cDNA sequence for contig 31.
- SEQ ID NO: 135 is the determined cDNA sequence for contig 33.
- SEQ ID NO: 136 is the determined cDNA sequence for contig 38.
- 20 SEQ ID NO: 137 is the determined cDNA sequence for contig 39.
- SEQ ID NO: 138 is the determined cDNA sequence for contig 41.
- SEQ ID NO: 139 is the determined cDNA sequence for contig 43.
- SEQ ID NO: 140 is the determined cDNA sequence for contig 44.
- SEQ ID NO: 141 is the determined cDNA sequence for contig 45.
- 25 SEQ ID NO: 142 is the determined cDNA sequence for contig 47.
- SEQ ID NO: 143 is the determined cDNA sequence for contig 48.
- SEQ ID NO: 144 is the determined cDNA sequence for contig 49.
- SEQ ID NO: 145 is the determined cDNA sequence for contig 50.
- SEQ ID NO: 146 is the determined cDNA sequence for contig 53.
- 30 SEQ ID NO: 147 is the determined cDNA sequence for contig 54.
- SEQ ID NO: 148 is the determined cDNA sequence for contig 56.

- SEQ ID NO: 149 is the determined cDNA sequence for contig 57.
- SEQ ID NO: 150 is the determined cDNA sequence for contig 58.
- SEQ ID NO: 151 is the full-length cDNA sequence for L530S.
- SEQ ID NO: 152 is the amino acid sequence encoded by SEQ ID NO: 151
- 5 SEQ ID NO: 153 is the full-length cDNA sequence of a first variant of L514S
- SEQ ID NO: 154 is the full-length cDNA sequence of a second variant of L514S
- SEQ ID NO: 155 is the amino acid sequence encoded by SEQ ID NO: 153.
- SEQ ID NO: 156 is the amino acid sequence encoded by SEQ ID NO: 154.
- SEQ ID NO: 157 is the determined cDNA sequence for contig 59.
- 10 SEQ ID NO: 158 is the full-length cDNA sequence for L763P (also referred to as contig 22).
- SEQ ID NO: 159 is the amino acid sequence encoded by SEQ ID NO: 158.
- SEQ ID NO: 160 is the full-length cDNA sequence for L762P (also referred to as contig 17).
- 15 SEQ ID NO: 161 is the amino acid sequence encoded by SEQ ID NO: 160.
- SEQ ID NO: 162 is the determined cDNA sequence for L515S.
- SEQ ID NO: 163 is the full-length cDNA sequence of a first variant of L524S.
- SEQ ID NO: 164 is the full-length cDNA sequence of a second variant of L524S.
- SEQ ID NO: 165 is the amino acid sequence encoded by SEQ ID NO: 163.
- 20 SEQ ID NO: 166 is the amino acid sequence encoded by SEQ ID NO: 164.
- SEQ ID NO: 167 is the full-length cDNA sequence of a first variant of L762P.
- SEQ ID NO: 168 is the full-length cDNA sequence of a second variant of L762P.
- SEQ ID NO: 169 is the amino acid sequence encoded by SEQ ID NO: 167.
- SEQ ID NO: 170 is the amino acid sequence encoded by SEQ ID NO: 168.
- 25 SEQ ID NO: 171 is the full-length cDNA sequence for L773P (also referred to as contig 56).
- SEQ ID NO: 172 is the amino acid sequence encoded by SEQ ID NO: 171.
- SEQ ID NO: 173 is an extended cDNA sequence for L519S.
- SEQ ID NO: 174 is the predicted amino acid sequence encoded by SEQ ID NO: 174.
- 30 SEQ ID NO: 175 is the full-length cDNA sequence for L523S.
- SEQ ID NO: 176 is the predicted amino acid sequence encoded by SEQ ID NO: 175.

- SEQ ID NO: 177 is the determined cDNA sequence for LST-sub5-7A.
SEQ ID NO: 178 is the determined cDNA sequence for LST-sub5-8G.
SEQ ID NO: 179 is the determined cDNA sequence for LST-sub5-8H.
SEQ ID NO: 180 is the determined cDNA sequence for LST-sub5-10B.
5 SEQ ID NO: 181 is the determined cDNA sequence for LST-sub5-10H.
SEQ ID NO: 182 is the determined cDNA sequence for LST-sub5-12B.
SEQ ID NO: 183 is the determined cDNA sequence for LST-sub5-11C.
SEQ ID NO: 184 is the determined cDNA sequence for LST-sub6-1c.
SEQ ID NO: 185 is the determined cDNA sequence for LST-sub6-2f.
10 SEQ ID NO: 186 is the determined cDNA sequence for LST-sub6-2G.
SEQ ID NO: 187 is the determined cDNA sequence for LST-sub6-4d.
SEQ ID NO: 188 is the determined cDNA sequence for LST-sub6-4e.
SEQ ID NO: 189 is the determined cDNA sequence for LST-sub6-4f.
SEQ ID NO: 190 is the determined cDNA sequence for LST-sub6-3h.
15 SEQ ID NO: 191 is the determined cDNA sequence for LST-sub6-5d.
SEQ ID NO: 192 is the determined cDNA sequence for LST-sub6-5h.
SEQ ID NO: 193 is the determined cDNA sequence for LST-sub6-6h.
SEQ ID NO: 194 is the determined cDNA sequence for LST-sub6-7a.
SEQ ID NO: 195 is the determined cDNA sequence for LST-sub6-8a.
20 SEQ ID NO: 196 is the determined cDNA sequence for LST-sub6-7d.
SEQ ID NO: 197 is the determined cDNA sequence for LST-sub6-7e.
SEQ ID NO: 198 is the determined cDNA sequence for LST-sub6-8e.
SEQ ID NO: 199 is the determined cDNA sequence for LST-sub6-7g.
SEQ ID NO: 200 is the determined cDNA sequence for LST-sub6-9f.
25 SEQ ID NO: 201 is the determined cDNA sequence for LST-sub6-9h.
SEQ ID NO: 202 is the determined cDNA sequence for LST-sub6-11b.
SEQ ID NO: 203 is the determined cDNA sequence for LST-sub6-11c.
SEQ ID NO: 204 is the determined cDNA sequence for LST-sub6-12c.
SEQ ID NO: 205 is the determined cDNA sequence for LST-sub6-12e.
30 SEQ ID NO: 206 is the determined cDNA sequence for LST-sub6-12f.
SEQ ID NO: 207 is the determined cDNA sequence for LST-sub6-11g.

SEQ ID NO: 208 is the determined cDNA sequence for LST-sub6-12g.

SEQ ID NO: 209 is the determined cDNA sequence for LST-sub6-12h.

SEQ ID NO: 210 is the determined cDNA sequence for LST-sub6-II-1a.

SEQ ID NO: 211 is the determined cDNA sequence for LST-sub6-II-2b.

5 SEQ ID NO: 212 is the determined cDNA sequence for LST-sub6-II-2g.

SEQ ID NO: 213 is the determined cDNA sequence for LST-sub6-II-1h.

SEQ ID NO: 214 is the determined cDNA sequence for LST-sub6-II-4a.

SEQ ID NO: 215 is the determined cDNA sequence for LST-sub6-II-4b.

SEQ ID NO: 216 is the determined cDNA sequence for LST-sub6-II-3e.

10 SEQ ID NO: 217 is the determined cDNA sequence for LST-sub6-II-4f.

SEQ ID NO: 218 is the determined cDNA sequence for LST-sub6-II-4g.

SEQ ID NO: 219 is the determined cDNA sequence for LST-sub6-II-4h.

SEQ ID NO: 220 is the determined cDNA sequence for LST-sub6-II-5c.

SEQ ID NO: 221 is the determined cDNA sequence for LST-sub6-II-5e.

15 SEQ ID NO: 222 is the determined cDNA sequence for LST-sub6-II-6f.

SEQ ID NO: 223 is the determined cDNA sequence for LST-sub6-II-5g.

SEQ ID NO: 224 is the determined cDNA sequence for LST-sub6-II-6g.

SEQ ID NO: 225 is the amino acid sequence for L528S.

SEQ ID NO: 226-251 are synthetic peptides derived from L762P.

20 SEQ ID NO: 252 is the expressed amino acid sequence of L514S.

SEQ ID NO: 253 is the DNA sequence corresponding to SEQ ID NO: 252.

SEQ ID NO: 254 is the DNA sequence of a L762P expression construct.

SEQ ID NO: 255 is the determined cDNA sequence for clone 23785.

SEQ ID NO: 256 is the determined cDNA sequence for clone 23786.

25 SEQ ID NO: 257 is the determined cDNA sequence for clone 23788.

SEQ ID NO: 258 is the determined cDNA sequence for clone 23790.

SEQ ID NO: 259 is the determined cDNA sequence for clone 23793.

SEQ ID NO: 260 is the determined cDNA sequence for clone 23794.

SEQ ID NO: 261 is the determined cDNA sequence for clone 23795.

30 SEQ ID NO: 262 is the determined cDNA sequence for clone 23796.

SEQ ID NO: 263 is the determined cDNA sequence for clone 23797.

- SEQ ID NO: 264 is the determined cDNA sequence for clone 23798.
SEQ ID NO: 265 is the determined cDNA sequence for clone 23799.
SEQ ID NO: 266 is the determined cDNA sequence for clone 23800.
SEQ ID NO: 267 is the determined cDNA sequence for clone 23802.
5 SEQ ID NO: 268 is the determined cDNA sequence for clone 23803.
SEQ ID NO: 269 is the determined cDNA sequence for clone 23804.
SEQ ID NO: 270 is the determined cDNA sequence for clone 23805.
SEQ ID NO: 271 is the determined cDNA sequence for clone 23806.
SEQ ID NO: 272 is the determined cDNA sequence for clone 23807.
10 SEQ ID NO: 273 is the determined cDNA sequence for clone 23808.
SEQ ID NO: 274 is the determined cDNA sequence for clone 23809.
SEQ ID NO: 275 is the determined cDNA sequence for clone 23810.
SEQ ID NO: 276 is the determined cDNA sequence for clone 23811.
SEQ ID NO: 277 is the determined cDNA sequence for clone 23812.
15 SEQ ID NO: 278 is the determined cDNA sequence for clone 23813.
SEQ ID NO: 279 is the determined cDNA sequence for clone 23815.
SEQ ID NO: 280 is the determined cDNA sequence for clone 25298.
SEQ ID NO: 281 is the determined cDNA sequence for clone 25299.
SEQ ID NO: 282 is the determined cDNA sequence for clone 25300.
20 SEQ ID NO: 283 is the determined cDNA sequence for clone 25301
SEQ ID NO: 284 is the determined cDNA sequence for clone 25304
SEQ ID NO: 285 is the determined cDNA sequence for clone 25309.
SEQ ID NO: 286 is the determined cDNA sequence for clone 25312.
SEQ ID NO: 287 is the determined cDNA sequence for clone 25317.
25 SEQ ID NO: 288 is the determined cDNA sequence for clone 25321.
SEQ ID NO: 289 is the determined cDNA sequence for clone 25323.
SEQ ID NO: 290 is the determined cDNA sequence for clone 25327.
SEQ ID NO: 291 is the determined cDNA sequence for clone 25328.
SEQ ID NO: 292 is the determined cDNA sequence for clone 25332.
30 SEQ ID NO: 293 is the determined cDNA sequence for clone 25333.
SEQ ID NO: 294 is the determined cDNA sequence for clone 25336.

- SEQ ID NO: 295 is the determined cDNA sequence for clone 25340.
SEQ ID NO: 296 is the determined cDNA sequence for clone 25342.
SEQ ID NO: 297 is the determined cDNA sequence for clone 25356.
SEQ ID NO: 298 is the determined cDNA sequence for clone 25357.
5 SEQ ID NO: 299 is the determined cDNA sequence for clone 25361.
SEQ ID NO: 300 is the determined cDNA sequence for clone 25363.
SEQ ID NO: 301 is the determined cDNA sequence for clone 25397.
SEQ ID NO: 302 is the determined cDNA sequence for clone 25402.
SEQ ID NO: 303 is the determined cDNA sequence for clone 25403.
10 SEQ ID NO: 304 is the determined cDNA sequence for clone 25405.
SEQ ID NO: 305 is the determined cDNA sequence for clone 25407.
SEQ ID NO: 306 is the determined cDNA sequence for clone 25409.
SEQ ID NO: 307 is the determined cDNA sequence for clone 25396.
SEQ ID NO: 308 is the determined cDNA sequence for clone 25414.
15 SEQ ID NO: 309 is the determined cDNA sequence for clone 25410.
SEQ ID NO: 310 is the determined cDNA sequence for clone 25406.
SEQ ID NO: 311 is the determined cDNA sequence for clone 25306.
SEQ ID NO: 312 is the determined cDNA sequence for clone 25362.
SEQ ID NO: 313 is the determined cDNA sequence for clone 25360.
20 SEQ ID NO: 314 is the determined cDNA sequence for clone 25398.
SEQ ID NO: 315 is the determined cDNA sequence for clone 25355.
SEQ ID NO: 316 is the determined cDNA sequence for clone 25351.
SEQ ID NO: 317 is the determined cDNA sequence for clone 25331.
SEQ ID NO: 318 is the determined cDNA sequence for clone 25338.
25 SEQ ID NO: 319 is the determined cDNA sequence for clone 25335.
SEQ ID NO: 320 is the determined cDNA sequence for clone 25329.
SEQ ID NO: 321 is the determined cDNA sequence for clone 25324.
SEQ ID NO: 322 is the determined cDNA sequence for clone 25322.
SEQ ID NO: 323 is the determined cDNA sequence for clone 25319.
30 SEQ ID NO: 324 is the determined cDNA sequence for clone 25316.
SEQ ID NO: 325 is the determined cDNA sequence for clone 25311.

- SEQ ID NO: 326 is the determined cDNA sequence for clone 25310.
SEQ ID NO: 327 is the determined cDNA sequence for clone 25302.
SEQ ID NO: 328 is the determined cDNA sequence for clone 25315.
SEQ ID NO: 329 is the determined cDNA sequence for clone 25308.
5 SEQ ID NO: 330 is the determined cDNA sequence for clone 25303.
SEQ ID NO: 331-337 are the cDNA sequences of isoforms of the p53 tumor suppressor homologue, p63 (also referred to as L530S).
SEQ ID NO: 338-344 are the amino acid sequences encoded by SEQ ID NO: 331-337, respectively.
10 SEQ ID NO: 345 is a second cDNA sequence for the antigen L763P.
SEQ ID NO: 346 is the amino acid sequence encoded by the sequence of SEQ ID NO: 345.
SEQ ID NO: 347 is a determined full-length cDNA sequence for L523S.
SEQ ID NO: 348 is the predicted amino acid sequence encoded by SEQ ID NO: 347.
15 SEQ ID NO: 349 is the cDNA sequence encoding the N-terminal portion of L773P.
SEQ ID NO: 350 is the amino acid sequence of the N-terminal portion of L773P.

DETAILED DESCRIPTION OF THE INVENTION

- As noted above, the present invention is generally directed to
20 compositions and methods for the therapy and diagnosis of cancer, such as lung cancer.
The compositions described herein may include lung tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic
25 portion) of a lung tumor protein or a variant thereof. A "lung tumor protein" is a protein that is expressed in lung tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain lung tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western
30 blot) with antisera of a patient afflicted with lung cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of

such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery human lung tumor proteins. Sequences of polynucleotides encoding specific tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

LUNG TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a lung tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a lung tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a lung tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a lung tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the

encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native lung tumor protein or a portion thereof. The term “variants” also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be “identical” if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A “comparison window” as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20

positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native lung tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that

is at least two fold greater in a lung tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and
5 Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as lung tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

10 An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a lung tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be
15 preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured
20 bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using
25 a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be
30 generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs

may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding portions of lung tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153,
5 154,157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may
10 also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a lung tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as
15 T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (*e.g.*, by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a lung tumor polypeptide, and administering the transfected cells to the patient).

20 A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor
25 protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to
30 hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription

initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled
5 with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*.
10 Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

15 Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation
20 vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to
25 permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not
30 limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus).). The polynucleotides may also be administered as naked

plasmid vectors. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

15 LUNG TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a lung tumor protein or a variant thereof, as described herein. As noted above, a "lung tumor protein" is a protein that is expressed by lung tumor cells. Proteins that are lung tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with lung cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a lung tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may

contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-
5 247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins).
10 Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native lung tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is
15 similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the
20 sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native lung tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native lung tumor protein in one or more substitutions, deletions, additions
25 and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above
30 polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include

those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

5 Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the

polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression
5 vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host
10 cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or
15 more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example,
20 such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems
25 Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known
30 tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans,

or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be
5 targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused
10 protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase.
15 This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is
20 incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with
25 the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S.
30 Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second

polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med., 336:86-91, 1997*).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible

for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see*
5 *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides
10 as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is
15 considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and
20 antigen-binding fragments thereof, that specifically bind to a lung tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a lung tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a lung tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association
25 between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding
30 constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as lung cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a lung tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, sputum urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically.

Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest
5 may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as
10 described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid
15 cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

20 Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by
25 conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be
30 prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane,

Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or
5 more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria
10 toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a
15 substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an
20 antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents,
25 which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups,
30 sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a lung tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the Isolex™ System, available from Nexell Therapeutics, Inc. Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a lung tumor polypeptide, polynucleotide encoding a lung tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a lung tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a lung tumor polypeptide if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell

proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a lung tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a lung tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Lung tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a lung tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a lung tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a lung tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a lung tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

25

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant

30

may be any substance that enhances or potentiates an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl.*

Acad. Sci. USA 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A,

Bordetella pertussis or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA);
5 aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

10 Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the
15 induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using
20 standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

 Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt.
25 MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555 and WO 99/33488. Immunostimulatory DNA sequences
30 are also described, for example, by Sato et al., *Science* 273:352, 1996. Another preferred adjuvant is a saponin, preferably QS21 (Aquila Biopharmaceuticals Inc.,

Framingham, MA), which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with
5 cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210.

Other preferred adjuvants include Montanide ISA 720 (Seppic, France),
10 SAF (Chiron, California, United States), ISCOMS (CSL), MF-59 (Chiron), the SBAS series of adjuvants (*e.g.*, SBAS-2 or SBAS-4, available from SmithKline Beecham, Rixensart, Belgium), Detox (Ribi ImmunoChem Research Inc., Hamilton, MT), RC-529 (Ribi ImmunoChem Research Inc., Hamilton, MT) and Aminoalkyl glucosaminide 4-phosphates (AGPs).

15 Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient. The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides, for example) that effects a slow release of compound
20 following administration). Such formulations may generally be prepared using well known technology (*see, e.g.* Coombes et al., *Vaccine* 14:1429-1438, 1996) and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained
25 within a reservoir surrounded by a rate controlling membrane.

Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. Such carriers include microparticles of poly(lactide-co-glycolide), as well as polyacrylate, latex, starch, cellulose and dextran. Other delayed-
30 release carriers include supramolecular biovectors, which comprise a non-liquid hydrophilic core (*e.g.*, a cross-linked polysaccharide or oligosaccharide) and, optionally,

an external layer comprising an amphiphilic compound, such as a phospholipid (*see e.g.*, U.S. Patent No. 5,151,254 and PCT applications WO 94/20078, WO/94/23701 and WO 96/06638). The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood,

bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes
5 harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

10 Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which
15 correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (e.g., CD54 and CD11) and costimulatory molecules (e.g., CD40, CD80, CD86 and 4-1BB).

20 APCs may generally be transfected with a polynucleotide encoding a lung tumor protein (or portion or other variant thereof) such that the lung tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein.
25 Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell*
30 *Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the lung tumor polypeptide, DNA

(naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

Vaccines and pharmaceutical compositions may be presented in unit-dose or multi-dose containers, such as sealed ampoules or vials. Such containers are preferably hermetically sealed to preserve sterility of the formulation until use. In general, formulations may be stored as suspensions, solutions or emulsions in oily or aqueous vehicles. Alternatively, a vaccine or pharmaceutical composition may be stored in a freeze-dried condition requiring only the addition of a sterile liquid carrier immediately prior to use.

15 CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as lung cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast and/or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive

long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see*, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 μ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free

survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a lung tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more lung tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, sputum urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as lung cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a lung tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent

that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length lung tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the

binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at
5 A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody.
10 Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

15 More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to
20 bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.,* incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with lung cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of
25 that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

30 Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second

antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide.

5 An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are
10 generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of
15 the reaction products.

To determine the presence or absence of a cancer, such as lung cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average
20 mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical*
25 *Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that
30 encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered

positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

5 In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution
10 containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent.
15 Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the
20 biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about
25 500 ng. Such tests can typically be performed with a very small amount of biological sample.

 Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to
30 those of ordinary skill in the art that the above protocols may be readily modified to use lung tumor polypeptides to detect antibodies that bind to such polypeptides in a

biological sample. The detection of such lung tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a lung tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a lung tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of lung tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a lung tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a lung tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (i.e., hybridizes to) a polynucleotide encoding the lung tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a lung tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%,

preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a lung tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the

level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor.

- 5 One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

- As noted above, to improve sensitivity, multiple lung tumor protein
10 markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins
15 provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

- The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components
20 necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a lung tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements,
25 such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

- Alternatively, a kit may be designed to detect the level of mRNA encoding a lung tumor protein in a biological sample. Such kits generally comprise at
30 least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a lung tumor protein. Such an oligonucleotide may be used,

for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a lung tumor protein.

The following Examples are offered by way of illustration and not by
5 way of limitation.

EXAMPLE 1
ISOLATION AND CHARACTERIZATION OF cDNA SEQUENCES
ENCODING LUNG TUMOR POLYPEPTIDES

5

This example illustrates the isolation of cDNA molecules encoding lung tumor-specific polypeptides from lung tumor cDNA libraries.

A. ISOLATION OF cDNA SEQUENCES FROM A LUNG SQUAMOUS CELL
10 CARCINOMA LIBRARY

A human lung squamous cell carcinoma cDNA expression library was constructed from poly A⁺ RNA from a pool of two patient tissues using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD) following the manufacturer's protocol. Specifically, lung carcinoma
15 tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using an oligo dT cellulose column as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. First-strand cDNA was
20 synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with BstXI/EcoRI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with cDNA size fractionation columns (BRL Life Technologies), the cDNA was ligated into the BstXI/NotI site of pcDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life
25 Technologies) by electroporation.

Using the same procedure, a normal human lung cDNA expression library was prepared from a pool of four tissue specimens. The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The lung
30 squamous cell carcinoma library contained 2.7×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 2100 base pairs. The normal

lung cDNA library contained 1.4×10^6 independent colonies, with 90% of clones having inserts and the average insert size being 1800 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA

5 cDNA library subtraction was performed using the above lung squamous cell carcinoma and normal lung cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a lung squamous cell carcinoma-specific subtracted cDNA library was generated as follows. Normal tissue cDNA library (80 μ g) was digested with BamHI and XhoI, followed by a filling-in
10 reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 133 μ l of H₂O, heat-denatured and mixed with 133 μ l (133 μ g) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (67 μ l) was added
15 and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 μ l H₂O to form the driver DNA.

To form the tracer DNA, 10 μ g lung squamous cell carcinoma cDNA library was digested with NotI and SpeI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech, Palo Alto, CA). Typically, 5 μ g of
20 cDNA was recovered after the sizing column. Following ethanol precipitation, the tracer DNA was dissolved in 5 μ l H₂O. Tracer DNA was mixed with 15 μ l driver DNA and 20 μ l of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and
25 incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 μ l H₂O, mixed with 8 μ l driver DNA and 20 μ l of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After
30 removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into NotI/SpeI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA) and

transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a lung squamous cell carcinoma specific subtracted cDNA library (herein after referred to as "lung subtraction I").

5 A second lung squamous cell carcinoma specific subtracted cDNA library (referred to as "lung subtraction II") was generated in a similar way to the lung subtraction library I, except that eight frequently recovered genes from lung subtraction I were included in the driver DNA, and 24,000 independent clones were recovered.

To analyze the subtracted cDNA libraries, plasmid DNA was prepared from 320 independent clones, randomly picked from the subtracted lung squamous cell carcinoma specific libraries. Representative cDNA clones were further characterized by
10 DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A and/or Model 377 (Foster City, CA). The cDNA sequences for sixty isolated clones are provided in SEQ ID NO: 1-60. These sequences were compared to known sequences in the gene bank using the EMBL and GenBank
15 databases (release 96). No significant homologies were found to the sequences provided in SEQ ID NO: 2, 3, 19, 38 and 46. The sequences of SEQ ID NO: 1, 6-8, 10-13, 15, 17, 18, 20-27, 29, 30, 32, 34-37, 39-45, 47-49, 51, 52, 54, 55 and 57-59 were found to show some homology to previously identified expressed sequence tags (ESTs). The sequences of SEQ ID NO: 9, 28, 31 and 33 were found to show some homology to
20 previously identified non-human gene sequences and the sequences of SEQ ID NO: 4, 5, 14, 50, 53, 56 and 60 were found to show some homology to gene sequences previously identified in humans.

The subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and the above normal
25 lung tissue cDNA library and a cDNA library from normal liver and heart (constructed from a pool of one sample of each tissue as described above), plus twenty other cDNA clones that were frequently recovered in lung subtractions I and II, as the driver DNA (lung subtraction III). The normal liver and heart cDNA library contained 1.76×10^6 independent colonies, with 100% of clones having inserts and the average insert size
30 being 1600 base pairs. Ten additional clones were isolated (SEQ ID NO: 61-70). Comparison of these cDNA sequences with those in the gene bank as described above,

revealed no significant homologies to the sequences provided in SEQ ID NO: 62 and 67. The sequences of SEQ ID NO: 61, 63-66, 68 and 69 were found to show some homology to previously isolated ESTs and the sequence provided in SEQ ID NO: 70 was found to show some homology to a previously identified rat gene.

5 In further studies, the subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and a cDNA library from a pool of normal lung, kidney, colon, pancreas, brain, resting PBMC, heart, skin and esophagus as the driver DNA, with esophagus cDNAs making up one third of the driver material. Since esophagus is enriched in normal
10 epithelial cells, including differentiated squamous cells, this procedure is likely to enrich genes that are tumor specific rather than tissues specific. The cDNA sequences of 48 clones determined in this subtraction are provided in SEQ ID NO: 177-224. The sequences of SEQ ID NO: 177, 178, 180, 181, 183, 187, 192, 195-197, 208, 211, 212, 215, 216, 218 and 219 showed some homology to previously identified genes. The
15 sequences of SEQ ID NO: 179, 182, 184-186, 188-191, 193, 194, 198-207, 209 210, 213, 214, 217, 220 and 224 showed some homology to previously determined ESTs. The sequence of SEQ ID NO: 221-223 showed no homology to any previously determined sequence.

20 B. ISOLATION OF cDNA SEQUENCES FROM A LUNG ADENOCARCINOMA LIBRARY

A human lung adenocarcinoma cDNA expression library was constructed as described above. The library contained 3.2×10^6 independent colonies, with 100% of clones having an insert and the average insert size being 1500 base pairs.
25 Library subtraction was performed as described above using the normal lung and normal liver and heart cDNA expression libraries described above as the driver DNA. Twenty-six hundred independent clones were recovered.

Initial cDNA sequence analysis from 100 independent clones revealed many ribosomal protein genes. The cDNA sequences for fifteen clones isolated in this
30 subtraction are provided in SEQ ID NO: 71-86. Comparison of these sequences with those in the gene bank as described above revealed no significant homologies to the

sequence provided in SEQ ID NO: 84. The sequences of SEQ ID NO: 71, 73, 74, 77, 78 and 80-82 were found to show some homology to previously isolated ESTs, and the sequences of SEQ ID NO: 72, 75, 76, 79, 83 and 85 were found to show some homology to previously identified human genes.

5 In further studies, a cDNA library (referred to as mets3616A) was constructed from a metastatic lung adenocarcinoma. The determined cDNA sequences of 25 clones sequenced at random from this library are provided in SEQ ID NO: 255-279. The mets3616A cDNA library was subtracted against a cDNA library prepared from a pool of normal lung, liver, pancreas, skin, kidney, brain and resting PBMC. To
10 increase the specificity of the subtraction, the driver was spiked with genes that were determined to be most abundant in the mets3616A cDNA library, such as EF1-alpha, integrin-beta and anticoagulant protein PP4, as well as with cDNAs that were previously found to be differentially expressed in subtracted lung adenocarcinoma cDNA libraries. The determined cDNA sequences of 51 clones isolated from the
15 subtracted library (referred to as mets3616A-S1) are provided in SEQ ID NO: 280-330.

Comparison of the sequences of SEQ ID NO: 255-330 with those in the public databases revealed no significant homologies to the sequences of SEQ ID NO: 255-258, 260, 262-264, 270, 272, 275, 276, 279, 281, 287, 291, 296, 300 and 310. The sequences of SEQ ID NO: 259, 261, 265-269, 271, 273, 274, 277, 278, 282-285, 288-
20 290, 292, 294, 297-299, 301, 303-309, 313, 314, 316, 320-324 and 326-330 showed some homology to previously identified gene sequences, while the sequences of SEQ ID NO: 280, 286, 293, 302, 310, 312, 315, 317-319 and 325 showed some homology to previously isolated expressed sequence tags (ESTs).

25

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF LUNG TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for seven
30 representative lung tumor polypeptides described in Example 1 were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 2 µg of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β-actin was used as an internal control for each of the tissues examined. 1 µl of 1:30 dilution of cDNA was employed to enable the linear range amplification of the β-actin template and was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β-actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in five different types of tumor tissue (lung squamous cell carcinoma from 3 patients, lung adenocarcinoma, colon tumor from 2 patients, breast tumor and prostate tumor), and thirteen different normal tissues (lung from 4 donors, prostate, brain, kidney, liver, ovary, skeletal muscle, skin, small intestine, stomach, myocardium, retina and testes). Using a 10-fold amount of cDNA, the antigen LST-S1-90 (SEQ ID NO: 3) was found to be expressed at high levels in lung squamous cell carcinoma and in breast tumor, and at low to undetectable levels in the other tissues examined.

The antigen LST-S2-68 (SEQ ID NO: 15) appears to be specific to lung and breast tumor, however, expression was also detected in normal kidney. Antigens LST-S1-169 (SEQ ID NO: 6) and LST-S1-133 (SEQ ID NO: 5) appear to be very abundant in lung tissues (both normal and tumor), with the expression of these two genes being decreased in most of the normal tissues tested. Both LST-S1-169 and LST-S1-133 were also expressed in breast and colon tumors. Antigens LST-S1-6 (SEQ ID NO: 7) and LST-S2-I2-5F (SEQ ID NO: 47) did not show tumor or tissue specific expression, with the expression of LST-S1-28 being rare and only detectable in a few tissues. The antigen LST-S3-7 (SEQ ID NO: 63) showed lung and breast tumor specific expression, with its message only being detected in normal testes when the PCR was performed for 30 cycles. Lower level expression was detected in some

normal tissues when the cycle number was increased to 35. Antigen LST-S3-13 (SEQ ID NO: 66) was found to be expressed in 3 out of 4 lung tumors, one breast tumor and both colon tumor samples. Its expression in normal tissues was lower compared to tumors, and was only detected in 1 out of 4 normal lung tissues and in normal tissues
5 from kidney, ovary and retina. Expression of antigens LST-S3-4 (SEQ ID NO: 62) and LST-S3-14 (SEQ ID NO: 67) was rare and did not show any tissue or tumor specificity. Consistent with Northern blot analyses, the RT-PCT results on antigen LAT-S1-A-10A (SEQ ID NO: 78) suggested that its expression is high in lung, colon, stomach and small intestine tissues, including lung and colon tumors, whereas its expression was low
10 or undetectable in other tissues.

A total of 2002 cDNA fragments isolated in lung subtractions I, II and III, described above, were colony PCR amplified and their mRNA expression levels in lung tumor, normal lung, and various other normal and tumor tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification
15 products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization
20 intensity. Seventeen non-redundant cDNA clones showed over-expression in lung squamous tumors, with expression in normal tissues tested (lung, skin, lymph node, colon, liver, pancreas, breast, heart, bone marrow, large intestine, kidney, stomach, brain, small intestine, bladder and salivary gland) being either undetectable, or 10-fold less compared to lung squamous tumors. The determined partial cDNA sequences for
25 the clone L513S are provided in SEQ ID NO: 87 and 88; those for L514S are provided in SEQ ID NO: 89 and 90; those for L516S in SEQ ID NO: 91 and 92; that for L517S in SEQ ID NO: 93; that for L519S in SEQ ID NO: 94; those for L520S in SEQ ID NO: 95 and 96; those for L521S in SEQ ID NO: 97 and 98; that for L522S in SEQ ID NO: 99; that for L523S in SEQ ID NO: 100; that for L524S in SEQ ID NO: 101; that for
30 L525S in SEQ ID NO: 102; that for L526S in SEQ ID NO: 103; that for L527S in SEQ ID NO: 104; that for L528S in SEQ ID NO: 105; that for L529S in SEQ ID NO: 106;

and those for L530S in SEQ ID NO: 107 and 108. Additionally, the full-length cDNA sequence for L530S is provided in SEQ ID NO: 151, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 152. L530S shows homology to a splice variant of a p53 tumor suppressor homologue, p63. The cDNA sequences of 7 known isoforms of p63 are provided in SEQ ID NO: 331-337, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 338-344, respectively.

Due to polymorphisms, the clone L531S appears to have two forms. A first determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 109, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 110. A second determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 111, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 112. The sequence of SEQ ID NO: 111 is identical to that of SEQ ID NO: 109, except that it contains a 27 bp insertion. Similarly, L514S also has two alternatively spliced forms; the first variant cDNA is listed as SEQ ID NO: 153, with the corresponding amino acid sequence being provided in SEQ ID NO: 155. The second variant form of L514S full-length cDNA is provided in SEQ ID NO: 154, with its corresponding amino acid sequence being provided in SEQ ID NO: 156.

Full length cloning for L524S (SEQ ID NO: 101) yielded two variants (SEQ ID NO: 163 and 164) with the corresponding predicted amino acid sequences of SEQ ID NO: 165 and 166, respectively. Both variants have been shown to encode parathyroid hormone-related peptide.

Attempts to isolate the full-length cDNA for L519S, resulted in the isolation of the extended cDNA sequence provided in SEQ ID NO: 173, which contains a potential open reading frame. The predicted amino acid sequence encoded by the sequence of SEQ ID NO: 173 is provided in SEQ ID NO: 174. Additionally, the full-length cDNA sequence for the clone of SEQ ID NO: 100 (known as L523S), a known gene, is provided in SEQ ID NO: 175, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 176. In further studies, a full-length cDNA sequence for L523S was isolated from a L523S-positive tumor cDNA library by PCR amplification using gene specific primers designed from the sequence of SEQ ID NO: 175. The determined cDNA sequence is provided in SEQ ID NO: **. The amino acid

sequence encoded by this sequence is provided in SEQ ID NO: **. This protein sequence differs from the previously published protein sequence at two amino acid positions, namely at positions 158 and 410.

Comparison of the sequences of L514S and L531S (SEQ ID NO: 87 and 88, 89 and 90, and 109, respectively) with those in the gene bank, as described above, revealed no significant homologies to known sequences. The sequences of L513S, L516S, L517S, L519S, L520S and L530S (SEQ ID NO: 87 and 88, 91 and 92, 93, 94, 95 and 96, 107 and 108, respectively) were found to show some homology to previously identified ESTs. The sequences of L521S, L522S, L523S, L524S, L525S, L526S, L527S, L528S and L529S (SEQ ID NO: 97 and 98, 99, 99, 101, 102, 103, 104, 105, and 106, respectively) were found to represent known genes. The determined full-length cDNA sequences for L520S is provided in SEQ ID NO: 113, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 114. Subsequent microarray analysis has shown L520S to be overexpressed in breast tumors in addition to lung squamous tumors.

Further analysis has demonstrated that L529S (SEQ ID NO: 106 and 115), L525S (SEQ ID NO: 102 and 120) and L527S (SEQ ID NO: 104) are cytoskeletal components and potentially squamous cell specific proteins. L529S is connexin 26, a gap junction protein. It is highly expressed in lung squamous tumor 9688T, and moderately over-expressed in two others. However, lower level expression of connexin 26 is also detectable in normal skin, colon, liver and stomach. The over-expression of connexin 26 in some breast tumors has been reported and a mutated form of L529S may result in over-expression in lung tumors. L525S is plakophilin 1, a desmosomal protein found in plaque-bearing adhering junctions of the skin. Expression levels for L525S mRNA is highly elevated in three out of four lung squamous tumors tested, and in normal skin. L527S has been identified as keratin 6 isoform, type II 58 Kd keratin, and cytokeratin 13 and shows over-expression in squamous tumors and low expression in normal skin, breast and colon tissues. Notably, keratin and keratin-related genes have been extensively documented as potential markers for lung cancer including CYFRA2.1 (Pastor, A., et al, *Eur. Respir. J.*, 10:603-609, 1997). L513S (SEQ ID NO: 87 and 88)

shows moderate over-expression in several tumor tissues tested, and encodes a protein that was first isolated as a pemphigus vulgaris antigen.

L520S (SEQ ID NO: 95 and 96) and L521S (SEQ ID NO: 97 and 98) are highly expressed in lung squamous tumors, and L520S is up-regulated in normal salivary gland and L521S is over-expressed in normal skin. Both belong to a family of small proline rich proteins and represent markers for fully differentiated squamous cells. L521S has been described as a specific marker for lung squamous tumor (Hu, R., et al, *Lung Cancer*, 20:25-30, 1998). L515S (SEQ ID NO: 162) encodes IGF- β 2 and L516S is an aldose reductase homologue and both are moderately expressed in lung squamous tumors and in normal colon. Notably, L516S (SEQ ID NO: 91 and 92) is up-regulated in metastatic tumors but not primary lung adenocarcinoma, an indication of its potential role in metatasis and a potential prognostic marker. L522S (SEQ ID NO: 99) is moderately over-expressed in lung squamous tumors with minimum expression in normal tissues. L522S has been shown to belong to a class IV alcohol dehydrogenase, ADH7, and its expression profile suggests it is a squamous cell specific antigen. L523S (SEQ ID NO: 100) is moderately over-expressed in lung squamous tumor, human pancreatic cancer cell lines and pancreatic cancer tissues, suggesting this gene may be a shared antigen between pancreatic and lung squamous cell cancer.

L524S (SEQ ID NO: 101) is over-expressed in the majority of squamous tumors tested and is homologous with parathyroid hormone-related peptide (PTHrP), which is best known to cause humoral hypercalcaemia associated with malignant tumors such as leukemia, prostate and breast cancer. It is also believed that PTHrP is most commonly associated with squamous carcinoma of lung and rarely with lung adenocarcinoma (Davidson, L.A., et al, *J. Pathol.*, 178: 398-401, 1996). L528S (SEQ ID NO: 105) is highly over-expressed in two lung squamous tumors with moderate expression in two other squamous tumors, one lung adenocarcinoma and some normal tissues, including skin, lymph nodes, heart, stomach and lung. It encodes the NMB gene that is similar to the precursor of melanocyte specific gene Pmel17, wfhich is reported to be preferentially expressed in low-metastatic potential melanoma cell lines. This suggests that L528S may be a shared antigen in both melanoma and lung squamous cell carcinoma. L526S (SEQ ID NO: 103) is overexpressed in all lung

squamous cell tumor tissues tested and has been shown to share homology with a gene (ATM) in which a mutation causes ataxia telangiectasia, a genetic disorder in humans causing a predisposition to cancer, among other symptoms. ATM encodes a protein that activates p53 mediated cell-cycle checkpoint through direct binding and phosphorylation of the p53 molecule. Approximately 40% of lung cancer is associated with p53 mutations, and it is speculated that over-expression of ATM is a result of compensation for loss of p53 function, but it is unknown whether over-expression is the cause of result of lung squamous cell carcinoma. Additionally, expression of L526S (ATM) is also detected in a metastatic but not lung adenocarcinoma, suggesting a role in metastasis.

Expression of L523S (SEQ ID NO: 175), was also examined by real time RT-PCR as described above. In a first study using a panel of lung squamous tumors, L523S was found to be expressed in 4/7 lung squamous tumors, 2/3 head and neck squamous tumors and 2/2 lung adenocarcinomas, with low level expression being observed in skeletal muscle, soft palate and tonsil. In a second study using a lung adenocarcinoma panel, expression of L523S was observed in 4/9 primary adenocarcinomas, 2/2 lung pleural effusions, 1/1 metastatic lung adenocarcinomas and 2/2 lung squamous tumors, with little expression being observed in normal tissues.

Expression of L523S in lung tumors and various normal tissues was also examined by Northern blot analysis, using standard techniques. In a first study, L523S was found to be expressed in a number of lung adenocarcinomas and squamous cell carcinomas, as well as normal tonsil. No expression was observed in normal lung. In a second study using a normal tissue blot (HB-12) from Clontech, no expression was observed in brain, skeletal muscle, colon, thymus, spleen, kidney, liver, small intestine, lung or PBMC, although there was strong expression in placenta.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF LUNG TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

Eight hundred and fifty seven clones from a cDNA subtraction library, containing cDNA from a pool of two human lung squamous tumors subtracted against eight normal human tissue cDNAs including lung, PBMC, brain, heart, kidney, liver, pancreas, and skin, (Clontech, Palo Alto, CA) were derived and submitted to a first round of PCR amplification. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector P7- Adv vector (Clontech, Palo Alto, CA) and transformed into DH5 α *E. coli* (Gibco, BRL). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

One hundred and sixty two positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the the EMBL and GenBank databases, as described above, revealed no significant homologies to 13 of these clones, hereinafter referred to as Contigs 13, 16, 17, 19, 22, 24, 29, 47, 49, 56-59. The determined cDNA sequences for these clones are provided in SEQ ID NO: 125, 127-129, 131-133, 142, 144, 148-150, and 157, respectively. Contigs 1, 3-5, 7-10, 12, 11, 15, 20, 31, 33, 38, 39, 41, 43, 44, 45, 48, 50, 53, 54 (SEQ ID NO: 115-124, 126, 130, 134-141, 143, 145-147, respectively) were found to show some degree of homology to previously identified DNA sequences. Contig 57 (SEQ ID NO: 149) was found to represent the clone L519S (SEQ ID NO: 94) disclosed in US. Patent Application No. 09/123,912, filed July 27, 1998. To the best of the inventors' knowledge, none of these sequences have been previously shown to be differentially over-expressed in lung tumors.

mRNA expression levels for representative clones in lung tumor tissues, normal lung tissues (n=4), resting PBMC, salivary gland, heart, stomach, lymph nodes, skeletal muscle, soft palate, small intestine, large intestine, bronchial, bladder, tonsil, kidney, esophagus, bone marrow, colon, adrenal gland, pancreas, and skin, (all derived from human) were determined by RT-PCR as described above. Expression levels using microarray technology, as described above, were examined in one sample of each tissue type unless otherwise indicated.

Contig 3 (SEQ ID NO: 116) was found to be highly expressed in all head and neck squamous cell tumors tested (17/17), and expressed in the majority (8/12) of lung squamous tumors, (high expression in 7/12, moderate in 2/12, and low in 2/12), while showing negative expression for 2/4 normal lung tissues and low expression in the remaining two samples. Contig 3 showed moderate expression in skin and soft palate, and lowered expression levels in resting PBMC, large intestine, salivary gland, tonsil, pancreas, esophagus, and colon. Contig 11 (SEQ ID NO: 124) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 14/17, and moderately expressed in 3/17. Additionally, expression in lung squamous tumors showed high expression in 3/12 and moderate in 4/12. Contig 11 was negative for 3/4 normal lung samples, with the remaining sample having only low expression. Contig 11 showed low to moderate reactivity to salivary gland, soft palate, bladder, tonsil, skin, esophagus, and large intestine. Contig 13 (SEQ ID NO: 125) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 12/17, and moderately expressed in 5/17. Contig 13 was expressed in 7/12 lung squamous tumors, with high expression in 4/12 and moderate expression in three samples. Analysis of normal lung samples showed negative expression for 2/4 and low to moderate expression in the remaining two samples. Contig 13 did show low to moderate reactivity to resting PBMC, salivary gland, bladder, pancreas, tonsil, skin, esophagus, and large intestine, as well as high expression in soft palate. Contig 16 (SEQ ID NO: 127) was found to be moderately expressed in some head and neck squamous cell tumors (6/17) and one lung squamous tumor; while showing no expression in any normal lung samples tested. Contig 16 did show low reactivity to resting PBMC, large intestine, skin, salivary gland, and soft palate. Contig 17 (SEQ ID NO: 128) was shown to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 5/17, and moderately expressed in 12/17. Expression levels in lung squamous tumors showed one tumor sample with high expression and 3/12 with moderate levels. Contig 17 was negative for 2/4 normal lung samples, with the remaining samples having only low expression. Additionally, low level expression was found in esophagus and soft palate. Contig 19 (SEQ ID NO: 129) was found to be expressed in most head and neck squamous cell tumors tested (11/17); with two

samples having high levels, 6/17 showing moderate expression, and low expression being found in 3/17. Testing in lung squamous tumors revealed only moderate expression in 3/12 samples. Expression levels in 2/4 of normal lung samples were negative, the two other samples having only low expression. Contig 19 showed low expression levels in esophagus, resting PBMC, salivary gland, bladder, soft palate and pancreas.

Contig 22 (SEQ ID NO: 131), was shown to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in four of these samples, moderate expression in 6/17, and low expression in 3/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression in two normal lung samples and low expression in two other samples (n=4). Contig 22 showed low expression in skin, salivary gland and soft palate. Similarly, Contig 24 (SEQ ID NO: 132) was found to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in three of these samples, moderate expression in 6/17, and low expression in 4/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression for three normal lung samples and low expression in one sample (n=4). Contig 24 showed low expression in skin, salivary gland and soft palate. Contig 29 (SEQ ID NO: 133) was expressed in nearly all head and neck squamous cell tumors tested (16/17): highly expressed in 4/17, moderately expressed in 11/17, with low expression in one sample. Also, it was moderately expressed in 3/12 lung squamous tumors, while being negative for 2/4 normal lung samples. Contig 29 showed low to moderate expression in large intestine, skin, salivary gland, pancreas, tonsil, heart and soft palate. Contig 47 (SEQ ID NO: 142) was expressed in most head and neck squamous cell tumors tested (12/17): moderate expression in 10/17, and low expression in two samples. In lung squamous tumors, it was highly expressed in one sample and moderately expressed in two others (n=13). Contig 47 was negative for 2/4 normal lung samples, with the remaining two samples having moderate expression. Also, Contig 47 showed moderate expression in large intestine, and pancreas, and low expression in skin, salivary gland, soft palate, stomach, bladder, resting PBMC, and tonsil.

Contig 48 (SEQ ID NO: 143) was expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 8/17 and moderately expressed in 7/17, with low expression in two samples. Expression levels in lung squamous tumors were high to moderate in three samples (n=13). Contig 48 was negative for one out of four normal lung samples, the remaining showing low or moderate expression. Contig 48 showed moderate expression in soft palate, large intestine, pancreas, and bladder, and low expression in esophagus, salivary gland, resting PBMC, and heart. Contig 49 (SEQ ID NO: 144) was expressed at low to moderate levels in 6/17 head and neck squamous cell tumors tested. Expression levels in lung squamous tumors were moderate in three samples (n=13). Contig 49 was negative for 2/4 normal lung samples, the remaining samples showing low expression. Moderate expression levels in skin, salivary gland, large intestine, pancreas, bladder and resting PBMC were shown, as well as low expression in soft palate, lymph nodes, and tonsil. Contig 56 (SEQ ID NO: 148) was expressed in low to moderate levels in 3/17 head and neck squamous cell tumors tested, and in lung squamous tumors, showing low to moderate levels in three out of thirteen samples. Notably, low expression levels were detected in one adenocarcinoma lung tumor sample (n=2). Contig 56 was negative for 3/4 normal lung samples, and showed moderate expression levels in only large intestine, and low expression in salivary gland, soft palate, pancreas, bladder, and resting PBMC. Contig 58, also known as L769P, (SEQ ID NO: 150) was expressed at moderate levels in 11/17 head and neck squamous cell tumors tested and low expression in one additional sample. Expression in lung squamous tumors showed low to moderate levels in three out of thirteen samples. Contig 58 was negative for 3/4 normal lung samples, with one sample having low expression. Moderate expression levels in skin, large intestine, and resting PBMC were demonstrated, as well as low expression in salivary gland, soft palate, pancreas, and bladder. Contig 59 (SEQ ID NO: 157) was expressed in some head, neck, and lung squamous tumors. Low level expression of Contig 59 was also detected in salivary gland and large intestine.

The full-length cDNA sequence for Contig 22, also referred to as L763P, is provided in SEQ ID NO: 158, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 159. Real-time RT-PCR analysis of L763P revealed

that it is highly expressed in 3/4 lung squamous tumors as well as 4/4 head and neck squamous tumors, with low level expression being observed in normal brain, skin, soft pallet and trachea. Subsequent database searches revealed that the sequence of SEQ ID NO: 158 contains a mutation, resulting in a frameshift in the corresponding protein sequence. A second cDNA sequence for L763P is provided in SEQ ID NO: 345, with the corresponding amino acid sequence being provided in SEQ ID NO: 346. The sequences of SEQ ID NO: 159 and 346 are identical with the exception of the C-terminal 33 amino acids of SEQ ID NO: 159.

The full-length cDNA sequence incorporating Contigs 17, 19, and 24, referred to as L762P, is provided in SEQ ID NO: 160, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 161. Further analysis of L762P has determined it to be a type I membrane protein and two additional variants have been sequenced. Variant 1 (SEQ ID NO: 167, with the corresponding amino acid sequence in SEQ ID NO: 169) is an alternatively spliced form of SEQ ID NO: 160 resulting in deletion of 503 nucleotides, as well as deletion of a short segment of the expressed protein. Variant 2 (SEQ ID NO: 168, with the corresponding amino acid sequence in SEQ ID NO: 170) has a two nucleotide deletion at the 3' coding region in comparison to SEQ ID NO: 160, resulting in a secreted form of the expressed protein. Real-time RT-PCR analysis of L762P revealed that is over-expressed in 3/4 lung squamous tumors and 4/4 head & neck tumors, with low level expression being observed in normal skin, soft pallet and trachea.

The full-length cDNA sequence for contig 56 (SEQ ID NO: 148), also referred to as L773P, is provided in SEQ ID NO: 171, with the predicted amino acid sequence in SEQ ID NO: 172. L773P was found to be identical to dihydroxyl dehydrogenase at the 3' portion of the gene, with divergent 5' sequence. As a result, the 69 N-terminal amino acids are unique. The cDNA sequence encoding the 69 N-terminal amino acids is provided in SEQ ID NO: 349, with the N-terminal amino acid sequence being provided in SEQ ID NO: 350. Real-time PCR revealed that L773P is highly expressed in lung squamous tumor and lung adenocarcinoma, with no detectable expression in normal tissues. Subsequent Northern blot analysis of L773P demonstrated that this transcript is differentially over-expressed in squamous tumors

and detected at approximately 1.6 Kb in primary lung tumor tissue and approximately 1.3 Kb in primary head and neck tumor tissue.

Subsequent microarray analysis has shown Contig 58, also referred to as L769S (SEQ ID NO: 150), to be overexpressed in breast tumors in addition to lung squamous tumors.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems Division 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

PREPARATION OF ANTIBODIES AGAINST LUNG CANCER ANTIGENS

Polyclonal antibodies against the lung cancer antigens L514S, L528S and L531S (SEQ ID NO: 155, 225 and 112, respectively) were prepared as follows.

Rabbits were immunized with recombinant protein expressed in and purified from *E. coli* as described above. For the initial immunization, 400 µg of

antigen combined with muramyl dipeptide (MDP) was injected subcutaneously (S.C.). Animals were boosted S.C. 4 weeks later with 200 µg of antigen mixed with incomplete Freund's Adjuvant (IFA). Subsequent boosts of 100 µg of antigen mixed with IFA were injected S.C. as necessary to induce high antibody titer responses. Serum bleeds
5 from immunized rabbits were tested for antigen-specific reactivity using ELISA assays with purified protein. Polyclonal antibodies against L514S, L528S and L531S were affinity purified from high titer polyclonal sera using purified protein attached to a solid support.

Immunohistochemical analysis using polyclonal antibodies against
10 L514S was performed on a panel of 5 lung tumor samples, 5 normal lung tissue samples and normal colon, kidney, liver, brain and bone marrow. Specifically, tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with antibody for 1 hr. HRP-labeled anti-mouse followed by incubation with DAB
15 chromogen was used to visualize L514S immunoreactivity. L514S was found to be highly expressed in lung tumor tissue with little or no expression being observed in normal lung, brain or bone marrow. Light staining was observed in colon and kidney. Staining was seen in normal liver but no mRNA has been detected in this tissue making this result suspect.

20

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

Immunogenic peptides from the lung cancer antigen L762P (SEQ ID
25 NO: 161) for HLA-A2/K^b-restricted CD8⁺ T cells were identified as follows.

The location of HLA-A2 binding peptides within the lung cancer antigen L762P (SEQ ID NO: 161) was predicted using a computer program which predicts peptides sequences likely to being to HLA-A*0201 by fitting to the known peptide binding motif for HLA-A*0201 (Rupert *et al.* (1993) *Cell* 74:929; Rammensee *et al.*
30 (1995) *Immunogenetics* 41:178-228). A series of 19 synthetic peptides corresponding to a selected subset of the predicted HLA-A*0201 binding peptides was prepared as described above.

Mice expressing the transgene for human HLA A2/K^b (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with the synthetic peptides, as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 50µg of L726P peptide and 120µg of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared. Cells were then resuspended at 7×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) L762P peptide- (5µg/ml) and 10mg/ml B₂-microglobulin- (3 µg/ml) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). After six days, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 5×10^6 /ml irradiated (3000 rads) A2/K^b-transgenic spleen feeder cells. Cells were cultured in the presence of 10U/ml IL-2. Cells were restimulated on a weekly basis as described, in preparation for cloning the line.

Peptide-specific cell lines were cloned by limiting dilution analysis with irradiated (20,000 rads) L762P peptide-pulsed EL4 A2Kb tumor cells (1×10^4 cells/well) as stimulators and irradiated (3000 rads) A2/K^b-transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 10U/ml IL-2. On day 7, cells were restimulated as before. On day 14, clones that were growing were isolated and maintained in culture.

Cell lines specific for L762P-87 (SEQ ID NO: 226; corresponding to amino acids 87-95 of SEQ ID NO: 161), L726P-145 (SEQ ID NO: 227; corresponding to amino acids 145-153 of SEQ ID NO: 161), L726P-585 (SEQ ID NO: 228; corresponding to amino acids 585-593 of SEQ ID NO: 161), L762P-425 (SEQ ID NO: 229; corresponding to amino acids 425-433 of SEQ ID NO: 161), L762P(10)-424 (SEQ ID NO: 230; corresponding to amino acids 424-433 of SEQ ID NO: 161) and L762P(10)-458 (SEQ ID NO: 231; corresponding to amino acids 458-467 of SEQ ID

NO: 161) demonstrated significantly higher reactivity (as measured by percent specific lysis) against L762P peptide-pulsed EL4-A2/K^b tumor target cells than control peptide-pulsed EL4-A2/K^b tumor target cells.

5

EXAMPLE 7

IDENTIFICATION OF CD4 IMMUNOGENIC T CELL EPITOPES DERIVED
FROM THE LUNG CANCER ANTIGEN L762P

CD4 T cell lines specific for the antigen L762P (SEQ ID NO: 161) were
10 generated as follows.

A series of 28 overlapping peptides were synthesized that spanned approximately 50% of the L762P sequence. For priming, peptides were combined into pools of 4-5 peptides, pulsed at 20 micrograms/ml into dendritic cells for 24 hours. The dendritic cells were then washed and mixed with positively selected CD4⁺ T cells in 96
15 well U-bottomed plates. Forty cultures were generated for each peptide pool. Cultures were restimulated weekly with fresh dendritic cells loaded with peptide pools. Following a total of 3 stimulation cycles, cells were rested for an additional week and tested for specificity to antigen presenting cells (APC) pulsed with peptide pools using interferon-gamma ELISA and proliferation assays. For these assays, adherent
20 monocytes loaded with either the relevant peptide pool or an irrelevant peptide were used as APC. T cell lines that appeared to specifically recognize L762P peptide pools both by cytokine release and proliferation were identified for each pool. Emphasis was placed on identifying T cells with proliferative responses. T cell lines that demonstrated either both L762P-specific cytokine secretion and proliferation, or strong proliferation
25 alone were further expanded to be tested for recognition of individual peptides from the pools, as well as for recognition of recombinant L762P. The source of recombinant L762P was *E. coli*, and the material was partially purified and endotoxin positive. These studies employed 10 micrograms of individual peptides, 10 or 2 micrograms of an irrelevant peptide, and 2 or 0.5 micrograms of either L762P protein or an irrelevant,
30 equally impure, *E. coli* generated recombinant protein. Significant interferon-gamma production and CD4 T cell proliferation was induced by a number of L762P-derived

peptides in each pool. The amino acid sequences for these peptides are provided in SEQ ID NO: 232-251. These peptides correspond to amino acids 661-680, 676-696, 526-545, 874-893, 811-830, 871-891, 856-875, 826-845, 795-815, 736-755, 706-725, 706-725, 691-710, 601-620, 571-590, 556-575, 616-635, 646-665, 631-650, 541-560
5 and 586-605, respectively, of SEQ ID NO: 161.

CD4 T cell lines that demonstrated specificity for individual L762P-derived peptides were further expanded by stimulation with the relevant peptide at 10 micrograms/ml. Two weeks post-stimulation, T cell lines were tested using both proliferation and IFN-gamma ELISA assays for recognition of the specific peptide. A
10 number of previously identified T cells continued to demonstrate L762P-peptide specific activity. Each of these lines was further expanded on the relevant peptide and, following two weeks of expansion, tested for specific recognition of the L762P-peptide in titration experiments, as well as for recognition of recombinant *E. coli*-derived L762P protein. For these experiments, autologous adherent monocytes were pulsed with either
15 the relevant L762P-derived peptide, an irrelevant mammaglobin-derived peptide, recombinant *E. coli*-derived L762P (approx. 50% pure), or an irrelevant *E. coli*-derived protein. The majority of T cell lines were found to show low affinity for the relevant peptide, since specific proliferation and IFN-gamma ratios dramatically decreased as L762P peptide was diluted. However, four lines were identified that demonstrated
20 significant activity even at 0.1 micrograms/ml peptide. Each of these lines (referred to as A/D5, D/F5, E/A7 and E/B6) also appeared to specifically proliferate in response to the *E. coli*-derived L762P protein preparation, but not in response to the irrelevant protein preparation. The amino acid sequences of the L762P-derived peptides recognized by these lines are provided in SEQ ID NO: 234, 249, 236 and 245,
25 respectively. No protein specific IFN-gamma was detected for any of the lines. Lines A/D5, E/A7 and E/B6 were cloned on autologous adherent monocytes pulsed with the relevant peptide at 0.1 (A/D5 and E/A7) or 1 (D/F5) microgram/ml. Following growth, clones were tested for specificity for the relevant peptide. Numerous clones specific for the relevant peptide were identified for lines A/D5 and E/A7.

EXAMPLE 8

PROTEIN EXPRESSION OF LUNG TUMOR-SPECIFIC ANTIGENS

5 a) Expression of L514S in *E. coli*

The lung tumor antigen L514S (SEQ ID NO: 89) was subcloned into the expression vector pE32b at NcoI and NotI sites, and transformed into *E. coli* using standard techniques. The protein was expressed from residues 3-153 of SEQ ID NO: 89. The expressed amino acid sequence and the corresponding DNA sequence are
10 provided in SEQ ID NO: 252 and 253, respectively.

b) Expression of L762P

Amino acids 32-944 of the lung tumor antigen L762P (SEQ ID NO: 161), with a 6X His Tag, were subcloned into a modified pET28 expression vector,
15 using kanamycin resistance, and transformed into BL21 CodonPlus using standard techniques. Low to moderate levels of expression were observed. The determined DNA sequence of the L762P expression construct is provided in SEQ ID NO: 254.

From the foregoing it will be appreciated that, although specific
20 embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polypeptide, comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:
- (a) sequences recited in SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349;
- (b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 under moderately stringent conditions; and
- (c) complements of sequences of (a) or (b).
2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158,

160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

5

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 110, 112, 114, 152, 155, 156, 159, 161, 165, 166, 169, 170, 172, 174, 176, 226-252, 346, 348 and 350.

4. An isolated polynucleotide encoding at least 15 amino acid
10 residues of a lung tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29,
15 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a
20 complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO:
25 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317,
30 323, 345, 347 and 349 or a complement of any of the foregoing sequences.

6. An isolated polynucleotide, comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

7. An isolated polynucleotide, comprising a sequence that hybridizes to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349_ under moderately stringent conditions.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector, comprising a polynucleotide according to any one of claims claim 4-8.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a lung tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84,

86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and
5 349_ or a complement of any of the foregoing polynucleotide sequences.

12. A fusion protein, comprising at least one polypeptide according to claim 1.

10 13. A fusion protein according to claim 12, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

14. A fusion protein according to claim 12, wherein the fusion
15 protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

15. A fusion protein according to claim 12, wherein the fusion protein comprises an affinity tag.

20

16. An isolated polynucleotide encoding a fusion protein according to claim 12.

17. A pharmaceutical composition, comprising a physiologically
25 acceptable carrier and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- 30 (e) a polynucleotide according to claim 16.

18. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- 5 (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

10 19. A vaccine according to claim 18, wherein the immunostimulant is an adjuvant.

20. A vaccine according to any claim 18, wherein the immunostimulant induces a predominantly Type I response.

15

21. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 17.

20 22. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 18.

23. A pharmaceutical composition comprising an antigen-presenting
25 cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

30

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

5 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171,
10 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii);
in combination with an immunostimulant.

15 26. A vaccine according to claim 25, wherein the immunostimulant is an adjuvant.

27. A vaccine according to claim 25, wherein the immunostimulant induces a predominantly Type I response.

20

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient,
25 comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

30 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and

349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii) encoded by a polynucleotide recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and thereby inhibiting the development of a cancer in the patient.

30. A method according to claim 29, wherein the antigen-presenting cell is a dendritic cell.

31. A method according to any one of claims 21, 22 and 29, wherein the cancer is lung cancer.

32. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and

(ii) complements of the foregoing polynucleotides; wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the antigen from the sample.

33. A method according to claim 32, wherein the biological sample is blood or a fraction thereof.

34. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 32.

5

35. A method for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with at least one component selected from the group consisting of:

(a) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

15

(ii) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

20

(iii) complements of sequences of (i) or (ii);

(b) polynucleotides encoding a polypeptide of (a); and

(c) antigen presenting cells that express a polypeptide of (a);

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

25

36. An isolated T cell population, comprising T cells prepared according to the method of claim 35.

37. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 36.

30

38. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

5 (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

10 (1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

15 (3) complements of sequences of (1) or (2);
(ii) polynucleotides encoding a polypeptide of (i); and
(iii) antigen presenting cells that expresses a polypeptide of
20 (i);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

25 39. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

30 (i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence

selected from the group consisting of:

- (1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;
- 5 (2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and
- (3) complements of sequences of (1) or (2);
- 10 (ii) polynucleotides encoding a polypeptide of (i); and
- (iii) antigen presenting cells that express a polypeptide of (i);
such that T cells proliferate;
- (b) cloning at least one proliferated cell to provide cloned T cells;
and
- 15 (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

40. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 20 (a) contacting a biological sample obtained from a patient with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the
- 25 foregoing polynucleotide sequences;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

41. A method according to claim 40, wherein the binding agent is an

antibody.

42. A method according to claim 43, wherein the antibody is a monoclonal antibody.

5

43. A method according to claim 40, wherein the cancer is lung cancer.

44. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

45. A method according to claim 44, wherein the binding agent is an antibody.

46. A method according to claim 45, wherein the antibody is a monoclonal antibody.

30

47. A method according to claim 44, wherein the cancer is a lung

cancer.

48. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

5 (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347
10 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the
15 presence or absence of a cancer in the patient.

49. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

20

50. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

25 51. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a
30 polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347

and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained
5 from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

10 52. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

15 53. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

54. A diagnostic kit, comprising:

(a) one or more antibodies according to claim 11; and
20 (b) a detection reagent comprising a reporter group.

55. A kit according to claim 54, wherein the antibodies are immobilized on a solid support.

25 56. A kit according to claim 54, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

57. A kit according to claim 54, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent
30 groups, enzymes, biotin and dye particles.

58. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotides.

59. A oligonucleotide according to claim 58, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

20

60. A diagnostic kit, comprising:

- (a) an oligonucleotide according to claim 59; and
- (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

25

SEQUENCE LISTING

<110> Corixa Corporation et al.

<120> COMPOUNDS AND METHODS FOR THERAPY
AND DIAGNOSIS OF LUNG CANCER

<130> 210121.45501PC

<140> PCT

<141> 2000-04-03

<160> 350

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 315

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (315)

<223> n = A,T,C or G

<400> 1

gcagagacag actggtgggtt gaacctggag gtgccaaaaa agccagctgc gggcccagga	60
cagctgccgt gagactcccc atgtcacagg cagtctgtgt ggttacagcg cccctcagtg	120
ttcatctcca gcagagacaa cggaggaggc tcccaccagg acggttctca ttatttatat	180
gttaatatgt ttgtaaaactc atgtacagtt ttttttgggg ggggaagcaat gggaanggta	240
naaattacaa atagaatcat ttgctgtaat ccttaaattgg caaacgggtca ggccacgtga	300
aaaaaaaaaa aaaaaa	315

<210> 2

<211> 380

<212> DNA

<213> Homo sapien

<400> 2

atttaggctt aagattttgt ttacccttgt tactaaggag caaattagta ttaaagtata	60
atatatataa acaaatacaa aaagttttga gtggttcagc ttttttattt tttttaatgg	120
cataactttt aacaacactg ctctgtaatg ggttgaactg tggtaactcag actgagataa	180
ctgaaatgag tggatgtata gtgttattgc ataattatcc cactatgaag caaagggact	240
ggataaattc ccagtctaga ttattagcct ttgttaacca tcaagcacct agaagaagaa	300
ttattgaaa ttttgcctc tgtaactggc actttgggggt gtgacttata ttttgccttt	360
gtaaaaaaaa aaaaaaaaaa	380

<210> 3

<211> 346

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<220>
 <221> misc_feature
 <222> (1) ... (346)
 <223> n = A,T,C or G

<400> 3
 ttgtaagtat acaatttttag aaaggattaa atgttattga tcattttact gaatactgca 60
 catcctcacc atacaccatc cactttccaa taacatttaa tcctttctaa aattgtaagt 120
 atacaattgt actttctttg gattttcata acaaataac catagactgt taattttatt 180
 gaagtttcct taatggaatg agtcattttt gtcttgtgct tttgaggta cctttgcttt 240
 gacttccaac aatttgatca tatagtgtg agctgtggaa atctttaagt ttattctata 300
 gcaataattt ctattnnnag annccngggn naaaannann annaaa 346

<210> 4
 <211> 372
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (372)
 <223> n = A,T,C or G

<400> 4
 actagtctca ttactccaga attatgctct tgtacctgtg tggctggggt tcttagtcgt 60
 tggtttggtt tggttttttg aactggtatg taggggtggt cacagttcta atgtaagcac 120
 tctcttctcc aagttgtgct ttgtggggac aatcattctt tgaacattag agaggaaggc 180
 agttcaagct gttgaaaaga ctattgctta tttttgtttt taaagacctt cttgacgtca 240
 tgtggacagt gcacgtgcct tacgctacat cttgttttct aggaagaagg ggatgcnggg 300
 aaggantggg tgctttgtga tggataaaac gnctaaataa cacaccttta cttttgaaa 360
 aaaacaaaac aa 372

<210> 5
 <211> 698
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (698)
 <223> n = A,T,C or G

<400> 5
 actagtanga tagaaacact gtgtcccag agtaaggaga gaagctacta ttgattagag 60
 cctaaccag gttaactgca agaagaggcg ggatactttc agctttccat gtaactgtat 120
 gcataaagcc aatgtagtcc agtttctaag atcatgttcc aagctaactg aatcccactt 180
 caatacacac tcatgaactc ctgatggaac aataacaggc ccaagcctgt ggtatgatgt 240
 gcacacttgc tagactcaga aaaaatacta ctctcataaa tgggtgggag tttttgggt 300
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatnttcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcgatgtgct gagtgacact cttgtgtata 420
 tntccaaatn ttngtncngt cgctgcacat atctgaaatc ctatattaag antttcccaa 480
 natgangtcc ctgggttttc cagccactt gatcngtcaa ngatctcacc tctgtntgtc 540
 ctaaaacnt ctncntnnang gttagaacngg acctctcttc tcccttcccg aanaatnaag 600
 tgtgngaaga nancncnch cccccctnch tncnnctng ccngctnnnc cncntgtngg 660

ggngnccgcc cccgcggggg gacccccccn ttttcccc

698

<210> 6
 <211> 740
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (740)
 <223> n = A,T,C or G

<400> 6
 actagtcaaa aatgctaaaa taatttgga gaaaatattt ttttaagtagt gttatagttt 60
 catgtttatc ttttattatg tnttgtgaag ttgtgtcttt tcactaatta cctatactat 120
 gccaatattt ccttataatc atccataaca tttatactac atttgtaaga gaatatgcac 180
 gtgaaactta acactttata aggtaaaaat gaggtttcca agatttaata atctgatcaa 240
 gttcttggtta tttccaaata gaatggactt ggtctgttaa ggggctaagg gagaagaaga 300
 agataagggt aaaagtgtgt aatgaccaa cattctaaaa gaaatgcaa aaaaaattta 360
 ttttcaagcc ttcgaactat ttaaggaaag caaaatcatt tcctanatgc atatcatttg 420
 tgagantttc tcantaatat cctgaatcat tcatttcagc tnaggcttca tgttgactcg 480
 atatgtcacc tagggaaagt ctatttcatg gtccaaacct gttgccatag ttggnaggc 540
 tttcctttaa ntgtgaanta ttnacangaa attttctctt tnanagttct tnatagggtt 600
 aggggtgtgg gaaaagcttc taacaatctg tagtgttncg tgttatctgt ncagaaccan 660
 aatnacggat cgnangaagg actgggtcta tttacangaa cgaatnatct ngttnnntgt 720
 gtnnncaact ccngggagcc 740

<210> 7
 <211> 670
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (670)
 <223> n = A,T,C or G

<400> 7
 gctggggagc tcggcatggc ggtccccgct gcagccatgg ggccctcggc gttggggccag 60
 agcggccccg gctcgatggc cccgtggtgc tcagtgaagc gcggcccgtc gcgctacgtg 120
 cttgggatgc aggagctggt ccggggccac agcaagaccg cgagttcctg gcgcacagcg 180
 ccaagggtgca ctcggtggcc tggagttgag acggggcgctg cctacctcgg ggtcttcgac 240
 aagacgccac gtcttcttgc tgganaanga ccgttggtca aagaaaacaa ttatcgggga 300
 catggggata gtgtggacca ctttgttggc atccaagtaa tcctgacctt tttgttacgg 360
 cgtctggaga taaaaccatt cgcactctgg atgtgaggac tacaaaatgc attgccactg 420
 tgaacactaa aggggagaa attaatatct gctggantcc tgatggggcan accattgctg 480
 tagcnacaag gatgatgtgg tgactttatt gatgccaaag aaccccgctc caaagcaaaa 540
 aaacanttcc aanttcgaag tcaccnaaat ctccctggaac aatgaacatn aatatnttct 600
 tcctgacaat ggnccctggg tgtntcacat cctcagctnc cccaaaactg aancctgtnc 660
 natccacccc 670

<210> 8
 <211> 689
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (689)
 <223> n = A,T,C or G

<400> 8
 actagtatct aggaatgaac agtaaaagag gagcagttgg ctacttgatt acaacagagt 60
 aaatgaagta ctggatttgg gaaaacctgg ttttattaga acatatggaa tgaaagccta 120
 cacctagcat tgcctactta gccccctgaa ttaacagagc ccaattgaga caaaccctg 180
 gcaacaggaa attcaagga gaaaaagtaa gcaacttggg ctaggatgag ctgactccct 240
 tagagcaaag ganagacagc cccattacc aaataccatt tttgcctggg gcttgtgcag 300
 ctggcagtggt tccctgcccc gcatggcacc ttatngtttt gatagcaact tcgttgaatt 360
 ttcaccaact tattacttga aattataata tagcctgtcc gtttgcctgtg tccaggctgt 420
 gatatatntt cctagtgggt tgacttttaa aataaatnag gtttantttt cccccccnn 480
 cnntnctncc nntcnctenn cnntcccccc cnotengtcc tccnnnnntn gggggggccn 540
 cccccnccgn ggacccccct ttgggtccctt agtggaggtt natggcccct ggnnttatcc 600
 nggcctann tttccccgtn nnaaatgntt cccccccca ntcccnccac ctcaanccgg 660
 aagcctaagt ttntaccctg ggggtcccc 689

<210> 9
 <211> 674
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (674)
 <223> n = A,T,C or G

<400> 9
 gtccactctc ctttgagtgt actgtcttac tgtgcactct gtttttcaac tttctagata 60
 taaaaaatgc ttgttctata gtggagtaag agctcacaca cccaaggcag caagataact 120
 gaaaaaagcg aggttttttt gccaccttgg taaaggccag ttcactgcta tagaactgct 180
 ataagcctga agggaagtag ctatgagact ttccattttt cttagtcttc ccaataggct 240
 ccttcatgga aaaaggcttc ctgtaataat tttcacctaa tgaattagca gtgtgattat 300
 ttctgaaata agagacaaat tgggcccgcag agtcttcctg tgatttaaaa taaacaaccc 360
 aaagttttgt ttggtcttca ccaaaggaca tactctaggg ggtatgttgt tgaagacatt 420
 caaaaacatt agctgttctg tctttcaatt tcaagttatt ttggagactg cctccatgtg 480
 agttaattac tttgctctgg aactagcatt attgtcatta tcatcacatt ctgtcatcat 540
 catctgaata atattgtgga tttccccctc tgcttgcatc ttcttttgac tctctggga 600
 anaaatgtca aaaaaaaagg tcgatctact cngcaaggnc catctaatca ctgcgctgga 660
 aggaccnct gccc 674

<210> 10
 <211> 346
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (346)
 <223> n = A,T,C or G

<400> 10

actagtctgc	tgatagaaag	cactatacat	cctattgttt	ctttctttcc	aaaatcagcc	60
ttctgtctgt	aacaaaaatg	tactttatag	agatggagga	aaaggtctaa	tactacatag	120
ccttaagtgt	ttctgtcatt	gttcaagtgt	atcttctgta	acagaaacat	atttggaatg	180
tttttctttt	ccccttataa	attgtaattc	ctgaaatact	gctgctttta	aaagtccac	240
tgtagatta	tattatctaa	caattgaata	ttgtaaata	acttgtctta	cctctcaata	300
aaaggggtact	tttctatttan	nnagnngnnn	gnnnnataaa	anaaaa		346

<210> 11

<211> 602

<212> DNA

<213> Homo sapien

<400> 11

actagtaaaa	agcagcattg	ccaaataatc	cctaattttc	cactaaaaat	ataatgaaat	60
gatgttaagc	tttttgaaaa	gtttagggtta	aacctactgt	tgtagatta	atgtatttgt	120
tgcttccctt	tatctggaat	gtggcattag	cttttttatt	ttaaccctct	ttaattctta	180
ttcaattcca	tgacttaagg	ttggagagct	aaacactggg	atcttttgat	aacagactga	240
cagttttgca	taattataat	cggcattgta	catagaaagg	atatggctac	cttttggtta	300
atctgcactt	tctaaatatc	aaaaaaggga	aatgaagtta	taaatcaatt	tttgataat	360
ctgtttgaaa	catgagtttt	atttgcttaa	tattagggct	tgccccctt	tctgtaagtc	420
tcttgggata	ctgtgtagaa	ctgttctcat	taaaacaccaa	acagttaagt	ccattctctg	480
gtactagcta	caaattcggg	ttcatattct	acttaacaat	ttaaataaac	tgaaatatct	540
ctagatgggc	tacttctgtt	catataaaaa	caaaacttga	tttccaaaaa	aaaaaaaaaa	600
aa						602

<210> 12

<211> 685

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (685)

<223> n = A,T,C or G

<400> 12

actagtcctg	tgaaagtaca	actgaaggca	gaaagtgtta	ggatttttgca	tctaattgttc	60
attatcatgg	tattgatgga	cctaagaaaa	taaaaattag	actaagcccc	caaataagct	120
gcattgcattt	gtaacatgat	tagtagattt	gaatatatag	atgtagtatn	ttgggtatct	180
agggtgtttta	tcattatgta	aaggaattaa	agtaaaggac	tttgtagtgt	tttttattaa	240
atatgcatat	agtagagtgc	aaaaatatag	caaaaatana	aactaaagggt	agaaaagcat	300
tttagatatg	ccttaantna	nnaactgtgc	caggtggccc	tcggaataga	tgccaggcag	360
agaccagtgc	ctgggtgtgt	cctccccctg	tctgcccccc	tgaagaactt	ccctcacgtg	420
angtagtgcc	ctcgtagggt	tcacgtggan	tantggganc	aggccgnncn	gtnanaagaa	480
ancanngtga	nagtttncnc	gtngangcng	aactgtccct	gngccnnnac	gctcccanaa	540
cntntccaat	ngacaatcga	gtttccnnnc	tccngnaacc	tngccgnnnn	cnngcccnnc	600
cantntgnta	accccgcgcc	cggatcgctc	tcnnntcggt	ctcnencnaa	ngggntttcn	660
cnnccgcggt	cncnnccccg	cnncc				685

<210> 13

<211> 694

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(694)
 <223> n = A,T,C or G

<400> 13

cactagtcac	tcattagcgt	tttcaatagg	gctcttaagt	ccagtagatt	acgggtagtc	60
agttgacgaa	gatctgggtt	acaagaacta	attaaatggt	tcattgcatt	tttgtaagaa	120
cagaataatt	ttataaaaatg	tttgtagttt	ataattgccg	aaaataattt	aaagacactt	180
tttctctgtg	tgtgcaaatg	tgtgtttgtg	atccattttt	tttttttttt	taggacacct	240
gtttactagc	tagctttaca	atatgccaaa	aaaggatttc	tccttgacct	catccgtggt	300
tcaccctctt	ttccccccat	gctttttgcc	ctagttttata	acaaaggaat	gatgatgatt	360
taaaaagtag	ttctgtatct	tcagtatctt	ggtcttccag	aaccctctgg	ttgggaaggg	420
gatcattttt	tactgggtcat	ttccctttgg	agtgtactac	tttaacagat	ggaaagaact	480
cattggccat	ggaaacagcc	gangtggttg	gagccagcag	tgcatggcac	cgtccggcat	540
ctggcntgat	tggtctggct	gccgtcattg	tcagcacagt	gccatgggac	atggggaana	600
ctgactgcac	ngccaatggt	tttcatgaag	aatacngcat	ncncngtgat	cacgtnancc	660
angacgctat	gggggncana	gggccanttg	cttc			694

<210> 14
 <211> 679
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(679)
 <223> n = A,T,C or G

<400> 14

cagccgectg	catctgtatc	cagcgccang	tcccgcagct	cccagctgcg	cgcgcccccc	60
agtcccgnac	ccgttcggcc	cangctnagt	tagncctcac	catnccgggc	aaaggangca	120
ccaagtgcac	caaataacctg	cngtncggat	ntaaattcat	cttctggctt	gccgggattg	180
ctgtccntgc	cattggacta	nggctccgat	ncgactctca	gaccanganc	atcttcganc	240
naganactaa	tnatnatnt	tccagcttct	acacaggagt	ctatattctg	atcggatccg	300
gnccectent	gatgctgggtg	ggcttctctga	gctgctgcgg	ggctgtgcaa	gagtcccant	360
gcatgctggg	actgttcttc	ggcttctctt	tggtgatatn	cgccattgaa	atacctgcgg	420
ccatctgggg	atattccact	ncgatnatgt	gattaaggaa	ntccacggag	ttttacaagg	480
acacgtacaa	cnacctgaaa	accnnggatg	anccccaccg	ggaancnctg	aangccatcc	540
actatgcgtt	gaactgcaat	ggtttggtctg	gggnccttga	acaatttaat	cncatacatc	600
tggeccann	aaaggacntn	ctcgannctt	tenccttgna	attcngttct	gatnccatca	660
cagaagtctc	gaacaatcc					679

<210> 15
 <211> 695
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(695)
 <223> n = A,T,C or G

<400> 15

actagtggat	aaaggccagg	gatgctgctc	aacctcctac	catgtacagg	gacgtctccc	60
cattacaact	acccaatccg	aagtgtcaac	tgtgtcagga	ctaanaaacc	ctgggttttga	120

ttaaaaaagg	gcctgaaaaa	aggggagcca	caaattctgtc	tgcttcctca	cnttantcnt	180
tggcaaatna	gcattctgtc	tcnttggtg	cngcctcanc	ncaaaaaanc	ngaactcnat	240
cngggccagg	aatacatctc	ncaatnaacn	aaattganca	aggcnntggg	aaatgccnga	300
tgggattatc	ntccgcttgt	tganccttcta	agtttctnttc	ccttcattcn	accctgccag	360
ccnagttctg	ttagaaaaat	gccngaattc	naacnccggt	tttctactc	ngaatttaga	420
tctncanaaa	cttcctggcc	acnattcnaa	ttnanggnca	cgnacanatn	ccttccatna	480
ancncacccc	acntttgana	gccangacaa	tgactgcntn	aantgaaggc	ntgaaggaan	540
aactttgaaa	ggaaaaaaa	ccttggttcc	ggccccttcc	aacncttctg	tgtnnancac	600
tgccttctng	naaccctgga	agcccnnga	cagtgttaca	tggtgttcta	nnaaacngac	660
ncttnaatnt	cnatcttccc	nanaacgatt	ncncc			695

<210> 16

<211> 669

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (669)

<223> n = A,T,C or G

<400> 16

cgccgaagca	gcagcgcagg	ttgtccccgt	tccccctccc	ccttcccttc	tccggttgcc	60
tccccggggc	ccttacactc	cacagtcceg	gtccccccat	gtcccagaaa	caagaagaag	120
agaaccctgc	ggaggagacc	ggcgaggaga	agcaggacac	gcaggagaaa	gaaggatttc	180
tgcttgagag	agctgaagag	gcaaagctaa	aggccaaata	cccaagccta	ggacaaaagc	240
ctggaggctc	cgacttcttc	atgaagagac	tccagaaaagg	gcaaaaagtac	tttgactcng	300
gagactacaa	catggccaaa	gccaacatga	agaataagca	gctgccaaagt	gcangaccag	360
acaagaacct	ggtgactggt	gatcacatcc	ccaccccaca	ggatctgccc	agagaaagtc	420
ctcgtctctc	accagcaagc	ttgcgggttg	ccaagttgaa	tgatgctgcc	ggggctctgc	480
canatctgag	acgttctccc	ccctgcccc	cccggtctct	gtgctggctc	ctgcccttcc	540
tgcttttgca	gccangggtc	aggaagtggc	ncnggtngtg	gctggaaagc	aaaacctttt	600
cctgttggtg	tcccacccat	ggagcccctg	gggcgagccc	angaacttga	ncctttttgt	660
tntcttncc						669

<210> 17

<211> 697

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (697)

<223> n = A,T,C or G

<400> 17

gcaagatatg	gacaactaag	tgagaaggta	atnctctact	gctctagntn	ctcenggcnn	60
gacgcgtga	ggagannnac	gctggcccan	ctgcgggcca	cacacgggga	tentggtnat	120
gcctgcccac	gggancccca	nencteggan	cccatntcac	accegncncc	tncecccacn	180
ncctggctcn	cnengcceng	nccagctcnc	gnccccctcc	gecnnnctcn	ttnnctcttc	240
cnccccctcc	nenacnacct	cctaccncng	gtccccctcc	cagccccccc	ccgcaancc	300
ccacnacncc	ntcnncneca	anencnctc	genctcngcc	ccngccccct	gccccccgcc	360
cnacnncng	cgntcccccg	egenegcngc	ctnccccct	cccacnacag	nencacccgc	420
agncaagcnc	tccgcccnc	gacgcccnc	cccgccgcgc	tcaccttc	ggncnncng	480
ccccgctcnc	ncnctgenc	gccgnncngg	cgccccgcc	cnnccngntn	ccnccngng	540

```

ccccngcngn angcngtgcg cnnangncc gngccggnncn ncaccctccg nccnccgccc      600
cgcccgtggtg gggtccccgc cncgggntc antccccncc cntncgcccc ctnccgntc      660
cnnnctcnc gctengcgcn cgcncncnc ccccccc      697

```

```

<210> 18
<211> 670
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(670)
<223> n = A,T,C or G

```

```

<400> 18
ctcgtgtgaa ggggtgcagta cctaagccgg agcggggtag aggcggggccg gcacccctt      60
ctgacctcca gtgccgccgg cctcaagatc agacatggcc cagaacttga acgacttggc      120
gggaacggctg cccgccgggc cccggggcat gggcacggcc ctgaagctgt tgctgggggc      180
cggcgccgtg gcctacgggtg tgcgcgaatc tgtgttcacc gtggaaggcg ggcnagagc      240
catcttcttc aatcgggatcg gtggagtgc caggacacta tcctggggccg anggccttca      300
cttcaggatc cttggttcca gtacccanc atctatgaca ttcggggccag acctcgaaaa      360
aatctcctcc ctacaggctc caaagacctc cagatggtga atatctccct gcgagtgttg      420
tctcgaccaa tgctcangaa cttcctaaca tgttccancg cctaagggct ggactacnaa      480
gaacgantgt tgccgtccat tgtcacgaag tgctcaagaa tttnggtggc caagttcaat      540
gncctcacnn ctgatcnccc agcggggcca agttanccct ggttgatccc cgggganctg      600
acnnaaaagg gccaaaggact tcccctcatc ctggataatg tggccntcac aaagctcaac      660
tttanccacc      670

```

```

<210> 19
<211> 606
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(606)
<223> n = A,T,C or G

```

```

<400> 19
actagtgcc acccagctc ccaggccagt tctctgaatg tgcaggagt ccaggatctc      60
tggcctcagt tgtccttggt tattgatggg ggacaaattg gggatggcca gagccccgag      120
tgtcgccttg gctcaactgt ggttgatttg tctgtgcccg gaaagtgttg catcatctgt      180
ccaggctgtg ccttggaag tactacagcc atcctccaac agaagtacgg actgctcccc      240
tcacatgcgt cctacctgtg aaactctggg aagcaggaag gcccaagacc tgggtgctgga      300
tactatgtgt ctgtccactg acgactgtca aggcctcatt tgcaaggcc accggagcta      360
gggcactagc ctgactttta aggcagtgtg tctttctgag cactgtagac caagcccttg      420
gagctgctgg tttagccttg cacctgggga aaggatgtat ttatttgtat tttcatatat      480
cagccaaaag ctgaatggaa aagttanagaa cattcctagg tggccttatt ctaataagtt      540
tcttctgtct gttttgtttt tcaattgaaa agttattaaa taacagattt agaatctagt      600
gagacc      606

```

```

<210> 20
<211> 449
<212> DNA
<213> Homo sapien

```


<400> 20
 actagtaaac aacagcagca gaaacatcag tatcagcagc gtcgccagca ggagaatatg 60
 cagcgccaga gccgaggaga acccccgcgc cctgaggagg acctgtccaa actcttcaaa 120
 ccaccacagc cgctgccag gatggactcg ctgctcattg caggccagat aaacacttac 180
 tgccagaaca tcaaggagtt cactgcccac aacttaggca agctcttcat ggcccaggct 240
 cttcaagaat acaacaacta agaaaaggaa gtttccagaa aagaagttaa catgaactct 300
 tgaagtcaca ccagggcaac tcttggaaga aatatatttg catattgaaa agcacagagg 360
 atttcttttag tgtcattgcc gattttggct ataacagtgt ctttctagcc ataataaaat 420
 aaaacaaaat cttgactgct tgctcaaaa 449

<210> 21
 <211> 409
 <212> DNA
 <213> Homo sapien

<400> 21
 tatcaatcaa ctggtgaata attaaacaat gtgtggtgtg atcatacaaa gggtaccact 60
 caatgataaa aggaacaagc tgcctatatg tggaacaaca tggatgcatt tcagaaactt 120
 tatgttgagt gaaagaacaa acacggagaa catactatgt gggtctcttt atgtaacatt 180
 acagaaataa aaacagaggc aaccaccttt gaggcagtat ggagtgcgat agactggaaa 240
 aaggaaggaa ggaaactcta cgctgatgga aatgtctgtg tcttcattgg gtggtagtta 300
 tgtggggata tacatttgct aaaatttatt gaactatata cttaaagaact ctgcatttta 360
 ttgggatgta aataatacct caattaaaaa gacaaaaaaa aaaaaaaaaa 409

<210> 22
 <211> 649
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (649)
 <223> n = A,T,C or G

<400> 22
 acaatttttca ttatcttaag cacattgtac atttctacag aacctgtgat tattctcgca 60
 tgataaggat ggtacttgca tatggtgaat tactactgtt gacagtttcc gcagaaatcc 120
 tatttcagtg gaccaacatt gtggcatggc agcaaagtcc aacattttgt ggaatagcag 180
 caaatctaca agagaccctg gttgggtttt cgttttgttt tctttgtttt ttcccccttc 240
 tctgaatca gcagggatgg aangagggtg gggaggttat gaattactcc ttccagtagt 300
 agctctgaag tgtcacattt aatatcagtt ttttttaaac atgattctag ttnaatgtag 360
 aagagagaag aaagaggaag tgttcacttt tttaatacac tgatttagaa atttgatgtc 420
 ttatatcagt agttctgagg tattgatagc ttgctttatt tctgccttta cgttgacagt 480
 gttgaagcag ggtgaataac taggggcata tatatttttt ttttttgtaa gctgtttcat 540
 gatgttttct ttggaatttc cggataagtt caggaaaaca tctgcatgtt gttatctagt 600
 ctgaagtton tatccatctc attacaacaa aaacncccag aacggnnttg 649

<210> 23
 <211> 669
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

<222> (1)...(669)

<223> n = A,T,C or G

<400> 23

actagtgc	ccg	tactggctga	aatccctgca	ggaccaggaa	gagaaccagt	tcagactttg	60
tactctcagt	caccagctct	ggaattagat	aaattccttg	aagatgtcag	gaatgggac	120	
tatcctctga	cagccttttg	gctgcctcgg	ccccagcagc	cacagcagga	ggaggtgaca	180	
tcacctgtcg	tgccccctc	tgtcaagact	ccgacacctg	aaccagctga	ggaggagact	240	
cgcaaggtgg	tgctgatgca	gtgcaacatt	gagtcgggtg	aggagggagt	caaacaccac	300	
ctgacacttc	tgctgaagt	ggaggacaaa	ctgaaccggc	acctgagctg	tgacctgatg	360	
ccaaatgaga	atatccccga	gttggcggct	gagctgggtg	agctgggctt	cattagttag	420	
gctgaccaga	gccggttgac	ttctctgcta	gaagagactt	gaacaagttc	aattttgcca	480	
ggaacagtac	cctcaactca	gccgctgtca	ccgtctcttc	ttagagctca	ctcggggccag	540	
gccctgatct	gcgctgtggc	tgtcctggac	gtgctgcacc	ctctgtcctt	ccccccagtc	600	
agtattacct	gtgaagccct	tcctctcttt	attattcagg	anggctgggg	gggctccttg	660	
nttctaacc						669	

<210> 24

<211> 442

<212> DNA

<213> Homo sapien

<400> 24

actagtacca	tcttgacaga	ggatacatgc	tcccaaaacg	tttgttacca	cacttaaaaa	60
tcactgccat	cattaagcat	cagtttcaaa	attatagcca	ttcatgattt	actttttcca	120
gatgactatc	attattctag	tcctttgaat	ttgtaagggg	aaaaaaaaca	aaaacaaaaa	180
cttacgatgc	actttttctcc	agcacatcag	atttcaaatt	gaaaattaaa	gacatgctat	240
ggtaatgcac	ttgctagtac	tacacacttt	ggtacaacaa	aaaacagagg	caagaaacaa	300
cggaaagaga	aaagccttcc	tttgttggcc	cttaaactga	gtcaagatct	gaaatgtaga	360
gatgatctct	gacgatacct	gtatgttctt	attgtgtaaa	taaaattgct	ggtatgaaat	420
gacctaaaaa	aaaaaaaaga	aa				442

<210> 25

<211> 656

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(656)

<223> n = A,T,C or G

<400> 25

tgcaagtacc	acacactggt	tgaattttgc	acaaaaagtg	actgtaggat	caggtgatag	60
ccccggaatg	tacagtgtct	tggtgcacca	agatgccttc	taaaggctga	cataccttgg	120
accctaattg	ggcagagagt	atagccctag	cccagtggtg	acatgaccac	tccttttggg	180
aggcctgagg	tagaggggag	tggtatgtgt	tttctcagtg	gaagcagcac	atgagtgggt	240
gacaggatgt	tagataaagg	ctctagttag	ggtgtcattg	tcatttgaga	gactgacaca	300
ctcctagcag	ctggtaaagg	ggtgctggan	gccatggagg	anctctagaa	acattagcat	360
gggctgatct	gattacttcc	tggtatcccg	ctcactttta	tggaagtctt	tattagangg	420
atgggacagt	tttccatata	cttgctgtgg	agctctggaa	cactctctaa	atttccctct	480
attaaaaatc	actgccctaa	ctacacttcc	tccttgaagg	aatagaaatg	gaactttctc	540
tgacatannt	cttggtcatg	ggagccagcc	acaaatgana	atctgaacgt	gtccaggttt	600
ctcctganac	tcactctacat	agaatttggt	aaaccctccc	ttggaataag	gaaaaa	656

<210> 26
 <211> 434
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (434)
 <223> n = A,T,C or G

<400> 26
 actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc 60
 ctaggtgttt ccatctatgt ttcaatctgt ccatctacca ggcctcgca taaaaacaaa 120
 acaaaaaaac gctgccaggt tttagaagca gttctggtct caaaaccatc aggatcctgc 180
 caccagggtt cttttgaaat agtaccacat gtaaaagga atttggcttt cacttcatct 240
 aataactgaa ttgtcaggct ttgattgata attgtagaaa taagtagcct tctgttgagg 300
 gaataagtta taatcagtat tcctctcttt gttttttgtc actcttttct ctctaattgt 360
 gtcatttgta ctgtttgaaa aatatttctt ctatnaaatt aaactaacct gccttaaaaa 420
 aaaaaaaaaa aaaa 434

<210> 27
 <211> 654
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (654)
 <223> n = A,T,C or G

<400> 27
 actagtccaa cacagtcaga aacattgttt tgaatcctct gtâaaccaag gcattaatct 60
 taataaacca ggatccattt aggtaccact tgatataaaa aggatatcca taatgaatat 120
 ttataactgc atcctttaca ttagccacta aatacgttat tgcttgatga agacctttca 180
 cagaatccta tggattgcag catttcactt ggctacttca taccatgcc ttaaagaggg 240
 gcagtttctc aaaagcagaa acatgccgcc agttctcaag ttttcctcct aactccattt 300
 gaatgtaagg gcagctggcc cccaatgtgg ggagggtccga acattttctg aattcccatt 360
 ttcttgttcg cggctaaatg acagtttctg tcattactta gattccgatc tttcccaaag 420
 gtgttgattt acaaagaggc cagctaatag cagaaatcat gaccctgaaa gagagatgaa 480
 attcaagctg tgagccaggc agganctcag tatggcaaag gtcttgagaa tcngccattt 540
 ggtacaaaaa aaatttttaa gcntttatgt tataccatgg aaccatagaa anggcaaggg 600
 aattgttaag aanaatttta agtgtccaga cccanaanga aaaaaaaaaa aaaa 654

<210> 28
 <211> 670
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (670)
 <223> n = A,T,C or G

<400> 28
 cgtgtgcaca tactgggagg atttccacag ctgcacgggc acagccctta cggattgcc 60

```

ggaaggggcg aaagatatgt gggataaact gagaaaagaa nccaaaaacc tcaacatcca 120
aggcagctta ttogaactct gcggcagcgg caacggggcg gcgggggtccc tgctcccggc 180
gttcccgggtg ctccctgggtg ctctctcggc agcttttagcg acctgncttt ccttctgagc 240
gtggggccag ctccccccgc ggcgcccacc cacnctcact ccattgctccc ggaaatcgag 300
aggaagatca ttagttcttt ggggacgttn gtgattctct gtgatgctga aaaacactca 360
tatagggaat gtgggaaatc ctganctctt tnttatntcg tntgatttct tgtgttttat 420
ttgccaaaat gttaccaatc agtgaccaac cnagcacagc caaaaatcgg acntcngctt 480
tagtccgtct tcacacacag aataagaaaa cggcaaacc accccacttt tnantttnat 540
tattactaan ttttttctgt tgggcaaaaag aatctcagga acngccctgg ggcnccgta 600
ctanagttaa ccnagctagt tncatgaaaa atgatgggct ccncctcaat gggaaagcca 660
agaaaaagnc 670

```

<210> 29

<211> 551

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(551)

<223> n = A,T,C or G

<400> 29

```

actagtcctc cacagcctgt gaatccccct agacctttca agcatagtga gcggagaaga 60
agatctcagc gtttagccac cttacccatg cctgatgatt ctgtagaaaa ggtttcttct 120
ccctctccag ccaactgatgg gaaagtattc tccatcagtt ctcaaatca gcaagaatct 180
tcagtaccag aggtgcctga tgttgacat ttgccacttg agaagctggg accctgtctc 240
cctcttgact taagtcgtgg ttcagaagtt acagcaccgg tagcctcaga ttctctttac 300
cgtaatgaat gtcccagggc agaaaaagag gatacnaga tgcttccaaa tcttcttcc 360
aaagcaatag ctgatgggaa gaggagctcc agcagcagca ggaatatcga aaacagaaaa 420
aaaagtgaat ttgggaagac aaaagctcaa cagcatttgg taaggagaaa aganaagatg 480
aggaaggaag agagaagaga gacnaagatc nctacggacc gnnncggaag aagaagaagn 540
aaaaaanaaa a 551

```

<210> 30

<211> 684

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(684)

<223> n = A,T,C or G

<400> 30

```

actagttcta tctggaaaaa gcccggggtg gaagaagctg tggagagtgc gtgtgcaatg 60
cgagactcat ttcttggaag catccctggc aaaaatgcag ctgagtacaa ggttatcact 120
gtgatagaac ctggactgct ttttgagata atagagatgc tgcagtctga agagacttcc 180
agcacctctc agttgaatga attaagtatg gcttctgagt caactttact ggctcaggaa 240
ccacgagaga tgactgcaga tgtaatcgag cttaaaggga aattcctcat caacttagaa 300
ggtggtgata ttctgtaaga gtcttcttat aaagtaattg tcatgccgac tacgaaagaa 360
aaatgcccc gttgttgga gtatacagcg ggagtcttca gataactgt gtcctcgatg 420
tgcagaagtt gtcagtggga aaatagtatt aacagctcac tgcagcaaga accctcctga 480
cagtactggg ctagaagttt ggatggatta tttacaatat aggaaagaaa gccaagaatt 540
aggtnatgag tggatgagta aatgggtggan gatgggggaat tcaaatcaga attatggaag 600

```

aagttnttcc tgttactata gaaaggaatt atgtttatatt acatgcagaa aatatanatg 660
 tgtgggtgtg accgtggatg gaan 684

<210> 31
 <211> 654
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(654)
 <223> n = A,T,C or G

<400> 31
 ggcagaaaaa ggaaccaata tttcagaaac aagcttaata ggaacagctg cctgtacatc 60
 aacatcttct cagaatgacc cagaagttat catcgtggga gctggcgtgc ttggctctgc 120
 tttggcagct gtgctttcca gagatggaag aaagggtgaca gtcattgaga gagacttaaa 180
 agagcctgac agaatagttg gagaattcct gcagccgggt gggtatcatg ttctcaaaga 240
 ccttgggtctt ggagatacag tggaaggtct tgatgccag gttgtaaatg gttacatgat 300
 tcatgatcag ggaaaagcaaa tcagangttc agattcctta ccctctgtca gaaaacaatc 360
 aagtgcagag tggaagagct ttccatcacg gaagattcat catgagtctc cggaagcag 420
 ctatggcaga gcccaatgca aagtttattg aagggtgtgt gttacagtta ttagaggaag 480
 atgatgttgt gatgggagtt cagtacaagg ataaagagac tgggagatat caaggaactc 540
 catgctccac tgactgttgt tgcagatggg cttttctcca anttcaggaa aagcctggtc 600
 tcaataaagt ttctgtatca ctcatttggt tggcttctta tgaagaatgc nccc 654

<210> 32
 <211> 673
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(673)
 <223> n = A,T,C or G

<400> 32
 actagtgaag aaaaagaaat tctgatacgg gacaaaaatg ctcttcaaaa catcattctt 60
 tatcacctga caccaggagt tttcattgga aaaggatttg aacctgggtg tactaacatt 120
 ttaaagacca cacaaggaag caaaatcttt ctgaaagaag taaatgatac acttctgggtg 180
 aatgaattga aatcaaaaaga atctgacatc atgacaacaa atgggtgtaat tcatgttgta 240
 gataaaactcc tctatccagc agacacacct gttggaaaatg atcaactgct ggaaatactt 300
 aataaattaa tcaaatacat ccaaattaag tttgttcgtg gtagcacctt caaagaaatc 360
 cccgtgactg tctatnagcc aattattaaa aaatacacca aaatcattga tgggagtgcc 420
 tgtgggaaat aactgaaaaa gagaccgaga agaacgaatc attacagggtc ctgaaataaa 480
 atacctagga tttctactgg aggtggagaa acagaagaac tctgaagaaa ttgttacaag 540
 aagangtccc aaggtcacca aattcattga aggtgggtgat ggtctttatt tgaagatgaa 600
 gaaattaaaa gacgcttcag ggagacnccc catgaaggaa ttgccagcca caaaaaaatt 660
 cagggattag aaa 673

<210> 33
 <211> 673
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(673)

<223> n = A,T,C or G

<400> 33

actagttatt	tactttcctc	cgcttcagaa	ggtttttcag	actgagagcc	taagcatact	60
ggatctgttg	tttcttttgg	gtctcacctc	atcagtgtgc	atagtggcag	aaattataaa	120
gaaggttgaa	aggagcaggg	aaaagatcca	gaagcatggt	agttcgacat	catcatcttt	180
tcttgaagta	tgatgcatat	tgcattatgt	tatttgcaaa	ctaggaattg	cagtctgagg	240
atcattttaga	agggcaagtt	caagaggata	tgaagatttg	agaacttttt	aactattcat	300
tgactaaaaa	tgaacattaa	tgttnaagac	ttaagacttt	aacctgctgg	cagtcacaaa	360
tgaaattatg	caactttgat	atcatattcc	ttgatttaaa	ttgggctttt	gtgattgant	420
gaaactttat	aaagcatatg	gtcagttatt	tnattaaaaa	ggcaaaacct	gaaccacctt	480
ctgcacttaa	agaagtctaa	cagtacaaat	acctatctat	cttagatgga	tntatttntt	540
tntattttta	aatattgtac	tatttatggg	nggtggggct	ttcttactaa	tacacaaatn	600
aatttatcat	ttcaanggca	ttctatttgg	gtttagaagt	tgattccaag	nantgcatat	660
ttcgctactg	tnt					673

<210> 34

<211> 684

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(684)

<223> n = A,T,C or G

<400> 34

actagtttat	tcaagaaaag	aacttactga	ttcctctgtt	cctaaagcaa	gagtggcagg	60
tgatcagggc	tggtgtagca	tccggttcc	ttagtgcagc	taactgcatt	tgtcactgat	120
gaccaaggag	gaaatcacta	agacatttga	gaagcagtg	tatgaacgtt	cttggacaag	180
ccacagttct	gagccttaac	cctgtagttt	gcacacaaga	acgagctcca	cctccccctt	240
ttcaggagga	atctgtgcgg	atagattggc	tggaactttt	aatgggtctg	ggttgcaagt	300
gggcactggt	atggctgggt	atggagcgga	cagccccagg	aatcagagcc	tcagcccggc	360
tgcttggttg	gaaggtacag	gtgttcagca	ccttcggaaa	aagggcataa	agtngtgggg	420
gacaattctc	agtccaagaa	gaatgcattg	accattgctg	gctatttgct	tncttagtan	480
gaattggatn	cattttttgac	cangatnntt	ctnctatgct	ttnttgcaat	gaaatcaaat	540
cccgatttat	ctacaagtgg	tatgaagtcc	tgcncccccc	agagaggctg	ttcaggcnat	600
gtcttccaag	ggcaggggtg	gttacaccat	tttacctccc	ctctcccccc	agattatgna	660
cncagaagga	atttntttcc	tccc				684

<210> 35

<211> 614

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(614)

<223> n = A,T,C or G

<400> 35

actagtccaa	cgcgttngcn	aatattcccc	tggtagccta	cttccttacc	cccgaatatt	60
------------	------------	------------	------------	------------	------------	----

ggtaagatcg	agcaatggct	tcaggacatg	ggttctcttc	tcctgtgac	attcaagtgc	120
tcactgcatg	aagactggct	tgtctcagtg	tntcaacctc	accagggctg	tctcttggtc	180
cacacctcgc	tcctgttag	tgccgtatga	cagcccccat	canatgacct	tggccaagtc	240
acggtttctc	tgtggtcaat	gttggtnggc	tgattggtgg	aaagtanggt	ggaccaaagg	300
aagnncgtg	agcagncanc	nccagttctg	caccagcagc	gcctccgtcc	tactngggtg	360
ttccngtttc	tcctggccct	gngtgggcta	nggctgatt	cggaanatg	cctttgcang	420
gaaggganga	taantgggat	ctaccaattg	attctggcaa	aacnatntct	aagattnttn	480
tgctttatgt	ggganacana	tctanctctc	atttnttgct	gnanatnaca	ccctactcgt	540
gntcgancnc	gtcttcgatt	ttcgganaca	cnccantnaa	tactggcggt	ctgttggttaa	600
aaaaaaaaaa	aaaa					614

<210> 36

<211> 686

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (686)

<223> n = A,T,C or G

<400> 36

gtggctggcc	cggttctccg	cttctcccca	tccctactct	tcctccctcc	ctccctttcc	60
ctccctcgtc	gactgttgct	tgctggtcgc	agactccctg	acccctccct	cacccctccc	120
taacctcggt	gccaccggat	tgcccttctt	ttcctgttgc	ccagcccagc	cctagtgtca	180
gggcgggggc	ctggagcagc	ccgaggcact	gcagcagaag	ananaaaaga	cacgacnaac	240
ctcagctcgc	cagtccgggtc	gctngcttcc	cgccgcagtg	caatnagaca	gacgccgctc	300
acctgctctg	ggcacacgcg	accogtgggt	gatttggcct	tcagtggcat	cacccttatg	360
ggtatttctt	aatcagcgct	tgcaaagatg	gttaacctat	gctacgccag	ggagatacag	420
gagactggat	tggaacattt	ttggggctcta	aaggctctgt	tggggtgcaa	cactgaataa	480
ggatgccacc	aaagcagcta	cagcagctgc	agatttcaca	gccaagtgtg	gggatgctgt	540
ctcagganat	naattgataa	cctggctcat	aacacattgt	caagaatgtg	gatttcccca	600
ggatattatt	atttgtttac	cgggggganag	gataactgtt	tcnctatttt	taattgaaca	660
aactnaaaca	aanctaagg	aatcc				686

<210> 37

<211> 681

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (681)

<223> n = A,T,C or G

<400> 37

gagacanacn	naacgtcang	agaanaaaag	angcatggaa	cacaanccag	gcncgatggc	60
caccttccca	ccagcancca	gcgcccccca	gcngccccca	ngnccggang	accangactc	120
cancctgnat	caatctganc	tctattctctg	gcccattncct	acctcgagg	tggangccgn	180
aaaggtcgca	cnncagaga	agctgctgcc	ancaccancc	gccccnnccc	tgncgggctn	240
nataggaaac	tggtgaccnn	gctgcanaat	tcatacagga	gcacgcgang	ggcacnnnct	300
cacactgagt	tnnngatgan	gcctnaccan	ggacctnccc	cagcnnattg	annacnggac	360
tgcggaggaa	ggaagacccc	gnacnggatc	ctggccggcn	tgccaccccc	ccacccttag	420
gattatnccc	cttgactgag	tctctgaggg	gctacccgaa	cccgcctcca	ttccctacca	480
natnntgctc	natcgggact	gacangctgg	ggatnggagg	ggctatcccc	cancatcccc	540

tnanaccaac	agcnacngan	natnggggct	ccccnggggtc	ggngcaacnc	tcctncaccc	600
cgggcgnggc	cttcgggtgnt	gtcctcctnc	aacnaattcc	naaangggcg	gcccccngt	660
ggactectcn	ttgttccctc	c				681

<210> 38
 <211> 687
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(687)
 <223> n = A,T,C or G

<400> 38						
canaaaaaa	aaaacatggc	cgaaaccagn	aagctgcgcg	atggcgccac	ggccccctctt	60
ctccccggcct	gtgtccggaa	ggtttccctc	cgaggcgccc	cggtctccgc	aagcggagga	120
gagggcgggga	cntgccgggg	ccggagctca	naggccctgg	ggccgctctg	ctctcccgcc	180
atcgcaaggg	cggcgctaac	ctnaggcctc	cccgcaaagg	tcccnangc	ggnggcggcg	240
gggggctgtg	anaaccgcaa	aaanaacgct	gggcgcgcng	cgaaccgctc	cacccccgcg	300
aaggananac	ttccacagan	gcagcgtttc	cacagcccan	agccacnttt	ctaggggtgat	360
gcacccccagt	aagttcctgn	cggggaagct	caccgctgtc	aaaaaanctc	ttcgctccac	420
cggcgcacna	agggggangan	ggcangangc	tgccgcccgc	acaggtcatc	tgatcacgtc	480
gccccgcccta	ntctgctttt	gtgaatctcc	actttgttca	accccacccg	ccgttctctc	540
ctccttgccg	cttcctctna	ccttaanaac	cagcttctc	taccnatng	tanttnctct	600
gcnenngtng	aaattaattc	ggtcncccg	aacctcttnc	ctgtggcaac	tgctnaaaga	660
aactgctgtt	ctgnttactg	cngtccc				687

<210> 39
 <211> 695
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(695)
 <223> n = A,T,C or G

<400> 39						
actagtctgg	cctacaatag	tgtgattcat	gtaggacttc	tttcatcaat	tcaaaacccc	60
tagaaaaacg	tatacagatt	atataagtag	ggataagatt	tctaacattt	ctgggctctc	120
tgacccctgc	gctagactgt	ggaaagggag	tattattata	gtatacaaca	ctgctgttgc	180
cttattagtt	ataacatgat	aggtgctgaa	ttgtgattca	caatttaaaa	acactgtaat	240
ccaaactttt	ttttttaact	gtagatcatg	catgtgaatg	ttaatgttaa	tttgttcaan	300
gttgttatgg	gtagaaaaaa	ccacatgcct	taaaatttta	aaaagcaggg	cccaaactta	360
ttagtttaaa	attaggggta	tgtttccagt	ttgttattaa	ntggttatag	ctctgtttag	420
aanaaatcna	ngaacangat	ttngaaantt	aagntgacat	tatttnccag	tgacttgтта	480
atttgaaatc	anacacggca	ccttccggtt	tggtntctatt	ggnttttgaa	tccaancngg	540
ntccaaatct	tnttggaaac	ngtcnnttta	acttttttac	nanatcttat	ttttttattt	600
tggaatggcc	ctattttaang	ttaaaagggg	ggggnmccac	naccattcnt	gaataaaact	660
naatatatat	ccttggtccc	ccaaaattta	aggng			695

<210> 40
 <211> 674
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(674)

<223> n = A,T,C or G

<400> 40

actagtagtc agttgggagt ggttgctata ccttgacttc atttatatga atttccactt	60
tattaaataa tagaaaagaa aatcccgggtg cttgcagtag agttatagga cattctatgc	120
ttacagaaaa tatagccatg attgaaatca aatagtaaag gctgttctgg ctttttatct	180
tcttagctca tcttaaataa gtagtacct tgggatgcag tgcgtctgaa gtgctaata	240
ggtgtaacaa tagcacaaat cgaacttagg atgtgtttct tctcttctgt gtttcgattt	300
tgatcaattc tttaattttg ggaacctata atacagtttt cctattcttg gagataaaaa	360
ttaaatggat cactgatatt taagtcattc tgcttctcat ctnaatattc catattctgt	420
attagganaa antacctccc agcacagccc cctctcaaac cccacccaaa accaagcatt	480
tggaatgagt ctcttttatt tccgaantgt ggatgggtata acccatatcn ctccaatttc	540
tgnttgggtt ggggtattaat ttgaactgtg catgaaaagn ggnaatcttt nctttgggtc	600
aaanttttnc ggttaatttg nctngncaaa tccaatttnc tttaagggtg tctttataaa	660
atttgctatt cngg	674

<210> 41

<211> 657

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(657)

<223> n = A,T,C or G

<400> 41

gaaacatgca agtaccacac actgtttgaa ttttgcacaa aaagtgactg tagggatcag	60
gtgatagccc cggaatgtac agtgtcttgg tgcaccaaga tgccttctaa aggctgacat	120
accttggggac cctaattgggg cagagagtat agccctagcc cagtgggtgac atgaccactc	180
cctttggggag gctgaagtta aagggaatgg tatgtgtttt ctcatggaag cagcacatga	240
atnggtnaca ngatgttaaa ntaaggntct antttgggtg tcttgtcatt tgaaaaantg	300
acacactcct ancanctggg aaaggggtgc tggaagccat ggaagaactc taaaaacatt	360
agcatgggct gatctgatta cttcctggca tcccgtcac ttttatggga agtcttatta	420
naaggatggg ananttttcc atatccttgc tgttggaaact ctggaacact ctctaaattt	480
ccctctatta aaaatcactg nccttactac acttctctct tganggaata gaaatggacc	540
tttctctgac ttagttcttg gcatggganc cagcccaaatt taaaatctga cttntccggt	600
ttctccngaa ctcacctact tgaattggta aaacctcctt tggaattagn aaaaacc	657

<210> 42

<211> 389

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 42

```

actagtgtctg aggaatgtaa acaagtttgc tgggccttgc gagacttcac caggttgttt      60
cgatagctca cactcctgca ctgtgcctgt caccaggaa tgtctttttt aattagaaga      120
caggaagaaa acaaaaacca gactgtgtcc cacaatcaga aacctccgtt gtggcagang      180
ggccttcacc gccaccaggg tgtcccgcca gacagggaga gactccagcc ttctgaggcc      240
atcctgaaga attcctgttt gggggttgtg aaggaaaatc acccggattt aaaaagatgc      300
tgttgcctgc ccgcgtngtn ggggaaggac tggtttcctg gtgaatttct taaaagaaaa      360
atattttaag ttaagaaaaa aaaaaaaaaa      389

```

```

<210> 43
<211> 279
<212> DNA
<213> Homo sapien

```

```

<400> 43
actagtgaca agctcctggg cttgagatgt cttctcgtaa aggagatggg ccttttggag      60
gtaaaggata aaatgaatga gttctgtcat gattcactat tctagaactt gcatgacctt      120
tactgtgtta gctctttgaa tgttcttgaa attttagact ttctttgtaa acaataata      180
tgtecttate attgtataaa agctgttatg tgcaacagtg tggagatcct tgtctgattt      240
aataaaatac ttaaacactg aaaaaaaaaa aaaaaaaaaa      279

```

```

<210> 44
<211> 449
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (449)
<223> n = A,T,C or G

```

```

<400> 44
actagtagca tcttttctac aacgttaaaa ttgcagaagt agcttatcat taaaaaacia      60
caacaacaac aataacaata aatcctaagt gtaaatcagt tattctaccc cctaccaagg      120
atatcagcct gttttttccc ttttttctcc tgggaataat tgtgggcttc ttcccaaatt      180
tctacagcct ctttctctct ctcattgctt agcttcctctg tttgcacgca tgcgttgtgc      240
aagantgggc tgtttngctt ggantncggg ccnagtggaa ncatgctttc ccttgttact      300
gttgaagaa actcaaacct tcnancccta ggtgttncca ttttgtcaag tcatcactgt      360
atttttgtac tggcattaac aaaaaaagaa atnaaatatt gttccattaa actttaataa      420
aactttaaaa gggaaaaaaa aaaaaaaaaa      449

```

```

<210> 45
<211> 559
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (559)
<223> n = A,T,C or G

```

```

<400> 45
actagtgtgg gggaaatcac gacacttaaa gtcaatctgc gaaataattc ttttattaca      60
cactcactga agtttttgag tcccagagag ccattctatg tcaaacattc caagtactct      120
ttgagagccc agcattacat caacatgccc gtgcagttca aaccgaagtc cgcaggcaaa      180
tttgaagctt tgcttgctcat tcaaacagat gaaggcaaga gtattgctat tcgactaatt      240

```

ggtgaagctc	ttggaaaaaa	ttnactagaa	tactttttgt	gttaagttaa	ttacataagt	300
tgtattttgt	taactttatc	tttctacact	acaattatgc	ttttgtatat	atattttgta	360
tgatggatat	ctataattgt	agattttgtt	tttacaagct	aatactgaag	actcgactga	420
aatattatgt	atctagccca	tagtattgta	cttaactttt	acagggtgaa	aaaaaaattc	480
tgtgtttgca	ttgattatga	tattctgaat	aaatatggga	atatatttta	atgtgggtaa	540
aaaaaaaaaa	aaaaaggaa					559

<210> 46

<211> 731

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 46

actagttcta	gtaccatggc	tgtcatagat	gcaaccatta	tattccattt	agtttcttcc	60
tcagggtccc	taacaattgt	ttgaaactga	atatatatgt	ttatgtatgt	gtgtgtgttc	120
actgtcatgt	atatgggtga	tatgggatgt	gtgcagtttt	cagttatata	tatattcata	180
tatacatatg	catatatatg	tataatatac	atatatacat	gcatacactt	gtataatata	240
catatatata	cacatatatg	cacacatatn	atcactgagt	tccaaagtga	gtctttattt	300
gggggcaattg	tattctctcc	ctctgtctgc	tcactgggccc	tttgcaagac	atagcaattg	360
cttgatttcc	tttgataaag	agtcttatct	tcggcactct	tgactctagc	cttaacttta	420
gatttctatt	ccagaatacc	tctcatatct	atcttaaaac	ctaaganggg	taaagangtc	480
ataagattgt	agtatgaaag	antttgctta	gttaaattat	atctcaggaa	actcattcat	540
ctacaaatta	aattgtaaaa	tgatggtttg	ttgtatctga	aaaaatgttt	agaacaagaa	600
atgtaactgg	gtacctgtta	tatcaaagaa	cctcnattta	ttaagtctcc	tcatagccan	660
atccttatat	ngccctctct	gacctgantt	aatananact	tgaataatga	atagttaatt	720
taggnntggg	c					731

<210> 47

<211> 640

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(640)

<223> n = A,T,C or G

<400> 47

tgcgngccgg	tttgccctt	ctttgtanga	cactttcacc	cgccctgaaa	tcttcccgat	60
cgttaataac	tcttcaggtc	cctgcctgca	caggggtttt	tcttantttg	ttgcctaaca	120
gtacaccaaa	tgtgacatcc	tttcaccaat	atngattnct	tcataccaca	tcntcnatgg	180
anacgactnc	aacaattttt	tgatnaccen	aaanactggg	ggctnnaana	agtacantct	240
ggagcagcat	ggacctgtcn	gcnactaang	gaacaanagt	nntgaacatt	tacacaacct	300
ttggatgtgc	ttactgaaag	anagaaacat	gcttctnncc	ctagaccacg	aggncaaccg	360
caganattgc	caatgccaa	tccgagcggt	tagatcaggt	aatacattcc	atggatgcat	420
tacatacntt	gtccccgaaa	nanaagatgc	cctaangget	tcttcanact	ggtcnngaaa	480
acanctacac	ctgggtgctt	ganaacanac	tctttggaag	atcatctggc	acaagttccc	540
cccagtggg	tttnccttgg	cacctanctt	accanatcna	ttcggaancc	attctttgcc	600
ntggcnttnt	nttgggacca	ntcttctcac	aactgnaccc			640

<210> 48
 <211> 257
 <212> DNA
 <213> Homo sapien

<400> 48
 actagtatat gaaaatgtaa atatcacttg tgtactcaaa caaaagttgg tcttaagctt 60
 ccaccttgag cagccttgga aacctaacct gcctctttta gcataatcac attttctaaa 120
 tgattttctt tgttcctgaa aaagtgtatt gtattagttt tacatttggt ttttgggaaga 180
 ttatatttgt atatgtatca tcataaaaata tttaaataaa aagtatcttt agagtgaaaa 240
 aaaaaaaaaa aaaaaaaa 257

<210> 49
 <211> 652
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (652)
 <223> n = A,T,C or G

<400> 49
 actagttcag atgagtggtt gctgaagggg ccccttctgc attttcatta taacccaatt 60
 tccacttatt tgaactctta agtcataaat gtataatgac ttatgaatta gcacagttaa 120
 gttgacacta gaaactgccc atttctgtat tacactatca aataggaaac attggaaaga 180
 tggggaaaaa aatcttattt taaaatggct tagaaagttt tcagattact ttgaaaattc 240
 taaacttctt tctgtttcca aaacttgaaa atatgtagat ggactcatgc attaagactg 300
 ttttcaaagc tttcctcaca tttttaaaagt gtgattttcc ttttaataata catatttatt 360
 ttcttttaaag cagctatata ccaacccatg actttggaga tatacctatn aaaccaatat 420
 aacagcangg ttattgaagc agctttctca aatgttgctt cagatgtgca agttgcaaat 480
 ttatttgtat ttgtanaata caatttttgt tttaaactgt atttcaatct atttctccaa 540
 gatgcttttc atatagagtg aaatatccca ngataactgc ttctgtgtcg tgcatttga 600
 cgcataactg cacaaatgaa cagtgtatac ctcttggttg tgcattnacc cc 652

<210> 50
 <211> 650
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (650)
 <223> n = A,T,C or G

<400> 50
 ttgcgctttg attttttttag ggcttgtgcc ctgtttcact tatagggtct agaatgcttg 60
 tgttgagtaa aaaggagatg cccaatatc aaagctgcta aatgttctct ttgccataaa 120
 gactcogtgt aactgtgtga acacttggga tttttctcct ctgtcccgag gtcgtcgtct 180
 gctttctttt ttgggttctt tctagaagat tgagaaatgc atatgacagg ctgagancac 240
 ctccccaaac acacaagctc tcagccacan gcagcttctc cacagcccca gcttcgcaca 300
 ggctcctgga nggctgcttg ggggagggcag acatgggagt gccaaaggtgg ccagatgggt 360
 ccaggactac aatgtcttta tttttaactg tttgccactg ctgcccctac ccttgcccgg 420
 ctctggagta cgtctgccc canacaagtg ggantgaaat ggggggtgggg ggggaactg 480
 attcccantt agggggtgcc taactgaaca gtagggtatan aaggtgtgaa cctngngaant 540

gcttttataa attatnttcc ttgttanatt tatttttttaa tttaattctct gttnaactgc 600
ccngggaaaa ggggaaaaaa aaaaaaaaaat tctnttttaa cacatgaaca 650

<210> 51
<211> 545
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(545)
<223> n = A,T,C or G

<400> 51
tggcgtgcaa ccagggtagc tgaagtttgg gtctgggact ggagattggc cattaggcct 60
cctganattc cagctccctt ccaccaagcc cagtcttgct acgtggcaca gggcaaacct 120
gactcccttt gggcctcagt ttccctctcc cttcatgana tgaaaagaat actacttttt 180
cttggttggtc taacnttgct ggacncaaag tgtngtcatt attgttgatg tgggtgatgt 240
gtncaaaact gcagaagctc actgcctatg agaggaanta agagagatag tggatganag 300
ggacanaagg agtcattatt tggatatagat ccaccntcc caacctttct ctcctcagtc 360
cctgcncctc atgtntctgg tntggtgagt cctttgtgcc accanccatc atgctttgca 420
ttgctgccat cctgggaagg ggggtgnatcg tctcacaact tgttgatcgc gtttganatg 480
catgctttct tnatnaaaca aanaaannaa tgtttgacag ngttttaa at aaaaaanaaa 540
caaaa 545

<210> 52
<211> 678
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(678)
<223> n = A,T,C or G

<400> 52
actagtagaa gaactttgcc gcttttgtgc ctctcacagg cgcctaaagt cattgccatg 60
ggaggaagac gatttggggg gggagggggg gggggcangg tccgtggggc ttccctant 120
ntatctccat ntccantggn cnntgtegcc tcttccctcg tencattnga anttantccc 180
tggneccenn neectetecn neetnencet cccctctcgg nencetecnn cttttntan 240
ncttccccat ctcntcccc cctnanngtc ccaacnecgn cagcaatnnc naacttnctc 300
nctecnence tccnncggtt cttctnttct cnaentntnc ncnntnecn tgcenntnaa 360
annetctccc cnetgcaanc gattctctcc ctcnncnnan ctntccactc cntncttctc 420
nncgctcct nttentenne ccactctcn ccttegnecc cantacnctc ncncccttn 480
cgnntenttn nnntectenn accnccence tcccttence cctcttctcc cgggtntntc 540
tctctccenc ncnncnncet cncnccntcc nngcgnccnt ttcgccccn cncnccntt 600
ccttentenc cantccaten cntntnccat nctnccntcc nctcacnccc gctnccccn 660
ntctctttca cacngtcc 678

<210> 53
<211> 502
<212> DNA
<213> Homo sapien

<220>

<221> misc_feature
 <222> (1) ... (502)
 <223> n = A,T,C or G

<400> 53
 tgaagatcct ggtgtcgcca tgggcegcgc ccccgcccggt tgttaccgggt attgtaagaa 60
 caagccgtac ccaaagtctc gcttctgcgc aggtgtccct gatgccaaaa ttgcgatttt 120
 tgacctgggg cggaaaaaang caaaantgga tgagtctccg ctttgtggcc acatgggtgc 180
 agatcaatat gagcagctgt cctctgaagc cctgnanget gcccggaattt gtgccaataa 240
 gtacatggta aaaagtngtg gcnagatgc ttccatatacc ggggtgcggnt ccaccccttc 300
 cacgtcatcc gcatcaacaa gatgttgctc tgtgtctgggg ctgacaggct cccaacaggc 360
 atgcgaagtg cttttggaaa acccanggca ctgtggccag ggttcacatt gggccaattn 420
 atcatgttca tccgcaccaa ctgcagaaca angaantgt naattnaagc cctgccccagg 480
 gncaanttca aatttcccgg cc 502

<210> 54
 <211> 494
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (494)
 <223> n = A,T,C or G

<400> 54
 actagtccaa gaaaaatatg cttaatgtat attacaaagg ctttgtatat gttaacctgt 60
 tttaatgccaa aaagtttgct ttgtccacaa tttccttaag acctcttcag aaagggattt 120
 gtttgccctta atgaatactg ttgggaaaaa acacagtata atgagtgaag agggcagaag 180
 caagaaattt ctacatctta gcgactccaa gaagaatgag tatccacatt tagatggcac 240
 attatgagga ctttaattct tctttaaaca caataatgtt ttcttttttc ttttattcac 300
 atgatttcta agtatatttt tcatgcagga cagtttttca accttgatgt acagtgactg 360
 tgttaaattt ttctttcagt ggcaacctct ataattctta aaatatgggtg agcatcttgt 420
 ctgttttgaa ngggatatga cnatnaatct atcagatggg aaatcctgtt tccaagttag 480
 aaaaaaaaaa aaaa 494

<210> 55
 <211> 606
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (606)
 <223> n = A,T,C or G

<400> 55
 actagtaaaa agcagcattg ccaaataatc cctaattttc cactaaaaat ataatgaaat 60
 gatgttaagc tttttgaaaa gtttaggtta aacctactgt tgtagatta atgtatttgt 120
 tgcttccctt tatctggaat gtggcattag cttttttatt ttaacctct ttaattctta 180
 ttcaattcca tgacttaagg ttggagagct aaacactggg atttttggat aacagactga 240
 cagttttgca taattataat oggcattgta catagaaagg atatggctac cttttgttaa 300
 atctgcactt tctaaatata aaaaaaggga aatgaagtat aaatcaattt ttgtataatc 360
 tgtttgaaac atgantttta tttgcttaat attanggctt tgcccttttc tgtagtctc 420
 ttgggatcct gtgtaaaact gttctcatta aacaccaaac agttaagtcc attctctggt 480

```

actagctaca aattccgttt catattctac ntaacaattt aaattaactg aaatatttct      540
anatggtcta cttctgtcnt ataaaaacna aacttgantt nccaaaaaaa aaaaaaaaaa      600
aaaaaa                                           606

```

```

<210> 56
<211> 183
<212> DNA
<213> Homo sapien

```

```

<400> 56
actagtatat ttaaaacttac aggcttattt gtaatgtaaa ccaccatttt aatgtactgt      60
aattaacatg gttataatac gtacaatcct tccctcatcc catcacacaa ctttttttgt      120
gtgtgataaa ctgatttttg tttgcaataa aaccttgaaa aataaaaaaa aaaaaaaaaa      180
aaa                                           183

```

```

<210> 57
<211> 622
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (622)
<223> n = A,T,C or G

```

```

<400> 57
actagtcact actgtcttct ccttgtagct aatcaatcaa tattcttccc ttgectgtgg      60
gcagtggaga gtgctgctgg gtgtacgtcg cacctgccca ctgagttggg gaaagaggat      120
aatcagttag cactgttctg ctcagagctc ctgatctacc ccaccacctt ggatccagga      180
ctgggtcaaa gctgcatgaa accaggccct ggcagcaacc tgggaatggc tggaggtggg      240
agagaacctg acttctcttt cctctctcct cctccaacat tactggaact ctatcctgtt      300
agggatcttc tgagcttggt tccctgctgg gtgggacaga agacaaagga gaagggangg      360
tctacaanaa gcagcccttc tttgtectct ggggttaatg agcttgacct ananttcag      420
gaganaccan aagcctctga tttttaattt centnaaatg tttgaagtnt atatntacat      480
atatatatat ctttnaatnt ttgagtcttt gatatgtctt aaaatccant ccctctgcen      540
gaaacctgaa ttaaaacat gaanaaaaat gtttncccta aagatgttan taattaattg      600
aaacttgaaa aaaaaaaaaa aa                                           622

```

```

<210> 58
<211> 433
<212> DNA
<213> Homo sapien

```

```

<400> 58
gaacaaattc tgattgggta tgtaccgtca aaagacttga agaaatttca tgattttgca      60
gtgtggaagc gttgaaaatt gaaagttact gcttttccac ttgctcatat agtaaaggga      120
tcctttcagc tgccagtgtt gaataatgta tcatccagag tgatgttatc tgtgacagtc      180
accagcttta agctgaacca ttttatgaat accaaataaa tagacctctt gtactgaaaa      240
catatttttg actttaatcg tgctgcttgg atagaaatat ttttactggg tcttctgaat      300
tgacagtaaa cctgtccatt atgaatggcc tactgttcta ttatttggtt tgacttgaat      360
ttatccacca aagacttcat ttgtgtatca tcaataaagt tgtatgtttc aactgaaaaa      420
aaaaaaaaaa aaa                                           433

```

```

<210> 59
<211> 649

```

<212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(649)
 <223> n = A,T,C or G

<400> 59
 actagttatt atctgacttt cnggttataa tcatttctaag gagtgtgaag tagcctctgg 60
 tgtcatttgg atttgcattt ctctgatgag tgatgctatc aagcaccttt gctgggtgctg 120
 ttggccatat gtgtatgttc cctggagaag tgtctgtgct gagccttggc ccacttttta 180
 attagcgctn tgtcttttta ttactgagtt gtaaganttc tttatatatt ctggattcta 240
 gacccttatac agatacatgg ttgcaaata tttctccca ttctgtgggt tgtgttttca 300
 ctttatcgat aatgtcctta gacatataat aaatttgtat tttaaaagtg acttgatttg 360
 ggctgtgcaa ggtgggctca cgcttgtaat ccagcactt tgggagactg aggtgggtgg 420
 atcatatgan gangctagga gttcgaggtc agcctggcca gcatagcgaa aacttgtctc 480
 tacnaaaaat acaaaaatta gtcaggcatg gtgggtgcacg tctgtaatac cagcttctca 540
 ggangctgan gcacaaggat cacttgaacc ccagaangaa gangttgcag tganctgaag 600
 atcatgccag ggcaacaaaa atgagaactt gtttaaaaaa aaaaaaaaaa 649

<210> 60
 <211> 423
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(423)
 <223> n = A,T,C or G

<400> 60
 actagttcag gccttccagt tcaactgaaa acatggggaa gtgtgcccag ctggctggaa 60
 acctggcagt gataccatca agcctgatgt ccaaaagagc aaagaatatt tctccaagca 120
 gaagtgagcg ctgggctgtt ttagtgccag gctgcggtgg gcagccatga gaacaaaacc 180
 tcttctgtat tttttttttc cattagtana acacaagact cngattcagc cgaattgtgg 240
 tgtcttaciaa ggcagggtct tcctacaggg ggtgganaaa acagcctttc ttcctttggg 300
 aggaatggcc tgagttggcg ttgtgggcag gctactgggt tgtatgatgt attagtagag 360
 caaccattta atcttttcta gtttgtatna aacttgantc gagaccttaa aaaaaaaaaa 420
 aaa 423

<210> 61
 <211> 423
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(423)
 <223> n = A,T,C or G

<400> 61
 cgggactgga atgtaaagtg aagttcggag ctctgagcac gggctcttcc cgccgggtcc 60
 tccctcccca gacccagag ggagaggccc accccgccc gccccgcccc agcccctgct 120
 caggtctgag tatggctggg agtcgggggc cacaggcctc tagctgtgct gctcaagaag 180


```

actggatcag ggtanctaca agtggccggg ccttgccctt gggattctac cctgttccta 240
atttggtgtt ggggtgcggt gtccctggcc cccttttcca cactncctcc ctcngacag 300
caacctccct tggggcaatt gggcctggnt ctcncccg tgttgcnacc ctttgttggt 360
ttaaggncct taaaaatgtt annttttccc ntgcnggggt taaaaaagga aaaaactnaa 420
aaa 423

```

```

<210> 62
<211> 683
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(683)
<223> n = A,T,C or G

```

```

<400> 62
gctggagagg ggtacggact ttcttggagt tgtcccaggt tggaatgaga ctgaactcaa 60
gaagagaccc taagagactg gggaatggtt cctgccttca ggaaagtga agacgcttag 120
gctgtcaaca cttaaaggaa gtcccttga agcccagagt ggacagacta gaccattga 180
tggggccact ggccatggc cgtggacaag acattccngt gggccatggc acaccggggg 240
ggatcaaaat gtgtacttgt ggggtctcgc cccttgccaa aaccaaacca ntccactcc 300
tgtcnttga ctttcttccc attccctcct ccccaaattgc acttcccctc ctccctctgc 360
ccctcctgtg tttttggaat tctgtttccc tcaaaattgt taatttttta nttttngacc 420
atgaacttat gtttggggtc nangttcccc ttnccaatgc atactaatat attaatggtt 480
atttattttt gaaatatttt ttaatgaact tggaaaaaat tnntggaatt tccttncttc 540
cntttntttt ggggggggtg ggggntggg ttaaaatttt tttggaancc cnatnggaaa 600
ttnttacttg gggcccccct naaaaaantn anttccaatt cttnnatngc ccctnttccn 660
ctaaaaaaaa ananannaaa aan 683

```

```

<210> 63
<211> 731
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G

```

```

<400> 63
actagtcata aagggtgtgc gegtcttoga cgtggcggtc ttggcgccac tgctgcgaga 60
cccggccctg gacctcaagg tcatccactt ggtgcgtgat ccccgcgagg tggcgagttc 120
acggatccgc tcgcgccacg gctcctccg tgagagccta cagggtggtg gcagccgaga 180
ccgcgagctc accgcatgcc cttcttggag gccgcgggcc acaagcttgg cgcctnaaaa 240
gaaggcgtng ggggcccgc aantaccacg ctctgggcgc tatggaangt cctcttgcaa 300
taatattggt tnaaaantg canaanagcc cctgcancce cctgaactgg gntgcagggc 360
cncttacctn gtttggntgc gggtacaaag aacctgtttn ggaaaaccct nccnaaaacc 420
ttccgggaaa attntncaaa ttttnttgg ggaattnttg ggtaaaccce ccnaaaatgg 480
gaaacntttt tgccctnnaa antaaaccat tnggttccgg gggccccccc ncaaaaccct 540
ttttntttt tttntgcccc cantnncccc ccggggcccc ttttttngg ggaaaanccc 600
ccccctncc nanantttta aaaggnggg anaatttttn nttncceccc gggncceccn 660
ggngntaaaa nggtttcncc ccccgaggg gnggggnnc ctcnnaaacc cntntcnna 720
ccntttttn n 731

```

<210> 64
 <211> 313
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(313)
 <223> n = A,T,C or G

<400> 64
 actagttgtg caaaccacga ctgaagaaag acgaaaagtg ggaaataact tgcaacgtct 60
 gttagagatg gttgctacac atgttgggtc tgtagagaaa catcttgagg agcagattgc 120
 taaagttgat agagaatatg aagaatgcat gtcagaagat ctctcggaaa atattaaaga 180
 gattagagat aagtatgaga agaaagctac tctaattaag tcttctgaag aatgaagatn 240
 aaatgttgat catgtatata tatccatagt gaataaaatt gtctcagtaa agttgtaaaa 300
 aaaaaaaaaaaa aaa 313

<210> 65
 <211> 420
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(420)
 <223> n = A,T,C or G

<400> 65
 actagttccc tggcaggcaa gggcttccaa ctgaggcagt gcatgtgtgg cagagagagg 60
 caggaagctg gcagtggcag cttctgtgtc tagggagggg tgtgggtccc tccttccctg 120
 tctgggaggt tggaggggaag aatctaggcc ttagcttgcc ctctgccac ccttcccctt 180
 gtagatactg ccttaacact ccctcctctc tcagctgtgg ctgccacca agccaggttt 240
 ctccgtgtc actaatttat ttccaggaaa ggtgtgtgga agacatgagc cgtgtataat 300
 atttgtttta acattttcat tgcaagtatt gaccatcatc cttgggtgtg tatcgttgta 360
 acacaaatta atgatattaa aaagcatcca aacaaagccn annnnmaana nnnnnngaaa 420

<210> 66
 <211> 676
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(676)
 <223> n = A,T,C or G

<400> 66
 actagtttcc tatgatcatt aaactcattc tcagggttaa gaaaggaatg taaatttctg 60
 cctcaatttg tacttcatca ataagttttt gaagagtgc gatttttagt caggtcttaa 120
 aaataaactc acaaactctg atgcatttct aaattctgca aatgtttcct ggggtgactt 180
 aacaaggaat aatcccacaa tatacctagc tacctaatac atggagctgg ggctcaaccc 240
 actgttttta aggatttgcg cttacttggt gctgaggaaa aataagtagt tccgagggaa 300
 gtagttttta aatgtgagct tatagatnng aaacagaata tcaacttaat tatggaaatt 360
 gttagaaacc tgttctcttg ttatctgaat cttgattgca attactattg tactggatag 420

```

actccagccc attgcaaagt ctcagatata ttanctgtgt agttgaattc cttggaaatt      480
ctttttaaga aaaaattgga gtttnaaaga aataaacccc tttgttaaat gaagcttggc      540
tttttggtga aaaanaatat tcccgcaggg cttattgttt aaaaanggaa ttttaagcct      600
ccctggaaaa anttgtaaat taaatgggga aaatgntggg naaaaattat ccgttagggg      660
ttaaaggga aactta                                     676

```

<210> 67

<211> 620

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (620)

<223> n = A,T,C or G

<400> 67

```

caccattaaa gctgcttacc aagaacttcc ccagcatttt gacttccttg tttgatagct      60
gaattgtgag caggtgatag aagagccttt ctagttgaac atacagataa tttgctgaat     120
acattccatt taatgaagggt gttacatctg ttacgaagct actaagaagg agcaagagca     180
taggggaaaa aaatctgata agaacgcata aaactcacat gtgccccctc tactacaaac     240
agattgtagt gctgtggtgg tttattccgt tgtgcagaac ttgcaagctg agtcactaaa     300
cccaaagaga ggaaattata ggtagttaa acattgtaac ccaggaact aagtttaatt     360
cacttttgaa gtgttttggt tttattttt ggtttgtctg atttactttg ggggaaaang     420
ctaaaaaaaa agggatatca atctctaatt cagtgcccac taaaagtgtt ccctaaaaag     480
tctttactgg aanttatggg actttttaag ctccaggntt tttggtcctc caaattaacc     540
ttgcatgggc cccttaaaat tgttgaangg cattcctgcc tctaagtttg gggaaaattc     600
ccccntttt naaaatttga                                     620

```

<210> 68

<211> 551

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (551)

<223> n = A,T,C or G

<400> 68

```

actagtagct ggtacataat cactgaggag ctatttctta acatgctttt atagaccatg      60
ctaagtctag accagtattt aagggttaat ctcacacctc cttagctgta agagtctggc     120
ttagaacaga cctctctgtg caataacttg tggccactgg aaatccctgg gccggcattt     180
gtattggggg tgcaatgact cccaagggcc aaaagagtta aaggcacgac tgggatttct     240
tctgagactg tggtgaaact ccttccaagg ctgagggggg cagtangtgc tctgggaggg     300
actcggcacc actttgatata tcaacaagcc acttgaagcc caattataaa attgttattt     360
tacagctgat ggaactcaat ttgaaccttc aaaactttgt tagtttatcc tattatattg     420
ttaaacctaa ttacatttgt ctagcattgg atttgggtcc tgtngcatat gtttttttcn     480
cctatgtgct cccctcccc nnatcttaat ttaaacnca attttgcnat tcncnnnnnn     540
nannnannna a                                     551

```

<210> 69

<211> 396

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(396)
 <223> n = A,T,C or G

<400> 69
 cagaaatgga aagcagagtt ttcatttctg tttataaacg tctccaaaca aaaatggaaa 60
 gcagagtttt cattaaatcc ttttaccttt tttttttctt ggtaatcccc tcaaataaca 120
 gtatgtggga tattgaatgt taaagggata tttttttcta ttatttttat aattgtacaa 180
 aattaagcaa atgttaaaaag ttttatatgc tttattaatg ttttcaaaag gtatnataca 240
 tgtgatacat tttttaagct tcagttgctt gtcttctggg actttctggt atgggctttt 300
 ggggagccan aaaccaatct acnatctctt tttgtttgcc aggacatgca ataaaattta 360
 aaaaataaat aaaaactatt nagaaattga aaaaaa 396

<210> 70
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(536)
 <223> n = A,T,C or G

<400> 70
 actagtgcaa aagcaaatat aaacatcgaa aaggcggtcc tcacgttagc tgaagatata 60
 cttcgaaaga cccctgtaaa agagcccaac agtgaaaatg tagatatcag cagtggagga 120
 ggcgtgacag gctggaagag caaatgctgc tgagcattct cctgttccat cagttgccat 180
 ccactacccc gttttctctt cttgctgcaa aataaaccac tctgtccatt ttttaactcta 240
 aacagatatt tttgtttctc atcttaacta tccaagccac ctattttatt tgttctttca 300
 tctgtgactg cttgctgact ttatcataat tttcttcaaa caaaaaaatg tatagaaaaa 360
 tcatgtctgt gaattcattt ttaaatgnta cttgctcagc tcaactgcat ttcagttggt 420
 ttatagtcca gttcttatca acattnaaac ctatngcaat catttcaaat ctattctgca 480
 aattgtataa gaataaaagt tagaatttaa caattaaaaa aaaaaaaaaa aaaaaa 536

<210> 71
 <211> 865
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(865)
 <223> n = A,T,C or G

<400> 71
 gacaaaagcgt taggagaaga anagaggcag ggaanactnc ccaggcacga tggccncctt 60
 cccaccagca accagcgccc cccaccagcc cccaggcccc gagacgaag actccatcct 120
 ggattaatct nacctctntc gcctgnccca ttcctacctc ggaggtggag gccggaaagg 180
 tencaccaag aganaaantg ctgccaacac caaccgcccc agccctggcg ggcacganag 240
 gaaactggtg accaatctgc agaattctna gaggaanaag cnagggggccc cgcgctnaga 300
 cagagctgga tatgangcca gaccatggac nctacnccn ncaatncana cgggactgcy 360
 gaagatggan gaccencgac nngatcaggc cngctnncca nccccccacc cctatgaatt 420
 attcccgcgtg aangaatctc tgannggctt ccannaaagc gcctccccnc cnaacgnaan 480

tncaacatng	ggattanang	ctgggaactg	naaggggcaa	ancctnnaat	atccccagaa	540
acaanctctc	ccnaanaaac	tggggcncct	catnggtggn	accaactatt	aactaaaccg	600
cacgccaaagn	aantataaaa	ggggggcccc	tcnccggngn	accccctttt	gtcccttaat	660
ganggttatc	cnccttgctg	accatgggtc	ccnnttctgt	ntgnatgttt	ccnctccctt	720
ccncttatnt	cnagccgaac	tcnnatttnc	ccgggggtgc	nacniantng	tncncctttn	780
ttngttgncc	cngccctttc	cgncgggaacn	cgtttccccg	ttantaacgg	cacccggggg	840
aagggtgn	ggccccctcc	ctccc				865

<210> 72

<211> 560

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (560)

<223> n = A,T,C or G

<400> 72

cctggacttg	tcttggttcc	agaacctgac	gaccggcgca	cgggcgacgtc	tcttttgact	60
aaaagacagt	gtccagtgtc	ccngcctagg	agtctacggg	gaccgcctcc	cgcgccgcca	120
ccatgcccaa	cttctctggc	aactggaaaa	tcatccgac	ggaaaacttc	gangaattgc	180
tcnaantgct	gggggtgaat	gtgatgctna	ngaanattgc	tgtggctgca	gcgtccaagc	240
cagcagtggg	gacnaacag	gagggagaca	ctttctacat	caaaacctcc	accaccgtgc	300
gcaccacaaa	gattaacttc	nnngttgggg	aggantttga	ggancaaact	gtggatngga	360
ngcctgtnaa	aacctggtga	aatgggagaa	tganaataaa	atggtctgtg	ancanaaact	420
cctgaaagga	gaaggcccc	anaactcctg	gaccngaaaa	actgaccnc	cnatngggga	480
actgatnctt	gaaccctgaa	cgggcgggat	ganccttttt	tnttgcnc	naanggggtc	540
tttccntttc	ccccaaaaaa					560

<210> 73

<211> 379

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (379)

<223> n = A,T,C or G

<400> 73

ctggggganc	ggcggtngc	nccatntenn	gncgcgaagg	tggcaataaa	aancnctga	60
aaccgcncaa	naaacatgcc	naagatatgg	acgaggaaga	tngngctttc	nngnacaanc	120
gnanngagga	acanaacaaa	ctcnangagc	tctcaagcta	atgcgcgggg	gaagggggcc	180
ttggccacnn	gtggaattaa	gaaatctggc	aaanngtann	tgttccttgt	gcctnangag	240
ataagngacc	ctttatttca	tctgtattta	aacctctctn	ttccctgnca	taacttcttt	300
tnccacgtan	agntggaant	anttggtgtc	ttggactgtt	gtncatttta	gannaaactt	360
ttgttcaaaa	aaaaaataa					379

<210> 74

<211> 437

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1) ... (437)
 <223> n = A,T,C or G

<400> 74
 actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc 60
 ctaggtgttt ccatctatgt ttcaatctgt ccatctacca ggccctcgca taaaaacaaa 120
 acaaaaaaac gctgccaggt ttanaagca gttctggctc caaaaccatc aggatcctgc 180
 caccagggtt cttttgaaat agtaccacat gtaaaaggga atttggcttt cacttcatct 240
 aatcactgaa ttgtcaggct ttgattgata attgtagaaa taagtagcct tctgttgtgg 300
 gaataagtta taatcagtat tcatctcttt gttttttgtc actcttttct ctctnattgt 360
 gtcatttgta ctgtttgaaa aatattttct ctataaaatt aaactaacct gccttaaaaa 420
 aaaaaaaaaa aaaaaaa 437

<210> 75
 <211> 579
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (579)
 <223> n = A,T,C or G

<400> 75
 ctccgtcgcc gccaaagatga tgtgcggggc gccctcgcc acgcagccgg ccaccgcga 60
 gaccagcac atcgccgacc aggtgaggct ccagcttgaa gagaaagaaa acaagaagtt 120
 cctgtgttt aaggccgtgt cattcaagag ccagggtggtc gcggggacaa actacttcat 180
 caaggtgcac gtcggcgacg aggacttcgt acacctgcga gtgttccaat ctctccctca 240
 tgaaaacaag cccttgacct tatctaacta ccagaccaac aaagccaagc atgatgagct 300
 gacctatttc tgatcctgac ttgggacaag gcccttcagc cagaagactg acaaagtcac 360
 cctccgtcta ccagagcgtg cacttgtgat cctaaaataa gcttcatctc cgggctgtgc 420
 ccttgggggtg gaaggggcan gatctgcact gcttttgcac ttctcttctt aaatttcatt 480
 gtgttgattc ttctcttcca ataggtgac ttnattactt tcagaatatt ttccaaatna 540
 gatattttt naaaatcctt aaaaaaaaaa aaaaaaaaaa 579

<210> 76
 <211> 666
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (666)
 <223> n = A,T,C or G

<400> 76
 gtttatecta tctctccaac cagattgtca gctccttgag ggcaagagcc acagtatatt 60
 tccctgtttc ttccacagtg cctaataata ctgttgaact aggttttaac aattttttaa 120
 ttgatgttgt tatgggcagg atggcaacca gaccattgtc tcagagcagg tgctggctct 180
 ttcttggtta ctccatgttg gctagcctct ggtaacctct tacttattat cttcaggaca 240
 ctactacag ggaccaggga tgatgcaaca tccttgtctt tttatgacag gatgtttgct 300
 cagcttctcc aacaataaaa agcacgtggt aaaacacttg cggatattct ggactgtttt 360
 taaaaatat acagtttacc gaaaatcata ttatcttaca atgaaaagga ntttatagat 420
 cagccagtga acaacctttt cccaccatac aaaaattcct tttcccgaan gaaaanggct 480

ttctcaataa	ncctcacttt	cttaanatct	tacaagatag	ccccganatc	ttatcgaaac	540
tcatttttagg	caaatatgan	ttttattgtg	cgttacttgt	ttcaaaattt	gggtattgtga	600
atatcaatta	ccacccccat	ctcccatgaa	anaaaangga	aanggtgaan	ttcntaancg	660
cttaaa						666

<210> 77
 <211> 396
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (396)
 <223> n = A,T,C or G

ctgcagcccg	ggggatccac	taatctacca	nggttatttg	gcagctaatt	ctanatttgg	60
atcattgccc	aaagtgtcac	ttgctgggtc	cttgggattt	ggccttggaa	aggtatcata	120
catanganta	tgccanaata	aattccattt	ttttgaaaat	canctccntg	gggctgggtt	180
tggtccacag	cataacangc	actgcctcct	tacctgtgag	gaatgcaaaa	taaagcatgg	240
attaagttag	aaggagagact	ctcagccttc	agcttcctaa	attctgtgtc	tgtgactttc	300
gaagtttttt	aaacctctga	atttgtacac	atttaaaatt	tcaagtgtac	tttaaaataa	360
aatacttcta	atgggaacaa	aaaaaaaaaa	aaaaaa			396

<210> 78
 <211> 793
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (793)
 <223> n = A,T,C or G

gcatactagc	cgccgactca	cacaaggcag	gtgggtgagg	aaatccagag	ttgccatgga	60
gaaaattcca	gtgtcagcat	tcttgctcct	tgtggccctc	tcctacactc	tgccagaga	120
taccacagtc	aaacctggag	ccaaaaagga	cacaaaggac	tctcgaccca	aactgcccc	180
gacctctctc	agaggttggg	gtgaccaact	catctggact	cagacatatg	aagaagctct	240
atataaatcc	aagacaagca	acaaaccctt	gatgattatt	catcacttgg	atgagtggcc	300
acacagtcna	gctttaaaga	aagtgtttgc	tgaaaataaa	gaaatccaga	aattggcaga	360
gcagtttgtc	ctcctcaatc	tggtttatga	aacaactgac	aaacaccttt	ctcctgatgg	420
ccagtatgtc	ccaggattat	gtttgttgac	ccatctctga	cagttgaagc	cgatatcctg	480
ggaagatatt	cnaaccgtct	ctatgcttac	aaactgcaga	tacgctctgt	tgcttgacac	540
atgaaaaagc	tctcaagttg	ctnaaaatga	attgtaagaa	aaaaaatctc	cagccttctg	600
tctgtcggct	tgaaaattga	aaccagaaaa	atgtgaaaaa	tggctattgt	ggaacanatn	660
gacacctgat	taggttttgg	ttatgttcac	cactattttt	anaaaanan	nttttaaaat	720
ttggttcaat	tntctttttn	aaacaatntg	tttctacntt	gnganctgat	ttctaaaaaa	780
aataatnttt	ggc					793

<210> 79
 <211> 456
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (456)
 <223> n = A,T,C or G

 <400> 79
 actagtatgg ggtgggaggg cccacccttc tcccctaggg gctgttcttg ctccaaaggg 60
 ctccgtggag agggactggc agagctgang ccacctgggg ctggggatcc cactcttctt 120
 gcagctgttg agcgcaccta accactgggc atgccccac cctgctctc cgcacccgct 180
 tcctcccgac cccangacca ggctacttct cccctcctct tgccctccctc ctgcccctgc 240
 tgctctgat cgtangaatt gangantgct ccgccttggt gctganaatg gacagtggca 300
 ggggctggaa atgggtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gncccccccc 360
 tgcaagaccg agattgaggg aaancatgct tgctgggtgt gaccatgttt cctctccata 420
 aantnccct gtgacnctca naaaaaaaa aaaaaa 456

<210> 80
 <211> 284
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (284)
 <223> n = A,T,C or G

<400> 80
 ctttgtacct ctagaaaaga taggtattgt gtcatgaaac ttgagtttaa attttatata 60
 taaaactaaa agtaatgctc acttttagcaa cacatactaa aattggaacc atactgagaa 120
 gaatagcatg acctccgtgc aaacaggaca agcaaatttg tgatgtgttg attaaaaaga 180
 aataaataaa tgtgtatatg tgtaacttgt atgtttatgt ggaatacaga ttgggaaata 240
 aaatgtatatt cttactgtga aaaaaaaaa aaaaaaaaa aana 284

<210> 81
 <211> 671
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (671)
 <223> n = A,T,C or G

<400> 81
 gccaccaaca ttccaagcta cctgggtac ctttgtgcag tagaagctag tgagcatgtg 60
 agcaagcggg gtgcacacgg agactcatcg ttataattta ctatctgcca agagtagaaa 120
 gaaaggctgg ggatatattg gttggcttg ttttgatttt ttgcttgttt gtttgttttg 180
 tactaaaaca gtattatctt ttgaatatcg tagggacata agtatataca tgttatccaa 240
 tcaagatggc tagaatgggt cctttctgag tgtctaaaac ttgacacccc tggtaaattct 300
 ttcaacacac ttccactgcc tgcgtaatga agttttgatt catttttaac cactggaatt 360
 tttcaatgcc gtcattttca gttagatnat tttgcacttt gagattaaaa tgccatgtct 420
 atttgattag tcttattttt ttatttttac aggcattatca gtctcactgt tggctgtcat 480
 tgtgacaaag tcaaataaac cccnaggac aacacacagt atgggatcac atattgtttg 540
 acattaagct ttggccaaaa aatgttgcac gtgttttacc tcgacttgct aaatcaatan 600
 canaaaggct ggctnataat gttggtggtg aaataattaa tnantaacca aaaaaaaaa 660
 aaaaaaaaa a 671

<210> 82
 <211> 217
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (217)
 <223> n = A,T,C or G

<400> 82
 ctgcagatgt ttcttgaatg ctttgtcaaa ttaanaaagt taaagtgcaa taatgtttga 60
 agacaataag tgggtggtgta tcttgtttct aataagataa acttttttgt ctttgcttta 120
 tcttattagg gagttgtatg tcagtgtata aaacatactg tgtggtataa caggcttaat 180
 aaattcttta aaaggaaaaa aaaaaaaaaa aaaaaaa 217

<210> 83
 <211> 460
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (460)
 <223> n = A,T,C or G

<400> 83
 cgcgagtggg agcaccagga tctcgggctc ggaacgagac tgcacggatt gttttaagaa 60
 aatggcagac aaaccagaca tgggggaaat cgccagcttc gatnaggcca agctgaanaa 120
 aacggagacg caggagaaga acaccctgcc gaccaaagag accattgagc angagaagcg 180
 gagtgaaatt tcctaagatc ctggaggatt tcctaccccc gtctctctcg agaccctagt 240
 cgtgatgtgg aggaagagcc acctgcaaga tggacacgag ccacaagctg cactgtgaac 300
 ctgggcactc cgcgccgatg ccaccggcct gtgggtctct gaagggaccc cccccaatcg 360
 gactgccaaa ttctccggtt tgccccggga tattatacaa nattatttgt atgaataatg 420
 annataaaac acacctcgtg gcancaana aaaaaaaaaa 460

<210> 84
 <211> 323
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (323)
 <223> n = A,T,C or G

<400> 84
 tgggtgatct tggctctgtg gagctgctgg gacgggatct aaaagactat tctggaagct 60
 gtggtccaan gcatthtctg ggttaacgg gtcccgaac aaaggacacc agctctctaa 120
 aattgaagtt taccoganat aacaatcttt tgggcagaga tgctatttt aacaaacncc 180
 gtccctgcgc aacaacnaac aatctctggg aaataccggc catgaacontg ctgtctcaat 240
 cnancatctc tctagctgac cgatcatatc gtcccagatt actacanatc ataataattg 300
 atttctctgta naaaaaaaaaa aaa 323

<210> 85
 <211> 771
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(771)
 <223> n = A,T,C or G

<400> 85
 aaactgggta ctcaacactg agcagatctg ttctttgagc taaaaaccat gtgctgtacc 60
 aanagtttgc tcttggtgctg tttgatgtca gtgctgctac tccacctctg cggcgaatca 120
 gaagcaagca actttgactg ctgtcttgga tacacagacc gtattcttca tcctaaattt 180
 attgtgggct tcacacggca gctggccaat gaaggctgtg acatcaatgc tatcatcttt 240
 cacacaaaga aaaagttgtc tgtgtgcgca aatccaaaac agacttgggt gaaatatatt 300
 gtgcgtctcc tcagtaaaaa agtcaagaac atgtaaaaac tgtggctttt ctggaatgga 360
 attggacata gcccaagaac agaaagaact tgctgggggt ggagggtttca cttgcacatc 420
 atgganggtt tagtgcttat cttatttctg cctcctggac ttgtccaatt natgaagtta 480
 atcatattgc atcatanttt gctttgttta acatcacatt naaattaaac tgtattttat 540
 gttatttata gctntagggt ttctgtgttt aactttttat acnaantttc cttaaactatt 600
 ttggtntant gcaanttaaa aatttatatt ggggggggaa taaatattgg antttctgca 660
 gccacaagct ttttttaaaa aaccantaca nccnngttaa atggtnggtc ccnaatgggt 720
 tttgcttttn antagaaaat ttnttagaac natttgaaaa aaaaaaaaaa a 771

<210> 86
 <211> 628
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(628)
 <223> n = A,T,C or G

<400> 86
 actagtttgc tttacatttt tgaaaagtat tatttttgtc caagtgttta tcaactaaac 60
 cttgtgttag gtaagaatgg aatttattaa gtgaatcagt gtgaccttc ttgtcataag 120
 attatcttaa agctgaagcc aaaatatgct tcaaaagaaa angactttat tgttcattgt 180
 agttcataca ttcaaagcat ctgaactgta gtttctatag caagccaatt acatccataa 240
 gtggagaang aaatagatta atgtcnaagt atgattgggt gagggagcaa gggtgaagat 300
 aatctggggg tgaaattttc tagttttcat tctgtacatt tttagttna catcagattt 360
 gaaatattaa tgtttacctt tcaatgtgtg gtatcagctg gactcantaa caccctttc 420
 ttccctnngg gatggggaat ggattattgg aaaatggaaa gaaaaaagta cttaaagcct 480
 tcctttcnca gtttctggct cctaccctac tgatttancc agaataagaa aacattttat 540
 catcntctgc tttattccca ttaatnaant tttgatgaat aaatctgctt ttatgcnnac 600
 ccaaggaatt nagtggnttc ntcnttgt 628

<210> 87
 <211> 518
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

<222> (1) ... (518)

<223> n = A,T,C or G

<400> 87

ttttttat	tttttagaga	gtagttcagc	ttttat	aaatttattg	cctgttttat	60
tataacaaca	ttatactggt	tatggtttaa	tacatatggt	tcaaaatgta	taatacatca	120
agtagtacag	ttttaaaatt	ttatgcttaa	aacaagtttt	gtgtaaaaaa	tgcagatata	180
ttttacatgg	caaatcaatt	tttaagtcac	cctaaaaatt	gatttttttt	tgaaatttaa	240
aaacacattt	aatttcaatt	tctctcttat	ataaccttta	ttactatagc	atggtttcca	300
ctacagttta	acaatgcagc	aaaattccca	tttcacggta	aattggggtt	taagcggcaa	360
ggttaaaatg	ctttgaggat	cctnaatacc	ctttgaactt	caaatgaagg	ttatggttgt	420
naatttaacc	ctcatgccat	aagcagaagc	acaagtttag	ctgcattttg	ctctaaactg	480
taaaancgag	ccccccgttg	aaaaagcaaa	agggaccc			518

<210> 88

<211> 1844

<212> DNA

<213> Homo sapien

<400> 88

gagacagtga	atcctagtat	caaaggattt	ttggcctcag	aaaaagttgt	tgattat	60
tattttat	tatttttcga	gactccgtct	caaaaaaaaa	aaaaaaaaaa	agaatcacia	120
ggtagttgct	aaagcatf	gagctgcttg	gaaaaaggga	agtagttgca	gtagagtttc	180
ttccatcttc	ttgggtgctgg	gaagccatat	atgtgtcttt	tactcaagct	aaggggtata	240
agcttatgtg	ttgaatttgc	tacatctata	tttcacatat	tctcacaata	agagaatttt	300
gaaatagaaa	tatcatagaa	catttaagaa	agtttagtat	aaataatatt	ttgtgtgttt	360
taatcccttt	gaagggatct	atccaaagaa	aatattttac	actgagctcr	ttcctacacg	420
tctcagtaac	agatcctgtg	ttagtctttg	aaaatagctc	attttttaaa	tgtcagttag	480
tagatgtagc	atacatatga	tgtataatga	cgtgtattat	gttaacaatg	tctgcagatt	540
ttgtaggaat	acaaaacatg	gcctttttta	taagcaaaac	gggccaatga	ctagaataac	600
acatagggca	atctgtgaat	atgtattata	agcagcattc	cagaaaagta	gttggtgaaa	660
taattttcaa	gtcaaaaagg	gatatggaaa	gggaattatg	agtaacctct	attttttaag	720
ccttgctttt	aaattaaacg	ctacagccat	ttaagccttg	aggataataa	agcttgagag	780
taataatgtt	aggttagcaa	aggttttagat	gtatcacttc	atgcatgcta	ccatgatagt	840
aatgcagctc	ttcagatcat	ttctgggtcat	tcaagatatt	cacctttttg	cccatagaaa	900
gcacctacc	tcacctgctt	actgacattg	tcttagctga	tcacaagatc	attatcagcc	960
tccattat	cttactgtat	ataaaataca	gagttttata	ttttcctttc	ttcgtttttc	1020
accatattca	aaacctaaat	ttgtttttgc	agatgggaatg	caaagtaatc	aagtgttcgt	1080
gctttcacct	agaaggggtg	ggctctgaag	gaaagaggtc	cctaaatatc	ccccaccctg	1140
ggtagctctc	cttccctggg	accctgacta	ccagaagtca	ggtagctagag	cagctggaga	1200
agtagcagcag	cctgtgcttc	cacagatggg	ggtagctgctg	caacaaggct	ttcaatgtgc	1260
ccatcttagg	gggagaagct	agatcctgtg	cagcagcctg	gtaagtcctg	aggaggttcc	1320
attgctcttc	ctgctgctgt	cctttgcttc	tcaacggggc	tcgctctaca	gtctagagca	1380
catgcagcta	acttgtgcct	ctgcttatgc	atgagggtta	aattaacaac	cataaccttc	1440
atgtgaagtt	caaaggtgta	ttcaggatcc	tcaaagcatt	ttaaccttgc	cgcttaaaac	1500
ccaatttacc	gtgaaatggg	aattttgctg	cattgttaaa	ctgtagtgga	aaccatgcta	1560
tagtaataaa	ggttatataa	gagagaaatt	gaaattaaat	gtgtttttta	atttcaaaaa	1620
aaaatcaatc	tttaggatga	cttaaaaatt	gatttgccat	gtaaaatgta	tctgcatttt	1680
ttacacaaaa	cttgttttta	gcataaaatt	ttaaaactgt	actacttgat	gtattatata	1740
ttttgaacca	tatgtattaa	accataaaca	gtataatgtt	gttataataa	aacaggcaat	1800
aaatttataa	ataaaaagctg	aaaaaaaaaa	aaaaaaaaaa	aaaa		1844

<210> 89

<211> 523

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (523)

<223> n = A,T,C or G

<400> 89

tttttttttt	tttttttagt	caatccacat	ttattgatca	cttattatgt	accaggcact	60
gggataaaga	tgactgttag	tcactcacag	taaggaagaa	aactagcaaa	taagacgatt	120
acaatatgat	gtagaaaatg	ctaagccaga	gatatagaaa	ggtcctattg	ggtccttctg	180
tcacctgtgc	tttccacatc	cctacccttc	acaggccttc	cctccagctt	cctgcccccg	240
ctccccactg	cagatccccct	gggattttgc	ctagagctaa	acgagganat	gggccccctg	300
gccctggcat	gacttgaacc	caaccacaga	ctgggaaagg	gagcctttcg	anagtggatc	360
actttgatna	gaaaacacat	aggggaattga	agagaaantc	cccaaattggc	cacccgtgct	420
ggtgctcaag	aaaagtttgc	agaatggata	aatgaaggat	caagggaatt	aatanatgaa	480
taattgaatg	gtggctcaat	aagaatgact	ncnttgaatg	acc		523

<210> 90

<211> 604

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (604)

<223> n = A,T,C or G

<400> 90

ccagtgtggt	ggaatgcaaa	gattacccccg	gaagcttttcg	agaagctggg	attccctgca	60
gcaaaggaaa	tagccaatat	gtgtcgtttc	tatgaaatga	agccagaccg	agatgtcaat	120
ctcaccacc	aactaaatcc	caaagtcaaa	agcttcagcc	agtttatctc	agagaaccag	180
gggagccttc	aagggcatgt	agaaaatcag	ctgttcagat	aggcctctgc	accacacagc	240
ctctttcctc	tctgatcctt	ttcctcttta	cggcacaaca	ttcatgtttg	acagaacatg	300
ctggaatgca	attgtttgca	acaccgaagg	atttcctgcg	gtcgcctctt	cagtaggaag	360
cactgcattg	gtgataggac	acggtaattt	gattcacatt	taacttgcta	gttagtgata	420
aggggtggta	cacctgtttg	gtaaaatgag	aagcctcgga	aacttgggag	cttctctcct	480
accactaatg	gggagggcag	attattactg	ggatttctcc	tgggggtgaat	taatttcaag	540
ccctaattgc	tgaaattccc	ctnggcaggc	tccagttttc	tcaactgcat	tgcaaaattc	600
cccc						604

<210> 91

<211> 858

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (858)

<223> n = A,T,C or G

<400> 91

tttttttttt	ttttttttta	tgattattat	tttttttatt	gatctttaca	tcctcagtgt	60
tggcagagtt	tctgatgctt	aataaacatt	tgttctgac	agataagtgg	aaaaaattgt	120
catttcctta	ttcaagccat	gcttttctgt	gatattctga	tcctagttga	acatacagaa	180

ataaatgtct	aaaacagcac	ctcgattctc	gtctataaca	ggactaagtt	cactgtgatc	240
ttaaataagc	ttggctaaaa	tgggacatga	gtggaggtag	tcacacttca	gcgaagaaag	300
agaatctcct	gtataatctc	accaggagat	tcaacgaatt	ccaccacact	ggactagtgg	360
atcccccg	ctgcaggaat	tcgatatcaa	gcttatcgat	accgtcgacc	tcgagggggg	420
gccccgtacc	caattcgccc	tatagttagt	cgtattacgc	gcgctcactg	gccgtcgttt	480
tacaacgtcg	tgactgggaa	aaccctggcg	ttaccecaact	taatcgccct	gcagcacatc	540
cccctttcgc	cagctggcgt	aatagcgaan	agccccgacc	gacgcgccct	ncaacagttg	600
cgcagcctga	atggcgaatg	ggacgcgccc	tgtagcggcg	cattaaagcg	cggcnggggtg	660
tggnggntcc	cccacgtgac	cgntacactt	ggcagcgccct	tacgcgggtc	nttcgctttc	720
ttcccttccct	ttctcgacac	gttcgcgggg	tttccccggn	agctnttaat	cgggggnctc	780
cctttanggg	tncaaatata	nggnttacng	gacctnngan	cccaaaaact	ttgattaggg	840
ggaagggtccc	cgaagggg					858

<210> 92

<211> 585

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(585)

<223> n = A,T,C or G

<400> 92

gttgaatctc	ctggtgagat	tatacaggag	attctctttc	ttcgtgaag	tgtgactacc	60
tccactcatg	tcccatttta	gccaagctta	tttaagatca	cagtgaactt	agtcctgtta	120
tagacgagaa	tcgaggtgct	gttttagaca	tttatctctg	tatgttcaac	taggatcaga	180
atatcacaga	aaagcatggc	ttgaataagg	aaatgacaat	tttttccact	tatctgatca	240
gaacaaatgt	ttattaagca	tcagaaactc	tgccaacact	gaggatgtaa	agatcaataa	300
aaaaaataat	aatcatnann	naaanannan	nnngaaggcg	gccgccaccg	cgggtggagct	360
ccagcttttg	ttcccttttag	tgagggttaa	ttgcgcgctt	ggcgttaatc	atggtcatag	420
ctgtttccctg	tgtgaaattg	ttatccggct	cacaattccn	cncaacatac	gagccgggaa	480
gcntnangtg	taaaagcctg	gggggtgccta	attgagttag	ctnactcaca	ttaattgngt	540
tgcgctccac	ttgcccgcctt	ttccantccg	ggaaacctgt	tcgnc		585

<210> 93

<211> 567

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(567)

<223> n = A,T,C or G

<400> 93

cggcagtggt	gctgtctgcg	tgtccacctt	ggaatctggc	tgaactggct	gggaggacca	60
agactgcggc	tgggggtggc	anggaaggga	accgggggct	gctgtgaagg	atcttggaac	120
ttccctgtac	ccaccttccc	cttgcttcat	gtttgtanag	gaaccttggt	ccggccaagc	180
ccagtttccct	tgtgtgatac	actaatgtat	ttgctttttt	tgggaaatan	anaaaaaatca	240
attaaattgc	tantgtttct	ttgaannnnn	nnnnnnnnnn	nnnnnnnggg	gggngcggcc	300
ccnccgngga	aacnccccct	tttgctccct	ttaattgaaa	ggttaattng	cncnctggc	360
gttaancnt	gggccaaanc	tngttncccg	tgntgaaatt	gttnatcccc	tcccaaatc	420
ccccccncc	ttccaaaccc	ggaaancctn	annntgttna	ancccggggg	gttgccctaan	480
ngnaattnaa	ccnaaccccc	ntttaaatng	nnnttgcnncn	ccacnngccc	cnctttccca	540

nttcgggggaa aaccctntcc gtgcccc

567

<210> 94
<211> 620
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(620)
<223> n = A,T,C or G

<400> 94
actagtcaaa aatgctaaaa taatttggga gaaaatattt ttttaagtagt gttatagttt 60
catgtttatc ttttattatg ttttgtgaag ttgtgtcttt tcactaatta cctatactat 120
gccaatatatt ccttatatct atccataaca tttatactac atttgtaana naatatgcac 180
gtgaaactta acactttata aggtaaaaat gaggtttcca anatttaata atctgatcaa 240
gttcttggtta tttccaaata gaatggactt ggtctgttaa gggctaagga gaagaggaag 300
ataagggttaa aagttgttaa tgaccaaaca ttctaaaaga aatgcaaaaa aaaagtttat 360
tttcaagcct tcgaactatt taaggaaagc aaaatcattt cctaaatgca tatcatttgt 420
gagaatttct cattaatatc ctgaatcatt catttcacta aggctcatgt tnactccgat 480
atgtctctaa gaaagtacta tttcatggtc caaacctggg tgccatantt gggtaaaggc 540
tttcccttaa gtgtgaaant atttaaaatg aaattttcct ctttttaaaa attctttana 600
agggttaagg gtgttgggga 620

<210> 95
<211> 470
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(470)
<223> n = A,T,C or G

<400> 95
ctcgaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60
nactttntgc ttaattcang agcttacang attcttcaaa gagtgngtcc agcatccttt 120
gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc 180
agcaggtgaa acaacccatc cagcctccac ctnaggaaat atttgttccc acaaccaagg 240
agccatgcca ctcaaagggt ccacaacctg naaacacaaa nattccagag ccaggctgta 300
ccaaggtccc tgagccaggg ctgtaccaan gtccctgagc caggttgtag caangtcctt 360
gagccaggat gtaccaaggt ccctgancca gggtgtccaa ggtccctgag ccaggctaca 420
ccaagggcct gngccaggca gcatcaangt ccctgaccaa ggcttatcaa 470

<210> 96
<211> 660
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(660)
<223> n = A,T,C or G

```

<400> 96
tttttttttt tttttttttt ggaattaaaa gcaatttaat gagggcagag caggaaacat      60
gcatttcctt tcattcgaat cttcagatga accctgagca gccgaagacc agaaaagcca      120
tgaagacttt ctgcttaatt caggggctta caggattctt cagagtgtgt gtgaacaaaa      180
gctttatagt acgtattttt aggatacaaa taagagagag actatggctt ggggtgagaa      240
tgtactgatt acaagggtcta cagacaatta agacacagaa acagatggga agagggtgnc      300
cagcatctgg nggttggtct ctcaagggtt tgtctgtgca ccaaattact tctgcttggn      360
cttctgctga gctgggcctg gagtgaccgt tgaaggacat ggctctggta cctttgtgta      420
gcctgncaca ggaactttgg tgtatccttg ctcaggaaact ttgatggcac ctggctcagg      480
aaacttgatg aagccttggt caagggaact tgatgcttgc tggctcaggg accttgngn      540
ancctgggct canggacctt tgnncnaacc ttggcttcaa gggacccttg gnacatcctg      600
gcnnagggac ccttggnncc aacctggggc ttnagggacc ctttggnntnc nanccttggc      660

```

<210> 97

<211> 441

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(441)

<223> n = A,T,C or G

```

<400> 97
gggaccatac anagtattcc tctcttcaca ccaggaccag ccactgttgc agcatgagtt      60
cccagcagca gaagcagccc tgcattccac cccctcagct tcagcagcag caggtgaaac      120
agccttgcca gcctccacct caggaaccat gcatcccca aaccaaggag ccctgccacc      180
ccaagggtgc tgagccctgc caccctaaag tgccctgagcc ctgccagccc aaggttccag      240
agccatgcca cccaagggtg cctgagccct gcccttcaat agtcactcca gcaccagccc      300
agcagaanac caagcagaag taatgtggtc cacagccatg cccttgagga gccggccacc      360
agatgctgaa tcccttatcc cattctgtgt atgagtccca tttgccttgc aattagcatt      420
ctgtctcccc caaaaaaaaa a                                     441

```

<210> 98

<211> 600

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(600)

<223> n = A,T,C or G

```

<400> 98
gtatttcctt cttcacacca ggaccagcca ctgttgccgc atgagttccc agcagcagaa      60
gcagccctgc atcccacccc ctcagcttca gcagcagcag gtgaaacagc cttgccagcc      120
tccacctcag gaacctatga tccccaaaa caaggagccc tgccacccca aggtgcctga      180
gccctgccac cccaaagtgc ctgagccctg ccagcccaag gttccagagc catgccacc      240
caagggtgct gagccctgcc cttcaatagt cactccagca ccagcccagc agaanaccaa      300
gcagaagtaa tgtgtgtccac agccatgccc ttgaggagcc ggccaccana tgctgaatcc      360
cctatcccat tctgtgtatg agtcccattt gccttgcaat tagcattctg tctcccccaa      420
aaaagaatgt gctatgaagc tttctttcct acacactctg agtctctgaa tgaagctgaa      480
ggctttaant acaganctag ttttcagctg ctcagaattc tctgaagaaa agatttaaga      540
tgaaaggcaa atgattcagc tccttattac cccattaaat tcnctttcaa ttccaaaaaa      600

```

<210> 99
 <211> 667
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (667)
 <223> n = A,T,C or G

<400> 99
 actagtgact gagttcctgg caaagaaatt tgacctggac cagttgataa ctcattgtttt 60
 accattttaa aaaatcagtg aaggatttga gctgctcaat tcaggacaaa gcattcgaac 120
 ggtcctgacg ttttgagatc caaagtggca ggaggtctgt gttgtcatgg tgaactggag 180
 tttctcttgt gagagttccc tcatctgaaa tcatgtatct gtctcacaaa tacaagcata 240
 agtagaagat ttgttgaaaga catagaaccc ttataaagaa ttattaacct ttataaacat 300
 tttaaagtctt gtgagcacct gggaattagt ataataacaa tgtnnatatt ttgtgatttac 360
 attttgtaag gctataattg tatcttttaa gaaaacatac cttggatttc tatgttgaaa 420
 tggagatttt taagagtttt aaccagctgc tgcagatata ttactcaaaa cagatatagc 480
 gtataaagat atagtaaagt catctcctag agtaatatc acttaacaca ttggaaacta 540
 ttatttttta gatttgaaata tnaatgttat tttttaaaca cttgttatga gttacttggg 600
 attacatttt gaaatcagtt cattccatga tgcannattac tgggattaga ttaagaaaga 660
 cggaataa 667

<210> 100
 <211> 583
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (583)
 <223> n = A,T,C or G

<400> 100
 gttttgtttg taagatgatc acagtcattgt tacactgatc taaaggacat atatataacc 60
 ctttaaaaaa aaaatcactg cctcattctt atttcaagat gaatttctat acagactaga 120
 tgtttttctg aagatcaatt agacattttg aaaatgattt aaagtgtttt ccttaatgtt 180
 ctctgaaaac aagtttcttt tgtagtttta accaaaaaag tgcccttttt gtcactggat 240
 tctcctagca ttcattgattt ttttttcata caatgaaatt aaaattgcta aaatcatgga 300
 ctggctttct ggttggattt caggtaagat gtgtttaagg ccagagcttt tctcagtatt 360
 tgattttttt ccccaatatt tgatttttta aaaatatata catnggtgct gcatttatat 420
 ctgctgggtt aaaattctgt catatttcac ttctagcctt ttagttatgg caaatcatat 480
 ttacttttta cttaaagcat ttggttnattt ggantatctg gttctannct aaaaaaanta 540
 attctatnaa ttgaantttt ggtactcnnc catatttggga tcc 583

<210> 101
 <211> 592
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (592)
 <223> n = A,T,C or G


```

<400> 101
gtggagacgt acaaagagca gccgctcaag acacctggga agaaaaagaa aggcaagccc      60
gggaaacgca aggagcagga aaagaaaaaa cggcgaactc gctctgcctg gttagactct      120
ggagtgactg ggagtgggct agaaggggac cacctgtctg acacctccac aacgtcgctg      180
gagctcgatt cacggaggca ttgaaatddd cagcaganac cttccaagga catattgcag      240
gattctgtaa tagtgaacat atggaaagta ttagaaatat ttattgtctg taaatactgt      300
aaatgcattg gaataaaact gtctccccc ttgctctatg aaactgcaca ttggtcattg      360
tgaatatttt tttttttgcc aaggctaata caattattat tatcacattt accataattt      420
atdddgtcca ttgatgtatt tattttgtaa atgtatcttg gtgctgctga attdctatat      480
ttttgtaca taatgcnttt anatataact atcaagtttg ttgataaatg acncaatgaa      540
gtgncncnan ttgngnggtg aatttaatga atgcctaatt ttattatccc aa          592

```

```

<210> 102
<211> 587
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (587)
<223> n = A,T,C or G

```

```

<400> 102
cgtcctaagc acttagacta catcagggaa gaacacagac cacatccctg tcctcatgcg      60
gcttatgttt tctggaagaa agtggagacc nagtccttgg ctttagggct ccccggtggt      120
gggctgtgca ntccggtcag ggcgggaagg gaaatgcacc gctgcatgtg aacttacagc      180
ccaggcggat gcccttccc ttagcactac ctggcctcct gcatccctc gcctcatggt      240
cctcccacct tcaanaaatg aanaacccca tgggccagc cccttgccct gggaaccaa      300
ggcagccttc caaaactcag gggctgaagc anactattag ggcaggggtg gactttgggt      360
gacactgcc attccctctc agggcagctc angtcaccn ggnctcttga acccagcctg      420
ttcctttgaa aaagggcaaa actgaaaagg gcttttccta naaaaagaaa aaccagggaa      480
ctttgccagg gcttcnntnt taccaaaacn ncttctcnng gatttttaat tccccattng      540
gcctccactt accnggggcn atgccccaaa attaanaatt tcccatc          587

```

```

<210> 103
<211> 496
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (496)
<223> n = A,T,C or G

```

```

<400> 103
anaggactgg ccctacntgc tctctctcgt cctacctatc aatgcccaac atggcagaac      60
ctgcanccct tggncactgc anatggaaac ctctcagtgt cttgacatca ccctaccnt      120
gcggtgggtc tccaccacaa ccactttgac tctgtggtcc ctgnanggtg gnttctcctg      180
actggcagga tggaccttan ccnacatata cctctgttcc ctctgctnag anaaagaatt      240
cccttaacat gatataatcc acccatgcaa ntngctactg gccagctac catttaccat      300
ttgcctacag aatttcatc agtctacact ttggcattct ctctggcgat agagtgtggc      360
tgggctgacc gcaaaagggt ccttacacac tggcccccac cctcaaccgt tgacncatca      420
gangcttgcc tctccttct gattnncccc catgttggat atcaggggtg tcnagggatt      480
ggaaaagaaa caaac

```

<210> 104
 <211> 575
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(575)
 <223> n = A,T,C or G

<400> 104
 gcacctgctc tcaatccnnc tctcaccatg atcctccgcc tgcanaaaact cctctgccaa 60
 ctatggangt ggtttcnggg gtggctcttg ccaactggga agaagccgtg gtgtctctac 120
 ctgttcaact cngtttgtgt ctgggggatc aactnngggc tatggaagcg gctnaactgt 180
 tgttttggtg gaagggctgg taattggctt tgggaagtng cttatngaag ttggcctnng 240
 gaagttgcta ttgaaagtng cnttggaagt ngntttggtg gggggttttg ctggtggcct 300
 ttgttnaatt tgggtgcttt gtnaatggcg gccccctcnc ctgggcaatg aaaaaaatca 360
 ccnatgcngn aaacctcnac nnaacagcct gggttccct cacctcgaaa aaagttgctc 420
 ccccccaaa aaaggncaan cccctcaann tggaangttg aaaaaatcct cgaatgggga 480
 nccnnaaaac aaaaancccc cntttcccn gnaanggggg aaataccncc cccccactta 540
 cnaaaacctt tntaaaaaac cccccgggaa aaaaa 575

<210> 105
 <211> 619
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(619)
 <223> n = A,T,C or G

<400> 105
 cactagtagg atagaaacac tgtgtcccgga gagtaaggag agaagctact attgattaga 60
 gcctaaccac ggttaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120
 tgcataaagc caatgtagtc cagtttctaa gatcatgttc caagctaact gaatcccact 180
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggtagtgatg 240
 tgcacacttg ctagactcan aaaaaatact actctcataa atgggtggga gtattttggt 300
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgcact cttgtgtata 420
 tttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480
 aatgaagtcc ctgggtttttc atggcaactt gatcagtaaa ggattcncct ctgtttggta 540
 cttaaaacat ctactatatn gttnanatga aattcctttt cccncctcc cgaaaaaana 600
 aagtgggtggg gaaaaaaa 619

<210> 106
 <211> 506
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(506)
 <223> n = A,T,C or G

```

<400> 106
cattggtinct ttcatttgct ntggaagtgt nnatctctaa cagtggacaa agttcccngt      60
gccttaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggttattctg      120
angtanagat gttctggata ccattanatn tgccccnngt gtcagaggct catatttgtg      180
tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat      240
gaatantnng cagcncanct nanangctgt ctgtngtatt cattgtggtc atagcacctc      300
acancattgt aacctcnatc nagtgagaca nactagnaana ttcctagtga tggctcanga      360
ttccaaatgg nctcatntcn aatgtttaaa agttanttaa gtgtaagaaa tacagactgg      420
atgttccacc aactagtacc tgtaatgaac ggctgtccc aacacatctc ccttttccat      480
gactgtggta ncccgcacgc gaaaaa                                506

```

```

<210> 107
<211> 452
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(452)
<223> n = A,T,C or G

```

```

<400> 107
gttgagtctg tactaaacag taagatatct caatgaacca taaattcaac tttgtaaaaa      60
tcttttgaag catagataat attgtttggt aaatgtttct tttgtttggt aaatgtttct      120
tttaaagacc ctctattctc ataaaactct gcatgtagag gcttgtttac ctttctctct      180
ctaagggtta caataggagt ggtgatttga aaaatataaa attatgagat tggttttcct      240
gtggcataaa ttgcatcact gtatcatttt cttttttaac cggttaagant ttcagtttgt      300
tggaaagtaa ctgtganaac ccagtttccc gtccatctcc cttagggact acccatagaa      360
catgaaaagg tccccacnga agcaagaaga taagtctttc atggctgctg gttgcttaaa      420
ccactttaaa accaaaaaat tccccttggg aa                                452

```

```

<210> 108
<211> 502
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(502)
<223> n = A,T,C or G

```

```

<400> 108
atcttcttcc cttaattagt tnttatttat ntattaaatt ttattgcatg tctgggcaaa      60
caaaaagaga ttgtagattg gcttctggct ccccaaaagc ccataacaga aagtaccaca      120
agaccncaac tgaagcttaa aaaatctatc acatgtataa tacctttnga agaacattaa      180
tanagcatat aaaactttta acatntgctt aatgttgtnc aattataaaa ntaatngaaa      240
aaaatgtccc tttaacatnc aatatcccac atagtgttat ttnaggggat taccnngnaa      300
naaaaaaagg gtagaaggga tttaatgaaa actctgcttn ccatttctgt ttanaaacgt      360
ctccagaaca aaaacttntc aantctttca gctaaccgca tttgagctna ggccactcaa      420
aaactccatt agnccactt tctaanggtc tctanagctt actaancctt ttgaccctt      480
accctggnta ctctgcccct ca                                502

```

```

<210> 109
<211> 1308

```

<212> DNA

<213> Homo sapien

<400> 109

```

acccgaggtc tcgctaaaat catcatggat tcacttggcg ccgtcagcac tcgacttggg      60
tttgatcttt tcaaagagct gaagaaaaca aatgatggca acatcttctt ttcccctgtg      120
ggcatcttga ctgcaattgg catggtcctc ctggggaccc gaggagccac cgcttcccag      180
ttggaggagg tgtttcactc tgaaaaagag acgaagagct caagaataaa ggctgaagaa      240
aaagaggtga ttgagaacac agaagcagta catcaacaat tccaaaagtt tttgactgaa      300
ataagcaaac tcactaatga ttatgaactg aacataacca acaggctgtt tggagaaaaa      360
acatacctct tccttcaaaa atacttagat tatgttgaaa aatattatca tgcattctctg      420
gaacctgttg attttgtaaa tgcagccgat gaaagtcgaa agaagattaa ttcctgggtt      480
gaaagcaaaa caaatgaaaa aatcaaggac ttgttcccag atggctctat tagtagctct      540
accaagctgg tgctggtgaa catggtttat tttaaagggc aatgggacag ggagtttaag      600
aaagaaaata ctaaggaaga gaaatttttg atgaataaga gcacaagtaa atctgtacag      660
atgatgacac agagccattc ctttagcttc actttcctgg aggacttgca ggccaaaatt      720
ctagggattc catataaaaa caacgaccta agcatgtttg tgcttctgcc caacgacatc      780
gatggcctgg agaagataat agataaaata agtcctgaga aattggtaga gtggactagt      840
ccagggcata tggaagaaag aaaggtgaat ctgcacttgc cccggtttga ggtggaggac      900
agttacgac tagaggcggg cctggctgcc atggggatgg gcgatgcctt cagtgagcac      960
aaagccgact actcggaat gtcgtcaggc tccgggttgt acgccagaa gttcctgcac      1020
agttcctttg tggcagtaac tgaggaaggc accgaggtcg cagctgccac tggcataggc      1080
tttactgtca catccgcccc aggtcatgaa aatgttcaact gcaatcatcc cttcctgttc      1140
ttcatcaggc acaatgaatc caacagcatc ctcttcttcg gcagattttc ttctccttaa      1200
gatgatcggt gccatggcat tgctgctttt agcaaaaaac aactaccagt gttactcata      1260
tgattatgaa aatcgtccat tcttttaaat ggtggctcac ttgcattt      1308

```

<210> 110

<211> 391

<212> PRT

<213> Homo sapien

<400> 110

```

Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1          5          10          15
Lys Glu Leu Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
 20          25          30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
 35          40          45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
 50          55          60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Ile Glu Asn Thr Glu
 65          70          75          80
Ala Val His Gln Gln Phe Gln Lys Phe Leu Thr Glu Ile Ser Lys Leu
 85          90          95
Thr Asn Asp Tyr Glu Leu Asn Ile Thr Asn Arg Leu Phe Gly Glu Lys
100          105          110
Thr Tyr Leu Phe Leu Gln Lys Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr
115          120          125
His Ala Ser Leu Glu Pro Val Asp Phe Val Asn Ala Ala Asp Glu Ser
130          135          140
Arg Lys Lys Ile Asn Ser Trp Val Glu Ser Lys Thr Asn Glu Lys Ile
145          150          155          160
Lys Asp Leu Phe Pro Asp Gly Ser Ile Ser Ser Ser Thr Lys Leu Val
165          170          175

```

Leu Val Asn Met Val Tyr Phe Lys Gly Gln Trp Asp Arg Glu Phe Lys
 180 185 190
 Lys Glu Asn Thr Lys Glu Glu Lys Phe Trp Met Asn Lys Ser Thr Ser
 195 200 205
 Lys Ser Val Gln Met Met Thr Gln Ser His Ser Phe Ser Phe Thr Phe
 210 215 220
 Leu Glu Asp Leu Gln Ala Lys Ile Leu Gly Ile Pro Tyr Lys Asn Asn
 225 230 235 240
 Asp Leu Ser Met Phe Val Leu Leu Pro Asn Asp Ile Asp Gly Leu Glu
 245 250 255
 Lys Ile Ile Asp Lys Ile Ser Pro Glu Lys Leu Val Glu Trp Thr Ser
 260 265 270
 Pro Gly His Met Glu Glu Arg Lys Val Asn Leu His Leu Pro Arg Phe
 275 280 285
 Glu Val Glu Asp Ser Tyr Asp Leu Glu Ala Val Leu Ala Ala Met Gly
 290 295 300
 Met Gly Asp Ala Phe Ser Glu His Lys Ala Asp Tyr Ser Gly Met Ser
 305 310 315 320
 Ser Gly Ser Gly Leu Tyr Ala Gln Lys Phe Leu His Ser Ser Phe Val
 325 330 335
 Ala Val Thr Glu Glu Gly Thr Glu Ala Ala Ala Thr Gly Ile Gly
 340 345 350
 Phe Thr Val Thr Ser Ala Pro Gly His Glu Asn Val His Cys Asn His
 355 360 365
 Pro Phe Leu Phe Phe Ile Arg His Asn Glu Ser Asn Ser Ile Leu Phe
 370 375 380
 Phe Gly Arg Phe Ser Ser Pro
 385 390

<210> 111

<211> 1419

<212> DNA

<213> Homo sapien

<400> 111

ggagaactat	aaattaagga	tcccagctac	ttaattgact	tatgcttcct	agttcgttgc	60
ccagccacca	ccgtctctcc	aaaaaccgga	ggtctcgcta	aaatcatcat	ggattcactt	120
ggcgccgtca	gcactcgact	tgggtttgat	cttttcaaag	agctgaagaa	aacaaatgat	180
ggcaacatct	tcttttcccc	tgtgggcata	ttgactgcaa	ttggcatggg	cctcctgggg	240
acccgaggag	ccaccgcttc	ccagttggag	gaggtgtttc	actctgaaaa	agagacgaag	300
agctcaagaa	taaaggctga	agaaaaagag	gtggttaagaa	taaaggctga	aggaaaagag	360
attgagaaca	cagaagcagt	acatcaacaa	ttccaaaagt	ttttgactga	aataagcaaa	420
ctcactaatg	attatgaact	gaacataacc	aacaggctgt	ttggagaaaa	aacatacctc	480
ttccttcaaa	aataacttaga	ttatgttgaa	aaatattatc	atgcatctct	ggaacctgtt	540
gatttttgtaa	atgcagccga	tgaaagtcga	aagaagatta	attcctgggt	tgaaagcaaa	600
acaaatgaaa	aaatcaagga	cttgttccca	gatggctcta	ttagtagctc	taccaagctg	660
gtgctgggtga	acatggttta	ttttaaaagg	caatgggaca	gggagtttaa	gaaagaaaat	720
actaaggaag	agaaattttg	gatgaataag	agcacaagta	aatctgtaca	gatgatgaca	780
cagagccatt	ccttttagctt	cactttcctg	gaggacttgc	aggccaaaat	tctagggatt	840
ccatataaaa	acaacgacct	aagcatgttt	gtgcttctgc	ccaacgacat	cgatggcctg	900
gagaagataa	tagataaaat	aagtcctgag	aaattggtag	agtggactag	tccagggcat	960
atggaagaaa	gaaagggtgaa	tctgcacttg	ccccggtttg	aggtggagga	cagttacgat	1020
ctagaggcgg	tcttggtctg	catggggatg	ggcgatgcct	tcagttagca	caaagccgac	1080
tactcgggaa	tgtcgtcagg	ctccgggttg	tacgcccaga	agttcctgca	cagttccttt	1140
gtggcagtaa	ctgaggaagg	caccgaggct	gcagctgcca	ctggcatagg	ctttactgtc	1200

```

acatccgccc caggtcatga aaatgttcac tgcaatcatc ccttcctggt cttcatcagg 1260
cacaatgaat ccaacagcat cctcttcttc gccagatttt cttctcctta agatgatcgt 1320
tgccatggca ttgctgcttt tagcaaaaaa caactaccag tggtactcat atgattatga 1380
aaatcgctcca ttcttttaaa tgggtggtca cttgcattt 1419

```

```

<210> 112
<211> 400
<212> PRT
<213> Homo sapien

```

```

<400> 112
Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1      5      10      15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
 20      25      30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
 35      40      45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
 50      55      60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Val Arg Ile Lys Ala
 65      70      75      80
Glu Gly Lys Glu Ile Glu Asn Thr Glu Ala Val His Gln Gln Phe Gln
 85      90      95
Lys Phe Leu Thr Glu Ile Ser Lys Leu Thr Asn Asp Tyr Glu Leu Asn
100      105      110
Ile Thr Asn Arg Leu Phe Gly Glu Lys Thr Tyr Leu Phe Leu Gln Lys
115      120      125
Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr His Ala Ser Leu Glu Pro Val
130      135      140
Asp Phe Val Asn Ala Ala Asp Glu Ser Arg Lys Lys Ile Asn Ser Trp
145      150      155      160
Val Glu Ser Lys Thr Asn Glu Lys Ile Lys Asp Leu Phe Pro Asp Gly
165      170      175
Ser Ile Ser Ser Thr Lys Leu Val Leu Val Asn Met Val Tyr Phe
180      185      190
Lys Gly Gln Trp Asp Arg Glu Phe Lys Lys Glu Asn Thr Lys Glu Glu
195      200      205
Lys Phe Trp Met Asn Lys Ser Thr Ser Lys Ser Val Gln Met Met Thr
210      215      220
Gln Ser His Ser Phe Ser Phe Thr Phe Leu Glu Asp Leu Gln Ala Lys
225      230      235      240
Ile Leu Gly Ile Pro Tyr Lys Asn Asn Asp Leu Ser Met Phe Val Leu
245      250      255
Leu Pro Asn Asp Ile Asp Gly Leu Glu Lys Ile Ile Asp Lys Ile Ser
260      265      270
Pro Glu Lys Leu Val Glu Trp Thr Ser Pro Gly His Met Glu Glu Arg
275      280      285
Lys Val Asn Leu His Leu Pro Arg Phe Glu Val Glu Asp Ser Tyr Asp
290      295      300
Leu Glu Ala Val Leu Ala Ala Met Gly Met Gly Asp Ala Phe Ser Glu
305      310      315      320
His Lys Ala Asp Tyr Ser Gly Met Ser Ser Gly Ser Gly Leu Tyr Ala
325      330      335
Gln Lys Phe Leu His Ser Ser Phe Val Ala Val Thr Glu Glu Gly Thr
340      345      350

```

Glu Ala Ala Ala Ala Thr Gly Ile Gly Phe Thr Val Thr Ser Ala Pro
 355 360 365
 Gly His Glu Asn Val His Cys Asn His Pro Phe Leu Phe Phe Ile Arg
 370 375 380
 His Asn Glu Ser Asn Ser Ile Leu Phe Phe Gly Arg Phe Ser Ser Pro
 385 390 395 400

<210> 113
 <211> 957
 <212> DNA
 <213> Homo sapien

<400> 113
 ctgcaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60
 gactttctgc ttaattcagg agcttacagg attcttcaaa gagtgtgtcc agcatccttt 120
 gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc 180
 agcagggtgaa acaacccagc cagcctccac ctccaggaaat atttggtccc acaaccaagg 240
 agccatgccca ctcaaagggt ccacaacctg gaaacacaaa gattccagag ccagggtgta 300
 ccaagggtccc tgagccaggc tgtaccaagg tccctgagcc aggttggtacc aagggtccctg 360
 agccaggatg taccaagggt cctgagccag gttgtacca ggtccctgag ccagggtaca 420
 ccaagggtccc tgagccaggc agcatcaagg tccctgacca aggttctatc aagtttccctg 480
 agccagggtgc catcaaagg cctgagcaag gatacaccaa agttcctgtg ccagggtaca 540
 caaagggtacc agagccatgt ccttcaacgg tcaactccagg cccagctcag cagaagacca 600
 agcagaagta atttggtgca cagacaagcc cttgagaagc caaccaccag atgctggaca 660
 ccctcttccc atctgtttct gtgtcttaat tgtctgtaga ccttgtaatc agtacattct 720
 caccccaagc catagtctct ctcttatattg taccctaaaa atacggtact ataaagcttt 780
 tggtcacaca cactctgaag aatcctgtaa gccctgaat taagcagaaa gtcttcatgg 840
 cttttctgggt ctccggctgc tcagggttca tctgaagatt cgaatgaaaa gaaatgcatg 900
 tttcctgctc tgccctcatt aaattgcttt taattccaaa aaaaaaaaaa aaaaaaa 957

<210> 114
 <211> 161
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Ser Ser Tyr Gln Gln Lys Gln Thr Phe Thr Pro Pro Pro Gln Leu
 1 5 10 15
 Gln Gln Gln Gln Val Lys Gln Pro Ser Gln Pro Pro Pro Gln Glu Ile
 20 25 30
 Phe Val Pro Thr Thr Lys Glu Pro Cys His Ser Lys Val Pro Gln Pro
 35 40 45
 Gly Asn Thr Lys Ile Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 50 55 60
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 65 70 75 80
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro
 85 90 95
 Gly Tyr Thr Lys Val Pro Glu Pro Gly Ser Ile Lys Val Pro Asp Gln
 100 105 110
 Gly Phe Ile Lys Phe Pro Glu Pro Gly Ala Ile Lys Val Pro Glu Gln
 115 120 125
 Gly Tyr Thr Lys Val Pro Val Pro Gly Tyr Thr Lys Val Pro Glu Pro
 130 135 140
 Cys Pro Ser Thr Val Thr Pro Gly Pro Ala Gln Gln Lys Thr Lys Gln

145
Lys

150

155

160

<210> 115
<211> 506
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(506)
<223> n = A,T,C or G

<400> 115
cattggtnc ttcatttgct ntggaagtgt nnatctctaa cagtggacaa agttcccngt 60
gccttaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggttattctg 120
angtanagat gttctggata ccattanatn tgccccngt gtcagaggct catattgtgt 180
tatgtaaagt gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat 240
gaatantnng cagcncanct nanangctgt ctgtngtatt cattgtggtc atagcacctc 300
acancattgt aacctcnatc nagtgagaca nactagnaana ttctagtga tggtcanga 360
ttccaaatgg nctcatntcn aatgtttaaa agttanttaa gtgtaagaaa tacagactgg 420
atgttccacc aactagtacc tgtaatgacn ggctgtccc aacacatctc ccttttccat 480
gactgtggta ncccgcacgt gaaaaa 506

<210> 116
<211> 3079
<212> DNA
<213> Homo sapien

<400> 116
ggatccccgg gtttcctaaa cccccacag agtcctgccc aggccaaaga gcaaggaaaa 60
ggtcaaaggg cagaaaaaat gctgagttag gaggagctat ggaaggataa acctggcctt 120
aaagagggtca aagtgggtta tagggggcgc tgaggggcttc ccacattctc tggcctaaac 180
cttgacaggca gatctgccca gtggggtctg ggatagctgt gccttcccta acaaaaaaat 240
tgtgcacaaa aggatgaaac tctattttcc ctctagcaca taaccaagaa tataaggcta 300
cagattgcct tcccagagg gaaaacctg cagcaacctg ctgcctggaa aagtgtgaga 360
gcagatcact ggggaatcgt ttgcccccg ctgatggaca gcttcccaa gctccaaggg 420
cagggtgctca gcatgtaccg tactgggatg gttgtcaata ctctgggtcc tgtaagagtc 480
ccaggacact gccatgccaa tgccccctca gttcctggca tcttttttgg gctgctcaca 540
gccccagcct ctatggtgaa gacatacttg cttagcagct caccaacttg ttgccaagag 600
atcagtgtct gaaggcaagg ttattttctaa ctgagcagag cctgccagga agaaagcgtt 660
tgcacccac accactgtgc aggtgtgacc ggtgagctca cagctgcccc ccaggcatgc 720
ccagcccaact taatcatcac agctcgacag ctctctcgcc cagcccagtt ctggaaggga 780
taaaaagggg catcacggtt cctgggtaac agagccacct tctgcgtcct gctgagctct 840
gttctctcca gcacctcca accactagt gcctgggtct cttgctccac caggaacaag 900
ccaccatgtc tcgccagtca agtgtgtctt ccggagcggg gggcagtcgt agcttcagca 960
ccgcctctgc catcaccccg tctgtctccc gcaccagctt cactccgtg tcccggtccg 1020
ggggtggcgg tgggtggggc ttcggcaggg tcagccttgc ggggtgcttg ggagtgggtg 1080
gctatggcag ccggagcctc tacaacctgg ggggtcccaa gaggatatcc atcagcacta 1140
gtggtggcag cttcaggaac cggtttggtg ctggtgctgg aggcggctat ggctttggag 1200
gtggtgccgg tagtggtatt ggtttcggcg gtggagctgg tgggtgcttt gggctcgggtg 1260
gcggagctgg ctttgagggt ggcttcgggt gccctggctt tctgtctgc cctcctggag 1320
gtatccaaga ggtcactgtc aaccagagtc tcctgactcc cctcaacctg caaatcgacc 1380
ccagcatcca gaggggtgag accgaggagc gcgagcagat caagaccctc aacaataagt 1440

ttgcctcctt	catcgacaag	gtgcgggttc	tggagcagca	gaacaagggt	ctggaaacaa	1500
agtggaccct	gctgcaggag	cagggcacca	agactgtgag	gcagaacctg	gagccgttgt	1560
tcgagcagta	catcaacaac	ctcaggaggc	agctggacag	catcgtgggg	gaacggggcc	1620
gcctggactc	agagctgaga	aacatgcagg	acctgggtga	agacttcaag	aacaagtatg	1680
aggatgaaat	caacaagcgt	accactgctg	agaatgagtt	tgtgatgctg	aagaaggatg	1740
tagatgctgc	ctacatgaac	aaggtggagc	tggaggccaa	ggttgatgca	ctgatggatg	1800
agattaactt	catgaagatg	ttctttgatg	cggagctgtc	ccagatgcag	acgcattgtc	1860
ctgacacctc	agtggtcctc	tccatggaca	acaaccgcaa	cctggacctg	gatagcatca	1920
tcgctgaggt	caaggcccag	tatgaggaga	ttgccaaaccg	cagccggaca	gaagccgagt	1980
cctggatatca	gaccaagtat	gaggagctgc	agcagacagc	tggccggcat	ggcgatgacc	2040
tcgcgaacac	caagcatgag	atctctgaga	tgaaccggat	gatccagagg	ctgagagccg	2100
agattgacaa	tgtcaagaaa	cagtgcgcca	atctgcagaa	cgccattgcg	gatgccgagc	2160
agcgtgggga	gctggccctc	aaggatgcca	ggaacaagct	ggccgagctg	gaggaggccc	2220
tgcagaaggc	caagcaggac	atggcccggc	tgctgcgtga	gtaccaggag	ctcatgaaca	2280
ccaagctggc	cctggacgtg	gagatcgcca	cttaccgcaa	gctgctggag	ggcgaggaat	2340
gcagactcag	tggagaagga	gttggaccag	tcaacatctc	tgttgtcaca	agcagtgttt	2400
cctctggata	tggcagtggc	agtggctatg	gcggtggcct	cgggtggagg	cttggcggcg	2460
gcctcgggtg	aggtcttgcc	ggaggtagca	gtggaagcta	ctactccagc	agcagtgggg	2520
gtgtcggcct	aggtgggtgg	ctcagtgtgg	ggggctctgg	cttcagtgca	agcagttagc	2580
gagggctggg	ggtgggcttt	ggcagtggcg	ggggtagcag	ctccagcgtc	aaatttgtct	2640
ccaccacctc	ctcctcccg	aagagcttca	agagctaaga	acctgctgca	agtcactgcc	2700
ttccaagtgc	agcaaccag	cccatggaga	ttgcctcttc	taggcagttg	ctcaagccat	2760
gttttatact	tttctggaga	gtagtctaga	ccaagccaat	tgcagaacca	cattcttttg	2820
ttcccaggag	agccccattc	ccagcccctg	gtctcccgtg	ccgcagttct	atattctgct	2880
tcaaatcagc	cttcagggtt	cccacagcat	ggccccctgt	gacacgagaa	cccaaagttt	2940
tcccaaattc	aatcatcaa	aacagaatcc	ccaccccaat	cccaaatttt	gttttggttc	3000
taactacctc	cagaatgtgt	tcaataaaat	gttttataat	ataagctggg	gtgcagaatt	3060
gttttttttt	tctacccea					3079

<210> 117

<211> 6921

<212> DNA

<213> Homo sapien

<400> 117

gaattctgac	tgtccactca	aaacttctat	tccgatcaaa	gctatctgtg	actacagaca	60
aattgagata	accattttaca	aagacgatga	atgtgttttg	gcgaataact	ctcatcgtgc	120
taaatggaag	gtcattagtc	ctactgggaa	tgaggctatg	gtcccatctg	tgtgcttcac	180
cgttcctcca	ccaaacaaag	aagcgggtga	ccttgccaac	agaattgagc	aacagtatca	240
gaatgtcctg	actctttggc	atgagtctca	cataaacatg	aagagtgtag	tatcctggca	300
ttatctcatc	aatgaaattg	atagaattcg	agctagcaat	gtggcttcaa	taaagacaat	360
gctacctggt	gaacatcagc	aagttctaag	taatctacaa	tctcgttttg	aagattttct	420
ggaagatagc	caggaatccc	aagtcttttc	aggctcagat	ataacacaa	tggaaaagga	480
ggttaatgta	tgtgaagcag	attatcaaga	acttcttaaa	tctgcagaaa	gagaggagca	540
agaggaatca	gtttataatc	tctacatctc	tgaagttcga	aacattagac	ttcgggttaga	600
gaactgtgaa	gatcggctga	ttagacagat	tcgaactccc	ctggaaagag	atgatttgca	660
tgaagtgtg	ttcagaatca	cagaacagga	gaaactaaag	aaagagctgg	aacgacttaa	720
agatgatttg	ggaacaatca	caaataagtg	tgaggagttt	ttcagtcaag	cagcagcctc	780
ttcatcagtc	cctaccctac	gatcagagct	taatgtggtc	cttcagaaca	tgaaccaagt	840
ctattctatg	tcttccactt	acatagataa	gttgaaaact	gttaacttgg	tgttaaaaaa	900
cactcaagct	gcagaagccc	tcgtaaaact	ctatgaaaact	aaactgtgtg	aagaagaagc	960
agttatagct	gacaagaata	atattgagaa	tctaataagt	actttaaagc	aatggagatc	1020
tgaagtagat	gaaaagagac	aggtattcca	tgccttagag	gatgagttgc	agaaagctaa	1080
agccatcagt	gatgaaatgt	ttaaaacgta	taaagaacgg	gaccttgatt	ttgactggca	1140
caaagaaaaa	gcagatcaat	tagttgaaag	gtggcaaaat	gttcagtgtc	agattgacaa	1200

cagggttacgg	gacttagagg	gcattggcaa	atcactgaag	tactacagag	acacttacca	1260
tccttttagat	gattggatcc	agcagggttga	aactactcag	agaaagattc	aggaaaatca	1320
gcctgaaaat	agtaaaaccc	tagccacaca	gttgaatcaa	cagaagatgc	tgggtgtccga	1380
aatagaaatg	aaacagagca	aatggacga	gtgtcaaaaa	tatgcagaac	agtactcagc	1440
tacagtgaag	gactatgaat	tacaaacaat	gacctaccgg	gccatggtag	attcacaaca	1500
aaaatctcca	gtgaaacgcc	gaagaatgca	gagttcagca	gatctcatta	ttcaagagtt	1560
catggaccta	aggactcgat	atactgccct	ggtcactctc	atgacacaat	atattaaatt	1620
tgctgggtgat	tcattgaaga	ggctggaaga	ggaggagatt	aaaaggtgta	aggagacttc	1680
tgaacatggg	gcatattcag	atctgcttca	gcgtcagaag	gcaacagtg	ttgagaatag	1740
caaacttaca	ggaaagataa	gtgagttgga	aagaatggta	gctgaactaa	agaaacaaaa	1800
gtcccagta	gaggaagaac	ttccgaaggt	cagggaggct	gcagaaaatg	aattgagaaa	1860
gcagcagaga	aatgtagaag	atatctctct	gcagaagata	agggctgaaa	gtgaagccaa	1920
gcagtaccgc	agggaacttg	aaaccattgt	gagagagaag	gaagccgctg	aaagagaact	1980
ggagcgggtg	aggcagctca	ccatagaggc	cgaggctaaa	agagctgccg	tggagagaaa	2040
cctcctgaat	tttcgcaatc	agttggagga	aaacaccttt	accagacgaa	cactggaaga	2100
tcattcttaa	agaaaagatt	taagtctcaa	tgatttggag	caacaaaaaa	ataaattaat	2160
ggaagaatta	agaagaaaga	gagacaatga	ggaagaactc	ttgaagctga	taaagcagat	2220
ggaaaaagac	cttgcatctt	agaaacaggt	agcagagaaa	cagttgaaag	aaaagcagaa	2280
aattgaattg	gaagcaagaa	gaaaaataac	tgaaattcag	tatacatgta	gagaaaatgc	2340
attgccagtg	tgtccgatca	cacaggctac	atcatgcagg	gcagtaacgg	gtctccagca	2400
agaacatgac	aagcagaaa	cagaagaact	caaacagcag	gtagatgaac	taacagctgc	2460
caatagaaa	gctgaacaag	acatgagaga	gctgacatat	gaacttaatg	ccctccagct	2520
tgaaaaaacg	tcattctgagg	aaaaggctcg	tttgctaaaa	gataaactag	atgaaacaaa	2580
taatacactc	agatgcctta	agttggagct	ggaaaggaag	gatcaggcgg	agaaagggta	2640
ttctcaacaa	ctcagagagc	ttggtaggca	attgaatcaa	accacaggta	aagctgaaga	2700
agccatgcaa	gaagctagt	atctcaagaa	aataaagcgc	aattatcagt	tagaattaga	2760
atctcttaat	catgaaaaag	ggaaactaca	aagagaagta	gacagaatca	caagggcaca	2820
tgctgtagct	gagaagaata	ttcagcattt	aaattcacaa	attcattctt	ttcgagatga	2880
gaaagaatta	gaaagactac	aatctgcca	gagaaaatca	gatcatctaa	agaacaatt	2940
tgagaaaagc	catgagcagt	tgcttcaaaa	tatcaaagct	gaaaaagaaa	ataatgataa	3000
aatccaaagg	ctcaatgaag	aattggagaa	aagtaatgag	tgtgcagaga	tgctaaaaca	3060
aaaagtagag	gagcttacta	ggcagaataa	tgaaaccaa	ttaatgatgc	agagaattca	3120
ggcagaatca	gagaatatag	ttttagagaa	acaaactatc	cagcaaagat	gtgaagcact	3180
gaaaattcag	gcagatgggt	ttaaagatca	gctacgcagc	acaaatgaac	acttgcataa	3240
acagacaaaa	acagagcagg	attttcaaag	aaaaattaaa	tgcttagaag	aagacctggc	3300
gaaaagtcaa	aatttggtaa	gtgaatttaa	gcaaaagtgt	gaccaacaga	acattatcat	3360
ccagaatacc	aagaaagaag	ttagaaatct	gaatgcggaa	ctgaatgctt	ccaaagaaga	3420
gaagcgacgc	ggggagcaga	aagttcagct	acaacaagct	caggtgcaag	agttaaataa	3480
caggttgaaa	aaagtacaag	acgaattaca	cttaaagacc	atagaggagc	agatgaccca	3540
cagaaagatg	gttctgtttc	aggaagaatc	tggtaaattc	aaacaatcag	cagaggagtt	3600
tcggaagaag	atggaaaaat	taatggagtc	caaagtcac	actgaaaatg	atatttcagg	3660
cattaggctt	gactttgtgt	ctcttcaaca	agaaaactct	agagcccaag	aaaatgctaa	3720
gctttgtgaa	acaaacatta	aagaacttga	aagacagctt	caacagtatc	gtgaacaaat	3780
gcagcaaggg	cagcacatgg	aagcaaatca	ttaccaaaaa	tgtcagaaac	ttgaggatga	3840
gctgatagcc	cagaagcgtg	aggttgaaaa	cctgaagcaa	aaaatggacc	aacagatcaa	3900
agagcatgaa	catcaattag	ttttgctcca	gtgtgaaatt	caaaaaaaga	gcacagccaa	3960
agactgtacc	ttcaaaccag	attttgagat	gacagtgaag	gagtgccagc	actctggaga	4020
gctgtcctct	agaaacactg	gacaccttca	cccaacaccc	agatccctc	tgttgagatg	4080
gactcaagaa	ccacagccat	tgggaagagaa	gtggcagcat	cgggttggtg	aacagatacc	4140
caaagaagtc	caattccagc	caccaggggc	tccactcgag	aaagagaaaa	gccagcagtg	4200
ttactctgag	tacttttctc	agacaagcac	cgagttacag	ataacttttg	atgagacaaa	4260
ccccattaca	agactgtctg	aaattgagaa	gataagagac	caagccctga	acaattctag	4320
accacctgtt	aggtatcaag	ataacgcag	tgaaatggaa	ctggtgaagg	ttttgacacc	4380
cttagagata	gctaagaaca	agcagtatga	tatgcataca	gaagtcacaa	cattaaaaca	4440
agaaaagaac	ccagttccca	gtgctgaaga	atggatgctt	gaagggtgca	gagcatctgg	4500

tggactcaag	aaaggggatt	tccttaagaa	gggcttagaa	ccagagacct	tccagaactt	4560
tgatggtgat	catgcatgtt	cagtcaggga	tgatgaattt	aaattccaag	ggcttaggca	4620
cactgtgact	gccaggcagt	tggtggaagc	taagcttctg	gacatgagaa	caattgagca	4680
gctgcgactc	ggtcttaaga	ctggtgaaga	agttcagaaa	actcttaaca	agtttctgac	4740
gaaagccacc	tcaattgcag	ggctttacct	agaatctaca	aaagaaaaga	tttcatttgc	4800
ctcagcggcc	gagagaatca	taatagacaa	aatgggtggc	ttggcatttt	tagaagctca	4860
ggctgcaaca	ggtttttataa	ttgatcccat	ttcaggtcag	acatattctg	ttgaagatgc	4920
agttcttaaa	ggagttgttg	accccgaa	cagaattagg	cttcttgagg	cagagaaggc	4980
agctgtggga	tattcttatt	cttctaagac	attgtcagtg	tttcaagcta	tggaaaatag	5040
aatgcttgac	agacaaaaag	gtaaacatat	cttgggaagg	cagattgcca	gtgggggtgt	5100
cattgaccct	gtgagaggca	ttcgtgttcc	tccagaaatt	gctctgcagc	aggggttggt	5160
gaataatgcc	atcttacagt	ttttacatga	gccatccagc	aacacaagag	ttttccctaa	5220
tcccaataac	aagcaagctc	tgtattactc	agaattactg	cgaatgtgtg	tatttgatgt	5280
agagtcccaa	tgctttctgt	ttccatttgg	ggagaggaac	atttccaatc	tcaatgtcaa	5340
gaaaacacat	agaatttctg	tagtagatac	taaaacagga	tcagaattga	ccgtgtatga	5400
ggctttccag	agaaacctga	ttgagaaaag	tatatatctt	gaactttcag	ggcagcaata	5460
tcagtgggaag	gaagctatgt	tttttgaatc	ctatgggcat	tcttctcata	tgctgactga	5520
tactaaaaca	ggattacact	tcaatattaa	tgaggctata	gagcagggaa	caattgacaa	5580
agccttggtc	aaaaagtatc	aggaaggcct	catcacactt	acagaacttg	ctgattcttt	5640
gctgagccgg	ttagtcccca	agaaagattt	gcacagtcct	gttgcagggt	attggctgac	5700
tgctagtggg	gaaaggatct	ctgtactaaa	agcctcccg	agaaatttgg	ttgatcggat	5760
tactgccctc	cgatgccttg	aagcccaagt	cagtacaggg	ggcataattg	atcctcttac	5820
tggcaaaaag	taccgggtgg	ccgaagcttt	gcatagaggc	ctgggtgatg	aggggtttgc	5880
ccagcagctg	cgacagtgtg	aattagtaat	cacagggtat	ggccatccca	tcactaacia	5940
aatgatgtca	gtggtggaag	ctgtgaatgc	aaatattata	aataaggaaa	tgggaatccg	6000
atgtttggaa	tttcagtact	tgacaggagg	gttgatagag	ccacagggtc	actctcggtt	6060
atcaatagaa	gaggctctcc	aagtaggtat	tatagatgtc	ctcattgcca	caaaactcaa	6120
agatcaaaaag	tcatatgtca	gaaatataat	atgccctcag	acaaaaagaa	agttgacata	6180
taaagaagcc	ttagaaaaag	ctgattttga	tttccacaca	ggacttaaac	tgtagaagt	6240
atctgagccc	ctgatgacag	gaatttctag	cctctactat	tcttccctaat	gggacatgtt	6300
taaataactg	tgcaaggggt	gatgcaggct	ggttcatgcc	actttttcag	agtatgatga	6360
tatcggtac	atatgcagtc	tgtgaattat	gtaacatact	ctatttcttg	agggtgcaa	6420
attgctaagt	gctcaaaaata	gagtaagttt	taaattgaaa	attacataag	atttaatgcc	6480
cttcaaatgg	tttcatttag	ccttgagaat	ggttttttga	aacttggcca	cactaaaatg	6540
tttttttttt	tttacgtaga	atgtgggata	aacttgatga	actccaagtt	cacagtgtca	6600
tttcttcaga	actccccttc	attgaatagt	gatcatttat	taaatgataa	attgcactcg	6660
ctgaaagagc	acgtcatgaa	gcaccatgga	atcaaaagaga	aagatataaa	ttcgttccca	6720
cagccttcaa	gctgcagtg	tttagattgc	ttcaaaaaat	gaaaaagttt	tgcttttttc	6780
gatatagtga	ccttctttgc	atattaaaa	gtttaccaca	atgtcccat	tctagttaag	6840
tcttcgcact	tgaaagctaa	cattatgaat	attatgtgtt	ggaggagggg	aaggattttc	6900
ttcattctgt	gtattttccg	g				6921

<210> 118

<211> 946

<212> DNA

<213> Homo sapien

<400> 118

cttctgactg	ggctcaggct	gacaggtaga	gtccaccatg	gcttcttggtg	tccttgtccc	60
ctcccatca	cagctgtggt	gcagtcacc	gtctccagtg	gctatggcgg	tgccagtggt	120
gtcggcagtg	gcttaggct	gggtggagga	agcagctact	cctatggcag	tggtcttggtc	180
gttgagggtg	gcttcagttc	cagcagtggc	agagccattg	gggggtggcct	cagctctggt	240
ggaggcggca	gttccaccat	caagtacacc	accacctcct	cctccagcag	gaagagctat	300
aagcactaaa	gtgcgtctgc	tagctctcgg	ttccacagtc	ctcaggcccc	tctctggctg	360
cagagccctc	tcctcagggt	gcctgtcttc	tcctggcctc	cagctctccc	tgctgtccca	420

ggtagagctg	gggatgaatg	cttagtgccc	tcactttctc	tctctctctc	tataccatct	480
gagcaccat	tgctcaccat	cagatcaacc	tctgatttta	catcatgatg	taatcaccac	540
tggagcttca	ctgttactaa	attattaatt	tcttgctccc	agtgttctat	ctctgaggct	600
gagcattata	agaaaatgac	ctctgctcct	tttcattgca	gaaaattgcc	aggggcttat	660
ttcagaacaa	cttccactta	ctttccactg	gctctcaaac	tctctaactt	ataagtgttg	720
tgaaccccc	cccaggcagt	atccatgaaa	gcacaagtga	ctagtcctat	gatgtacaaa	780
gcctgtatct	ctgtgatgat	ttctgtgctc	ttcactgttt	gcaattgcta	aataaagcag	840
atttataata	catatattct	tttactttgc	cttgctttgg	ggccaaagtt	ttgggcttaa	900
acttttttat	ctgataagtg	aatagttggt	tttaaaagat	aatcta		946

<210> 119

<211> 8948

<212> DNA

<213> Homo sapien

<400> 119

tcaacagccc	ctgctccttg	ggccccctcca	tgccatgcgg	taatctctcc	cacccgacca	60
acaccaacac	ccagctccga	cgcagctcct	ctgcgccttt	gcgcgcctcc	gagccacagc	120
tttctctccg	ctcctgcccc	cggcccgctg	cgtctccgc	gctcgcagcg	gcctcgggag	180
ggcccaggta	gcgagcagcg	acctcgcgag	ccttcgcgac	tcccgcgcgg	ttccccggcc	240
gtccgcctat	ccttggtccc	ctccgctttc	tccgcgcggg	cccgcctcgc	ttatgcctcg	300
gcgtgagcc	gctctccgga	ttgcccgcgg	acatgagctg	caacggaggc	tcccaccgcg	360
ggatcaacac	tctgggcccgc	atgatccgcg	cgcagctctg	cccggacctg	cgctacgagg	420
tgaccagcgg	cggcgggggg	accagcagga	tgtactattc	tccgcgcggc	gtgatcaccg	480
accagaactc	ggacggctac	tgtcaaaccg	gcacgatgtc	caggcaccag	aaccagaaca	540
ccatccagga	gctgctgcag	aactgctccg	actgcttgat	gcgagcagag	ctcatcgtgc	600
agcctgaatt	gaagtgtgga	gatggaatac	gagtcgacgc	gagtcgagaa	ttggatgagt	660
gttttgccca	ggccaatgac	caaattggaaa	tcctcgacag	cttgatcaga	gagatgcggc	720
agatggggcca	ggcctgtgat	gcttaccaga	aaaggcttct	tcagctccaa	gagcaaatgc	780
gagcccttta	taaagccatc	agtgtccctc	gagtcgcgag	ggccagctcc	aagggtggtg	840
gaggctacac	ttgtcagagt	ggctctgggt	gggatgagtt	caccaaacat	gtcaccagtg	900
aatgtttggg	gtggatgagg	cagcaaaggg	cggagatgga	catggtggcc	tggggtgtgg	960
acctggcctc	agtggagcag	cacattaaca	gccaccgggg	catccacaac	tccatcggcg	1020
actatcgctg	gcagctggac	aaaatcaaag	cgcacctgcg	cgagaaatct	gcgatctacc	1080
agttggaggga	ggagtatgaa	aacctgctga	aagcgtcctt	tgagaggatg	gatcacctgc	1140
gacagctgca	gaacatcatt	caggccacgt	ccaggagatg	catgtggatc	aatgactgcg	1200
aggaggaggga	gctgctgtac	gactggagcg	acaagaacac	caacatcgct	cagaaacagg	1260
aggccttctc	catacgcatg	agtcaactgg	aagttaaaga	aaaagagctc	aataagctga	1320
aacaagaaag	tgaccaactt	gtcctcaatc	agcatccagc	ttcagacaaa	attgaggcct	1380
atatggacac	tctgcagacg	cagtggagtt	ggattcttca	gatcaccaag	tgcattgatg	1440
ttcatctgaa	agaaaatgct	gcctactttc	agttttttga	agaggcgag	tctactgaag	1500
catacctgaa	ggggctccag	gactccatca	ggaagaagta	cccctgcgac	aagaacatgc	1560
ccctgcagca	cctgctggaa	cagatcaagg	agctggagaa	agaacgagag	aaaatccttg	1620
aatacaagcg	tcaggtgcag	aacttggtaa	acaagtctaa	gaagattgta	cagctgaagc	1680
ctcgtaaccc	agactacaga	agcaataaac	ccattattct	cagagctctc	tgtgactaca	1740
aacaagatca	gaaaatcgct	cataaggggg	atgagtgtat	cctgaaggac	aacaacgagc	1800
gcagcaagtg	gtacgtgacg	ggcccgggag	gcgttgacat	gcttgttccc	tctgtggggc	1860
tgatcatccc	tcctccgaac	ccactggccg	tggacctctc	ttgcaagatt	gagcagtaact	1920
acgaagccat	cttggtctctg	tggaaaccagc	tctacatcaa	catgaagagc	ctggtgtcct	1980
ggcactactg	catgattgac	atagagaaga	tcaggggccat	gacaatcgcc	aagctgaaaa	2040
caatgcggca	ggaagattac	atgaagacga	tagccgacct	tgagttacat	taccaagagt	2100
tcatcagaaa	tagccaaggc	tcagagatgt	ttggagatga	tgacaagcgg	aaaatacagt	2160
ctcagttcac	cgatgcccg	aagcattacc	agaccctggt	cattcagctc	cctggctatc	2220
cccagcacca	gacagtgacc	acaactgaaa	tcactcatca	tggaaacctgc	caagatgtca	2280
accataataa	agtaattgaa	accaacagag	aaaatgacaa	gcaagaaaca	tggatgctga	2340

tggagctgca	gaagattcgc	aggcagatag	agcactgcga	gggcaggatg	actctcaaaa	2400
acctccctct	agcagaccag	gggtcttctc	accacatcac	agtgaaaatt	aacgagctta	2460
agagtgtgca	gaatgattca	caagcaattg	ctgaggttct	caaccagctt	aaagatatgc	2520
ttgccaaactt	cagaggttct	gaaaagtact	gctatttaca	gaatgaagta	tttggtactat	2580
ttcagaaaact	ggaaaatatc	aatggtgtta	cagatggcta	cttaaatagc	ttatgcacag	2640
taagggcact	gctccaggct	attctccaaa	cagaagacat	gttaaagggtt	tatgaagcca	2700
ggctcactga	ggaggaaaact	gtctgcctgg	acctggataa	agtggaagct	taccgctgtg	2760
gactgaagaa	aataaaaaat	gacttgaact	tgaagaagtc	gttggtggcc	actatgaaga	2820
cagaactaca	gaaaagcccag	cagatccact	ctcagacttc	acagcagtat	ccactttatg	2880
atctggactt	gggcaagttc	ggtgaaaaag	tcacacagct	gacagaccgc	tggcaaaagg	2940
tagataaaaca	gatcgacttt	agattatggg	acctggagaa	acaaatcaag	caattgagga	3000
attatcgtga	taactatcag	gctttctgca	agtggctcta	tgatcgtaaa	cgccgccagg	3060
attccttaga	atccatgaaa	tttgagatt	ccaacacagt	catgcggttt	ttgaatgagc	3120
agaagaactt	gcacagtga	atatctggca	aacgagacaa	atcagaggaa	gtacaaaaaa	3180
ttgctgaact	ttgcgccaat	tcaattaaag	attatgagct	ccagctggcc	tcatacacct	3240
caggactgga	aactctgctg	aacataccta	tcaagaggac	catgattcag	ttcccttctg	3300
gggtgattct	gcaagaggct	gcagatgttc	atgctcggta	cattgaacta	cttacaagat	3360
ctggagacta	ttacagggttc	ttaagtga	tgctgaagag	tttgggaagat	ctgaagctga	3420
aaaataccaa	gatcgaaagt	ttggaagagg	agctcagact	ggcccagat	gccaaactcg	3480
aaaactgtaa	taagaacaaa	ttcctggatc	agaacctgca	gaaataccag	gcagagtgtt	3540
cccagttcaa	agcgaagctt	gcgagcctgg	aggagctgaa	gagacaggct	gagctggatg	3600
ggaagtcggc	taagcaaaa	ctagacaagt	gctacggcca	aataaaagaa	ctcaatgaga	3660
agatcacccg	actgacttat	gagattgaag	atgaaaagag	aagaagaaaa	tctgtggaag	3720
acagatttga	ccaacagaag	aatgactatg	accaactgca	gaaagcaagg	caatgtgaaa	3780
aggagaacct	tggttggcag	aaattagagt	ctgagaaagc	catcaaggag	aaggagtacg	3840
agattgaaaag	gttgagggtt	ctactgcagg	aagaaggcac	ccggaagaga	gaatatgaaa	3900
atgagctggc	aaaggtaaga	aaccactata	atgaggagat	gagtaattta	aggaacaagt	3960
atgaaacaga	gattaacatt	acgaagacca	ccatcaagga	gatatccatg	caaaaagagg	4020
atgattccaa	aaatcttaga	aaccagcttg	atagactttc	aagggaat	cgagatctga	4080
aggatgaaat	tgtcaggctc	aatgacagca	tcttgcaggc	cactgagcag	cgaaggcgag	4140
ctgaagaaaa	cgcccttcag	caaaaaggcct	gtggctctga	gataatgcag	aagaagcagc	4200
atctggagat	agaactgaag	caggctcatgc	agcagcgctc	tgaggacaat	gcccggcaca	4260
agcagtcctt	ggaggaggct	gccaagacca	ttcaggacaa	aaataaggag	atcgagagac	4320
tcaaagctga	gtttcaggag	gaggccaagc	gccgctggga	atatgaaaat	gaactgagta	4380
aggtaagaaa	caattatgat	gaggagatca	ttagcttaaa	aaatcagttt	gagaccgaga	4440
tcaacatcac	caagaccacc	atccaccagc	tcaccatgca	gaaggaagag	gataccagt	4500
gctaccgggc	tcagatagac	aatctcacc	gagaaaacag	gagcttatct	gaagaaataa	4560
agaggctgaa	gaacactcta	acccagacca	cagagaatct	caggagggtg	gaagaagaca	4620
tccaacagca	aaaggccact	ggctctgagg	tgtctcagag	gaaacagcag	ctggagggtt	4680
agctgagaca	agtactcag	atgcgaacag	aggagagcgt	aagatataag	caatctcttg	4740
atgatgctgc	caaaaaccatc	caggataaaa	acaaggagat	agaaagggtta	aaacaactga	4800
tcgacaaaaga	aacaaatgac	cggaaatgcc	tggaagatga	aaacgcgaga	ttacaaaggg	4860
tccagtatga	cctgcagaaa	gcaaacagta	gtgcgacgga	gacaataaac	aaactgaagg	4920
ttcaggagca	agaactgaca	cgcctgagga	tcgactatga	aagggtttcc	caggagagga	4980
ctgtgaagga	ccaggatatc	acgcggttcc	agaactctct	gaaagagctg	cagctgcaga	5040
agcagaagggt	ggaagaggag	ctgaatcggc	tgaagaggac	cgcgtcagaa	gactcctgca	5100
agaggaagaa	gctggaggaa	gagctggaag	gcatgaggag	gtcgtgaaag	gagcaagcca	5160
tcaaaatcac	caacctgacc	cagcagctgg	agcaggcatc	cattgttaag	aagaggagt	5220
aggatgacct	ccggcagcag	agggacgtgc	tggatggcca	cctgagggaa	aagcagagga	5280
cccaggaaaga	gctgaggagg	ctctcttctg	aggctcaggc	cctgaggcgg	cagttactcc	5340
aggaaacagga	aagtgtcaaa	caagctcact	tgaggaatga	gcatttccag	aaggcgatag	5400
aagataaaaag	cagaagctta	aatgaaaagca	aaatagaaat	tgagaggctg	cagtctctca	5460
cagagaacct	gaccaaggag	cacttgatgt	tagaagaaga	actgcggaac	ctgaggctgg	5520
agtacgatga	cctgaggaga	ggacgaagcg	aagcggacag	tgataaaaaat	gcaaccatct	5580
tggaaactaag	gagccagctg	cagatcagca	acaaccggac	cctggaaactg	caggggctga	5640

ttaatgattt	acagagagag	agggaaaatt	tgagacagga	aattgagaaa	ttccaaaagc	5700
aggctttaga	ggcatctaata	aggattcagg	aatcaaagaa	tcagtgtact	caggtgggtac	5760
aggaaagaga	gagccttctg	gtgaaaatca	aagtccctgga	gcaagacaag	gcaaggctgc	5820
agaggctgga	ggatgagctg	aatcgtgcaa	aatcaactct	agaggcagaa	accagggtga	5880
aacagcgcct	ggagtgtgag	aaacagcaaa	ttcagaatga	cctgaatcag	tggaagactc	5940
aatattcccc	caaggaggag	gctattagga	agatagaatc	ggaaagagaa	aagagtgaga	6000
gagagaagaa	cagtcttagg	agtgagatcg	aaagactcca	agcagagatc	aagagaattg	6060
aagagagggtg	caggcgtaag	ctggaggatt	ctaccagggg	gacacagtca	cagttagaaa	6120
cagaacgctc	ccgatatcag	agggagattg	ataaactcag	acagcgccca	tatgggtccc	6180
atcgagagac	ccagactgag	tgtgagtggg	ccgttgacac	ctccaagctg	gtgtttgatg	6240
ggctgaggaa	gaaggtgaca	gcaatgcagc	tctatgagtg	tcagctgata	gacaaaacaa	6300
ccttgagcaa	actattgaag	gggaagaagt	cagtgggaag	agttgcttct	gaaatccagc	6360
cattccttcg	gggtgcagga	tctatcgctg	gagcatctgc	ttctcctaag	gaaaaatact	6420
ctttggtaga	ggccaagaga	aagaaattaa	tcagcccaga	atccacagtc	atgcttctgg	6480
aggcccaggc	agctacaggt	ggtataattg	atccccatcg	gaatgagaag	ctgactgtcg	6540
acagtgccat	agctcgggac	ctcattgact	tcgatgaccg	tcagcagata	tatgcagcag	6600
aaaaagctat	cactggtttt	gatgatccat	tttcaggcaa	gacagtatct	gtttcagaag	6660
ccatcaagaa	aaatttgatt	gatagagaaa	ccggaatgcg	cctgctggaa	gcccagattg	6720
cttcaggggg	tgtagtagac	cctgtgaaca	gtgtcttttt	gccaaaagat	gtcgctctgg	6780
cccgggggct	gattgataga	gatttgtatc	gatccctgaa	tgatccccga	gatagtcaga	6840
aaaactttgt	ggatccagtc	acaaaaaaga	aggtcagtta	cgtgcagctg	aaggaacggt	6900
gcagaatcga	accacatact	ggtctgctct	tgctttcagt	acagaagaga	agcatgtcct	6960
tccaaggaat	cagacaacct	gtgaccgtca	ctgagctagt	agattctggt	atattgagac	7020
cgtccactgt	caatgaactg	gaatctggtc	agatttctta	tgacgaggtt	ggtgagagaa	7080
ttaaggactt	cctccagggt	tcaagctgca	tagcaggcat	atacaatgag	accacaaaac	7140
agaagcttgg	catttatgag	gccatgaaaa	ttggcttagt	ccgacctggt	actgctctgg	7200
agttgctgga	agcccaagca	gctactggct	ttatagtggg	tctgttagtc	aacttgaggt	7260
taccagtggg	ggaagcctac	aagagaggtc	tggtgggcat	tgagttcaaa	gagaagctcc	7320
tgtctgcaga	acgagctgtc	actgggtata	atgatcctga	aacaggaaac	atcatctctt	7380
tgttccaagc	catgaataag	gaactcatcg	aaaagggccca	cggtattcgc	ttattagaag	7440
cacagatcgc	aaccgggggg	atcattgacc	caaaggagag	ccatcgttta	ccagttgaca	7500
tagcatataa	gaggggctat	ttcaatgagg	aactcagtga	gattctctca	gatccaagtg	7560
atgataccaa	aggatttttt	gaccccaaca	ctgaagaaaa	tcttacctat	ctgcaactaa	7620
aagaaagatg	cattaaggat	gaggaaaacag	ggctctgtct	tctgcctctg	aaagaaaaga	7680
agaaaacaggt	gcagacatca	caaaaagaata	ccctcaggaa	gcgtagagtg	gtcatagttg	7740
accagaaaac	caataaagaa	atgtctgttc	aggaggccta	caagaagggc	ctaattgatt	7800
atgaaacctt	caaagaactg	tgtgagcagg	aatgtgaatg	ggaagaaata	accatcacgg	7860
gatcagatgg	ctccaccagg	gtggctcctgg	tagatagaaa	gacaggcagt	cagtatgata	7920
ttcaagatgc	tattgacaag	ggccttgttg	acagggaagt	ctttgatcag	taccgatccg	7980
gcagcctcag	cctcactcaa	tttgctgaca	tgatctcctt	gaaaaatggt	gtcggcacca	8040
gcagcagcat	gggcagtggt	gtcagcgatg	atgtttttag	cagctcccga	catgaatcag	8100
taagtaagat	ttccaccata	tccagcgtca	ggaatttaac	cataaggagc	agctcttttt	8160
cagacacctt	ggaagaatcg	agccccattg	cagccatctt	tgacacagaa	aacctggaga	8220
aaatctccat	tacagaaggt	atagagcggg	gcatcgttga	cagcatcacg	ggtcagaggc	8280
ttctggaggc	tcaggcctgc	acagggtggc	tcattccacc	aaccacgggc	cagaagctgt	8340
cacttcagga	cgcagctctc	caggggtgtga	ttgaccaaga	catggccacc	agcgtgaagc	8400
ctgctcagaa	agccttcata	ggcttcgagg	gtgtgaaggg	aaagaagaag	atgtcagcag	8460
cagaggcagt	gaaagaaaaa	tggctcccgt	atgaggctgg	ccagcgcttc	ctggagttcc	8520
agtacctcac	gggaggtcct	gttgaccggg	aagtgcattg	gaggataagc	accgaagaag	8580
ccatccggaa	ggggttcata	gatggccggc	ccgcacagag	gctgcaagac	accagcagct	8640
atgccaaaa	cctgacctgc	ccccaaaaca	aattaaaaat	atcctataag	gatgccataa	8700
atcgctccat	ggtagaagat	atcactgggc	tgcgccttct	ggaagccgcc	tccgtgtcgt	8760
ccaagggtct	accagccctt	tacaacatgt	cttcggctcc	ggggtcccgc	tccggctccc	8820
gctcgggata	tcgctccgga	tctcgctccg	ggtcccgcag	tgggtcccgg	agaggaagct	8880
ttgacgccac	aggggaattct	tctactctt	attcctactc	atttagcagt	agttctattg	8940

ggcactag

8948

<210> 120
 <211> 587
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(587)
 <223> n = A,T,C or G

<400> 120
 cgtcctaagc acttagacta catcagggaa gaacacagac cacatccctg tcctcatgcg 60
 gcttatgttt tctggaagaa agtggagacc nagtccttgg ctttagggct ccccggtggt 120
 gggctgtgca ntccggtcag ggcgggaagg gaaatgcacc gctgcatgtg aacttacagc 180
 ccaggcggat gccccttccc ttagcactac ctggcctcct gcatccccct gcctcatgtt 240
 cctcccacct tcaanaaatg aanaacccca tgggcccagc cccttgccct ggggaaccaa 300
 ggcagccttc caaaactcag gggctgaagc anactattag ggcagggggt gactttgggt 360
 gacactgccc attcctctc agggcagctc angtcaccn ggnctcttga acccagcctg 420
 ttcttttgaa aaagggcaaa actgaaaagg gcttttctta naaaaagaaa aaccagggaa 480
 ctttgccagg gcttcnntnt taccaaaacn ncttctcnng gatttttaat tccccattng 540
 gcctccactt accnggggcn atgccccaaa attaanaatt tcccatc 587

<210> 121
 <211> 619
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(619)
 <223> n = A,T,C or G

<400> 121
 cactagtagg atagaaacac tgtgtcccga gagtaaggag agaagctact attgattaga 60
 gcctaaccga ggttaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120
 tgcataaagc caatgtagtc cagttttctaa gatcatgttc caagctaact gaatccact 180
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggatgatg 240
 tgcacacttg ctagactcan aaaaaatact actctcataa atgggtggga gtattttggt 300
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgacact cttgtgtata 420
 ttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480
 aatgaagtcc ctgggttttc atggcaactt gatcagtaaa ggattcncct ctgtttggta 540
 cttaaaacat ctactatatn gttnanatga aattcctttt ccccnccctc cgaaaaaana 600
 aagtgggtggg gaaaaaaaaa 619

<210> 122
 <211> 1475
 <212> DNA
 <213> Homo sapien

<400> 122
 tccacctgtc cccgcagcgc cggctcgcgc cctcctgccg cagccaccga gccgccgtct 60
 agcgccccga cctcgccacc atgagagccc tgctggcgcg cctgcttctc tgcgtcctgg 120

tcgtgagcga	ctccaaaggc	agcaatgaac	ttcatcaagt	tccatcgaac	tgtgactgtc	180
taaatggagg	aacatgtgtg	tccaacaagt	acttctccaa	cattcactgg	tgcaactgcc	240
caaagaaatt	cggagggcag	caactgtgaaa	tagataagtc	aaaaacctgc	tatgagggga	300
atggtcactt	ttaccgagga	aaggccagca	ctgacaccat	gggccggccc	tgctgcccct	360
ggaactctgc	caactgtcctt	cagcaaacgt	accatgcccc	cagatctgat	gctcttcagc	420
tgggcctggg	gaaacataat	tactgcagga	acccagacaa	ccggaggcga	ccctggtgct	480
atgtgcaggt	gggcctaaag	ccgcttgtcc	aagagtgcac	ggtgcatgac	tgcgcatatg	540
gaaaaaagcc	ctcctctcct	ccagaagaat	taaaatttca	gtgtggccaa	aagactctga	600
ggccccgctt	taagattatt	gggggagaat	tcaccaccat	cgagaaccag	ccctggtttg	660
cggccatcta	caggaggcac	cgggggggct	ctgtcaccta	cgtgtgtgga	ggcagcctca	720
tcagcccttg	ctgggtgatc	agcgccacac	actgcttcat	tgattaccca	aagaaggagg	780
actacatcgt	ctacctgggt	cgctcaaggc	ttaactccaa	cacgcaaggg	gagatgaagt	840
ttgaggtgga	aaacctcatc	ctacacaagg	actacagcgc	tgacacgctt	gctcaccaca	900
acgacattgc	cttgtctgaag	atccgttcca	aggagggcag	gtgtgcgcag	ccatcccggg	960
ctatacagac	catctgcctg	ccctcgatgt	ataacgatcc	ccagtttggc	acaagetgtg	1020
agatcactgg	ctttggaaaa	gagaattcta	ccgactatct	ctatccggag	cagctgaaga	1080
tgactgttgt	gaagctgatt	tcccaccggg	agtgtcagca	gccccactac	tacggctctg	1140
aagtcaccac	caaaatgctg	tgtgctgctg	acccacagtg	gaaaacagat	tcctgccagg	1200
gagactcagg	gggacccctc	gtctgttccc	tccaaggccg	catgactttg	actggaattg	1260
tgagctgggg	ccgtggatgt	gccctgaagg	acaagccagg	cgtctacacg	agagtctcac	1320
acttcttacc	ctggatccgc	agtcacacca	aggaagagaa	tgccctggcc	ctctgagggt	1380
ccccagggag	gaaacgggca	ccaccgcctt	tcttgcctgg	tgctattttt	gcagtagagt	1440
catctccatc	agctgtaaga	agagactggg	aagat			1475

<210> 123

<211> 2294

<212> DNA

<213> Homo sapien

<400> 123

cagcgccggc	tcgcgccctc	ctgcgcagc	cacgcagccg	ccgtctagcg	ccccgacctc	60
gccaccatga	gagccctgct	ggcgccctg	cttctctcg	tcctggctcg	gagcgactcc	120
aaaggcagca	atgaacttca	tcaagttcca	togaactgtg	actgtctaaa	tgagggaaca	180
tgtgtgtcca	acaagtactt	ctccaacatt	caactggtgca	actgccccaa	gaaattcggg	240
gggcagcact	gtgaaataga	taagtcaaaa	acctgctatg	aggggaatgg	tcacttttac	300
cgaggaaaag	ccagcactga	cacctggggc	cggccctgcc	tgccctggaa	ctctgccact	360
gtccttcagc	aaacgtacca	tgccccagca	tctgatgtct	tlcagctggg	cctggggaaa	420
cataattact	gcaggaaacc	agacaaccgg	aggcgaccct	ggtgctatgt	gcagggtggc	480
ctaaagccgc	ttgtccaaga	gtgcatgggt	catgactgcg	cagatggaaa	aaagccctcc	540
tctcctccag	aagaattaaa	atttcagtgt	ggccaaaaga	ctctgaggcc	ccgctttaag	600
attattgggg	gagaattcac	caccatcgag	aaccagccct	ggtttgcggc	catctacagg	660
aggcacccgg	ggggctctgt	cacctacgtg	tgtggaggca	gcctcatcag	cccttgctgg	720
gtgatcagcg	ccacacactg	cttcattgat	tacccaaaaga	aggaggacta	catcgtctac	780
ctgggtcgct	caaggcttaa	ctccaacacg	caaggggaga	tgaagtttga	ggtggaaaac	840
ctaactctac	acaaggacta	cagcgctgac	acgcttgctc	accacaacga	cattgccttg	900
ctgaagatcc	gttccaagga	gggcagggtg	gcgagcccat	cccgactat	acagaccatc	960
tgccctgccct	cgatgtataa	cgatccccag	tttggcacia	gctgtgagat	cactggcttt	1020
ggaaaagaga	attctaccga	ctatctctat	ccggagcagc	tgaaaatgac	tgttgtgaag	1080
ctgatttccc	accgggagtg	tcagcagccc	cactactacg	gctctgaagt	caccacaaa	1140
atgctgtgtg	ctgctgaccc	acagtggaaa	acagattcct	gccagggaga	ctcaggggga	1200
ccccctgctc	gttccctcca	aggccgcagc	actttgactg	gaattgtgag	ctggggccgt	1260
ggatgtgccc	tgaaggacaa	gccaggcgct	tacacgagag	tctcacactt	cttaccctgg	1320
atccgcagtc	acaccaagga	agagaatggc	ctggccctct	gaggggtccc	agggaggaaa	1380
cgggcaccac	ccgctttctt	gctgggtgct	attttgcagt	agagtcattc	ccatcagctg	1440
taagaagagc	tgggaatata	ggctctgcac	agatggattt	gcctgtgcca	ccaccagggc	1500

gaacgacaat	agcttttacc	tcaggcatag	gcctgggtgc	tggtgcccc	gacccctctg	1560
gccaggatgg	aggggtgggc	ctgactcaac	atgttactga	ccagcaactt	gtctttttct	1620
ggactgaagc	ctgcaggagt	taaaaagggc	agggcatctc	ctgtgcatgg	gctcgaaggg	1680
agagccagct	cccccgaccg	gtgggcattt	gtgagggcca	tggttgagaa	atgaataatt	1740
tcccaattag	gaagtgtgag	cagctgaggt	ctcttgaggg	agcttagcca	atgtgggagc	1800
agcggtttgg	ggagcagaga	cactaacgac	ttcagggcag	ggctctgata	ttccatgaat	1860
gtatcaggaa	atatatatgt	gtgtgtatgt	ttgcacactt	gtgtgtgggc	tgtgagtgtg	1920
agtgtgagta	agagctgggt	tctgattgtt	aagtctaaat	atttccttaa	actgtgtgga	1980
ctgtgatgcc	acacagagtg	gtctttctgg	agaggttata	ggctactcct	ggggcctctt	2040
gggtccccc	cgtgacagtg	cctgggaatg	tattattctg	cagcatgacc	tgtgaccagc	2100
actgtctcag	tttcaacttt	acatagatgt	ccctttcttg	gccagttatc	ccttcctttt	2160
agcctagttc	atccaatcct	cactgggtgg	ggtgaggacc	actcctgtac	actgaatatt	2220
tatatattcac	tattttttatt	tatatatttg	taatttttaa	taaaagtgat	caataaaatg	2280
tgattttttct	gatg					2294

<210> 124

<211> 956

<212> DNA

<213> Homo sapien

<400> 124

gatgagttcc	gcaccaagtt	tgagacagac	caggccctgc	gcctgagtgt	ggaggccgac	60
atcaatggcc	tgcgagggt	gctggatgag	ctgaccctgg	ccagagccga	cctggagatg	120
cagattgaga	acctcaagga	ggagctggcc	tacctgaaga	agaaccacga	ggaggagatg	180
aacgccctgc	gaggccaggt	gggtggtgag	atcaatgtgg	agatggacgc	tgcccagggc	240
gtggacctga	gccgcacct	caacgagatg	cgtgaccagt	atgagaagat	ggcagagaag	300
aaccgcaagg	atgccgagga	ttggttcttc	agcaagacag	aggaactgaa	ccgcgaggtg	360
gccaccaaca	gtgagctgg	gcagagtggc	aagagtgaga	tctcggagct	ccggcgacc	420
atgcaggcct	tgagataga	gctgcagtcc	cagctcagca	tgaaagcatc	cctggagggc	480
aacctggcgg	agacagagaa	ccgctactgc	gtgcagctgt	cccagatcca	ggggctgatt	540
ggcagcgtgg	aggagcagct	ggcccagctt	cgctgcgaga	tgagcagca	gaaccaggaa	600
tacaaaatcc	tgctggatgt	gaagacgcgg	ctggagcagg	agattgccac	ctaccgccgc	660
ctgctggagg	gagaggatgc	ccacctgact	cagtacaaga	aagaaccggt	gaccaccctg	720
caggtgcgta	ccattgtgga	agaggtccag	gatggcaagg	tcattctctc	ccgcgagcag	780
gtccaccaga	ccaccgctg	aggactcagc	taccccgccc	ggccaccag	gaggcagggg	840
cgcagccgcc	ccatctgccc	cacagtctcc	ggcctctcca	gcctcagccc	cctgcttcag	900
tcccttcccc	atgcttcctt	gcctgatgac	aataaaagct	tgttgactca	gctatg	956

<210> 125

<211> 486

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(486)

<223> n = A,T,C or G

<400> 125

aaattatata	tagtgnttca	gctcccatg	tggtgttcat	agtcttctag	gaacagataa	60
acttaagtat	tcaattcact	cttggcattt	tttctttaat	ataggctttt	tagcctattt	120
ttggaaaact	gcttttcttc	tgagaacctt	attctgaatg	tcattcaactt	taccaaacct	180
tctaagtcca	gagctaaact	agtactgttt	aagttactat	tgactgaatt	ttcttcattt	240
tctgttttagc	cagtgttacc	aaggtaagct	ggggaatgaa	gtataccaac	ttctttcaga	300
gcatttttagg	acattatggc	agcttttagaa	ggctgtcttg	tttctagcca	agggagagcc	360

agcgcagggtt	ttggatacta	gagaaaagtc	tttgcttgta	ctattgccat	tttagaaagc	420
tctgatgtga	attcaaattt	tacctctgtt	acttaaagcc	aacaatttta	aggcagtagt	480
tttact						486

<210> 126
 <211> 3552
 <212> DNA
 <213> Homo sapien

<400> 126						
cggcaggcag	gtctcgtctc	ggcaccctcc	cggcgcccgc	gttctcctgg	ccctgcccgg	60
catcccgatg	gccgcgcgtg	ggccccggcg	ctccgtgcgc	ggagccgtct	gcctgcatct	120
gctgctgacc	ctcgtgatct	tcagtcgtgc	tggtgaagcc	tgcaaaaagg	tgatacttaa	180
tgtaccttct	aaactagagg	cagacaaaat	aattggcaga	gttaatttgg	aagagtgcct	240
caggtctgca	gacctcatcc	gggtcaagtga	tcctgatattc	agagtcttaa	atgatgggtc	300
agtgtacaca	gccagggtcg	ttgcgctgtc	tgataagaaa	agatcattta	ccatatggct	360
ttctgacaaa	aggaaacaga	cacagaaaag	ggttactgtg	ctgctagaac	atcagaagaa	420
gggtatcgaag	acaagacaca	ctagagaaac	tgttctcagg	cgtgccaaga	ggagatgggc	480
acctattcct	tgctctatgc	aagagaattc	cttgggccct	ttcccatgtt	ttcttcaaca	540
agttgaatct	gatgcagcac	agaactatac	tgtcttctac	tcaataagtg	gacgtggagt	600
tgataaagaa	cctttaaatt	tgttttatat	agaaaagagac	actggaaatc	tattttgcac	660
tcggcctgtg	gatcgtgaag	aatatgatgt	ttttgatattg	attgcttatg	cgtcaactgc	720
agatggatat	tcagcagatc	tgccccctcc	actaccctac	agggtagagg	atgaaaatga	780
caaccaccct	gtttttcacag	aagcaattta	taattttgaa	gttttggaag	gtagtagacc	840
tggtactaca	gtgggggtgg	tttgtgccac	agacagagat	gaaccggaca	caatgcatac	900
gcgcctgaaa	tacagcattt	tgacagcagac	accaagggtca	cctgggctct	tttctgtgca	960
tcaccagcaca	ggcgtaatca	ccacagtctc	tcattatttg	gacagagagg	ttgtagacaa	1020
gtactcattg	ataatgaaag	tacaagacat	ggatggccag	ttttttggat	tgataggcac	1080
atcaacttgt	atcataacag	taacagattc	aaatgataat	gcaccactt	tcagacaaaa	1140
tgcttatgaa	gcattttgtag	aggaaaatgc	attcaatgtg	gaaatcttac	gaatacctat	1200
agaagataag	gatttaatta	acactgccaa	ttggagagtc	aattttacca	ttttaaaggg	1260
aaatgaaaat	ggacatttca	aaatcagcac	agacaaaagaa	actaatgaag	gtgttctttc	1320
tgttgtaaaag	ccactgaatt	atgaagaaaa	ccgtcaagtg	aacctggaaa	ttggagtaaa	1380
caatgaagcg	ccatttgcta	gagatattcc	cagagtgcac	gccttgaaac	gagccttggt	1440
tacagttcat	gtgagggatc	tggtgagggg	gcctgaatgc	actcctgcag	cccaatatgt	1500
gcggattaaa	gaaaacttag	cagtgggggtc	aaagatcaac	ggctataagg	catatgacct	1560
cgaaaataga	aatggcaatg	gtttaaggta	caaaaaattg	catgatccta	aagggtggat	1620
caccattgat	gaaatttcag	ggtcaatcat	aacttccaaa	atcctggata	gggaggttga	1680
aactcccaaa	aatgagttgt	ataatattac	agtcctggca	atagacaaag	atgatagatc	1740
atgtactgga	acacttgctg	tgaacattga	agatgtaaat	gataatccac	cagaaatact	1800
tcaagaatat	gtagtcattt	gcaaaccaaa	aatgggggat	accgacattt	tagctgttga	1860
tcctgatgaa	cctgtccatg	gagctccatt	ttatttcagt	ttgccaata	cttctccaga	1920
aatcagtaga	ctgtggagcc	tcaccaaagt	taatgatata	gctgcccgtc	tttcatatca	1980
gaaaaatgct	ggatttcaag	aatataccat	tcctattact	gtaaaagaca	gggccggcca	2040
agctgcaaca	aaattattga	gagttaatct	gtgtgaatgt	actcatccaa	ctcagtgtcg	2100
tgcgacttca	aggagtacag	gagtaatact	tggaatgtgg	gcaatccttg	caatattact	2160
gggtatagca	ctgctctttt	ctgtattgct	aacttttagta	tgtggagttt	ttggtgcaac	2220
taaagggaaa	cgttttcctg	aagatttagc	acagcaaaac	ttaattatat	caaacacaga	2280
agcacctgga	gacgatagag	tgtgctctgc	caatggattt	atgacccaaa	ctaccaacaa	2340
ctctagccaa	ggttttttgtg	gtactatggg	atcaggaatg	aaaaatggag	ggcaggaaac	2400
cattgaaatg	atgaaaggag	gaaaccagac	cttggaatcc	tgccgggggg	ctgggcatca	2460
tcataccctg	gactcctgca	ggggaggaca	cacggagggtg	gacaactgca	gatacactta	2520
ctcggagtgg	cacagtttta	ctcaaccccg	tctcgggtgaa	aaattgcata	gatgtaatac	2580
gaatgaagac	cgcatgccat	cccaagatta	tgtcctcact	tataactatg	aggggaagagg	2640
atctccagct	ggttctgtgg	gctgctgcag	tgaaaagcag	gaagaagatg	gccttgactt	2700

tttaaataat	ttggaaccca	aattttattac	attagcagaa	gcatgcacaa	agagataatg	2760
tcacagtgt	acaattaggt	ctttgtcaga	cattctggag	gtttccaaaa	ataatattgt	2820
aaagttcaat	ttcaacatgt	atgtatatga	tgattttttt	ctcaattttg	aattatgcta	2880
ctcaccaatt	tatattttta	aagcaagttg	ttgcttatct	tttccaaaaa	gtgaaaaatg	2940
ttaaaacaga	caactggtaa	atctcaaaact	ccagcactgg	aattaaggtc	tctaaagcat	3000
ctgctctttt	ttttttttac	agatatttta	gtaataaata	tgctggataa	atattagtcc	3060
aacaatagct	aagttatgct	aatatcacat	tattatgtat	tcactttaag	tgatagttta	3120
aaaaataaac	aagaaatatt	gagtatcact	atgtgaagaa	agttttggaa	aagaaacaat	3180
gaagactgaa	ttaaattaaa	aatgttgcag	ctcataaaga	attggactca	cccactactgc	3240
actaccaaat	tcatttgact	ttggaggcaa	aatgtgttga	agtgccctat	gaagtagcaa	3300
ttttctatag	gaatatagtt	ggaaataaat	gtgtgtgtgt	atattattat	taatcaatgc	3360
aatattttaa	tgaaatgaga	acaaagagga	aaatggtaaa	aacttgaaat	gaggctgggg	3420
tatagtttgt	cctacaatag	aaaaagaga	gagcttccta	ggcctgggct	cttaaatgct	3480
gcattataac	tgagtctatg	aggaaatagt	tcctgtccaa	tttgtgtaat	ttgtttaaaa	3540
ttgtaaataa	at					3552

<210> 127

<211> 754

<212> DNA

<213> Homo sapien

<400> 127

tttttttttt	ttgtcattgt	tcattgattt	taatgagaaa	gctaagagag	gaaataagta	60
gcctttcaaa	ggtcacacag	aagtaagtga	cagatccagg	attcatatcc	aagcattctg	120
gctctagtgt	ccatgcttct	caaccattat	gacccaatat	tcaaccaaata	caatactgaa	180
ggacacgtga	aatgtatccg	gtattttact	attacaaaca	aaaatccaat	gaacattctt	240
gaagacatac	acaaaaataa	tggttacaat	agaagttact	ggaattgaaa	ttttggttca	300
acctatatta	aaatgtaagg	cttttgatat	agctaataga	tttttgaaat	gatcagtcct	360
aacgtttgta	ggggagcaca	ctcctgcatg	gggaaaagat	tcactgtgaa	gcacagagca	420
cctttatggg	tggatcatct	tgctattaaa	gttcaggcgt	tatctatcct	gtaagtggca	480
gaatcaagac	tgcaatatcg	cctgcttttc	tttttaactc	atgttttccc	ttgactacac	540
tggtcctcaa	agtaaaaccc	ctgtgtcagt	gtactattca	tgggaatactc	tgcaattata	600
accaccttct	aatactttta	ataccaatc	aaaattttatt	atacatatgt	atcatagata	660
ctcatctgta	aagctgtgct	tcaaaatagt	gatctcttcc	caacattaca	atatatatta	720
atgatgtcga	acctgcccg	gcggccgctc	gaag			754

<210> 128

<211> 374

<212> DNA

<213> Homo sapien

<400> 128

aggttttgat	taaaaaggca	aatgatttta	ttgttcgata	atctttttaa	aaaataagag	60
gaaggagtaa	aattaaagat	gaaagatgat	ttttatttcc	ttgtgacctc	tatatcccc	120
ttcccctgcc	cttggttaagt	aactcttgat	ggagaaagga	ttaaagactc	ttatttaacc	180
aaaaaacaga	gccagctaata	catttccaaa	ggtagtatc	tcctgtctga	cctcttcttt	240
ggtttaattg	aataaaacta	tatgttcata	tatgtattaa	aacaactcag	aataacatct	300
ttcttctctt	agttaaggca	ttataagggc	tatactatca	tccataataa	ccaaggcaat	360
aacttaaaaa	gctg					374

<210> 129

<211> 546

<212> DNA

<213> Homo sapien

<400> 129

agtgtgatgg	atatctgcag	aattcgggct	aagcgtggct	gcggcccag	gtctggaact	60
tcccagcacy	tgaaaaggag	cctcctgagc	tgactcggct	aaagccccac	tttcgctcct	120
cctcatttct	gcctactgat	ttccttggag	cattcatctg	aatattaccg	tttgctgtgt	180
aacctggtag	atacatagca	tgactccctg	gaatagagtg	ggctgggggtg	cttatgctgg	240
gagagtgatt	gacatgcact	ttcaagctat	atctaccatt	tgagcaaaag	gagaaaaaat	300
acctcgagta	aattccatca	ttttttataa	catcagcacc	tgctccatca	tcaaggagtc	360
tcagcgtaac	aggatctcca	gtctctggct	caactgtggc	agtgacagtg	gcattaagaa	420
tgggataaaa	tcctgttttc	acattggcat	aaatcatcac	aggatgagga	aaatggaggc	480
tgtctctttc	cacaaaggct	tccacagtgg	ctggggggcac	agacctgccc	ggcgggccgc	540
tcgaaa						546

<210> 130

<211> 5156

<212> DNA

<213> Homo sapien

<400> 130

accaaccgag	gcgcggggca	gcgacccctg	cagcggagac	agagactgag	cggccccggca	60
ccgccatgcc	tgcgctctgg	ctgggtctgt	gcctctgctt	gtcgtcctc	ctgcccgcag	120
cccggggcac	ctccaggagg	gaagtctgtg	attgcaatgg	gaagtccagg	cagtgtatct	180
ttgatcggga	acttcacaga	caaactggta	atggattccg	ctgcctcaac	tgcaatgaca	240
acactgatgg	cattcaactgc	gagaagtgca	agaatggctt	ttaccggcac	agagaaaggg	300
accgctgttt	gccctgcaat	tgtaactcca	aaggttctct	tagtgctcga	tgtgacaact	360
ccggacgggtg	cagctgtaaa	ccagggtgtga	caggagccag	atgcgaccga	tgtctgccag	420
gcttccacat	gctcacggat	gcgggggtgca	cccaagacca	gagactgcta	gactccaagt	480
gtgactgtga	cccagctggc	atcgcagggc	cctgtgacgc	gggccgctgt	gtctgcaagc	540
cagctgtcac	tggagaacgc	tgtgatagg	gtcgatcagg	ttactataat	ctggatgggg	600
ggaaccctga	gggctgtacc	cagtgtttct	gctatgggca	ttcagccagc	tgccgcagct	660
ctgcagaata	cagtgtccat	aagatcacct	ctacctttca	tcaagatgtt	gatggctgga	720
aggctgtcca	acgaaatggg	tctcctgcaa	agctccaatg	gtcacagcgc	catcaagatg	780
tgttttagctc	agcccaacga	ctagaccctg	tctattttgt	ggctcctgcc	aaatttcttg	840
ggaatcaaca	ggtgagctat	ggcmaaagcc	tgtcctttga	ctaccgtgtg	gacagaggag	900
gcagacaccc	atctgcccc	gatgtgatcc	tggaaagggtg	tggcttacgg	atcacagctc	960
ccttgatgcc	acttggcaag	acactgcctt	gtgggctcac	caagacttac	acattcaggt	1020
taaatgagca	tccaagcaat	aattggagcc	cccagctgag	ttactttgag	tatcgaaggt	1080
tactgcggaa	tctcacagcc	ctccgcaccc	gagctacata	tggagaatac	agtactgggt	1140
acattgacaa	tgtgaccctg	atttcagccc	gcctgtctc	tggagcccca	gcaccctggg	1200
ttgaacagtg	tatatgtcct	gttgggtaca	aggggcaatt	ctgccaggat	tgtgtctctg	1260
gctacaagag	agattcagcg	agactggggc	cttttggcac	ctgtattcct	tgttaactgtc	1320
aagggggagg	ggcctgtgat	ccagacacag	gagattgtta	ttcaggggat	gagaatcctg	1380
acattgagtg	tgtgactgc	ccaattgggt	tctacaacga	tccgcacgac	ccccgcagct	1440
gcaagccatg	tccctgtcat	aacgggttca	gctgctcagt	gatgccggag	acggaggagg	1500
tgggtgtgcaa	taactgccct	cccgggggtca	ccggtgcccg	ctgtgagctc	tgtgtctgatg	1560
gctacttttg	ggaccccttt	ggtgaacatg	gcccagtgag	gccttgtcag	ccctgtcaat	1620
gcaacaacaa	tgtggacccc	agtgcctctg	ggaattgtga	ccggctgaca	ggcagggtgtt	1680
tgaagtgtat	ccacaacaca	gccggcatct	actgcgacca	gtgcaaagca	ggctacttcg	1740
gggacccatt	ggctcccaac	ccagcagaca	agtgtcgagc	ttgcaactgt	aaccccatgg	1800
gctcagagcc	tgtaggatgt	cgaagtgatg	gcacctgtgt	ttgcaagcca	ggatttgggtg	1860
gccccaaactg	tgagcatgga	gcattcagct	gtccagcttg	ctataatcaa	gtgaagattc	1920
agatggatca	gtttatgcag	cagcttcaga	gaatggaggc	cctgatttca	aaggctcagg	1980
gtgggtgatgg	agtagtacct	gatacagagc	tggaaaggcag	gatgcagcag	gctgagcagg	2040
cccttcagga	cattctgaga	gatgccccaga	tttcagaagg	tgttagcaga	tcccttgggtc	2100
tccagttggc	caaggtgagg	agccaagaga	acagctacca	gagccgcctg	gatgacctca	2160
agatgactgt	ggaaagagtt	cgggctctgg	gaagtcagta	ccagaaccga	gttcgggata	2220

ctcacaggct	catcactcag	atgcagctga	gcctggcaga	aagtgaagct	tccttgggaa	2280
acactaacat	tcctgcctca	gaccactacg	tggggccaaa	tggctttaaa	agtctggctc	2340
aggaggccac	aagattagca	gaaagccacg	ttgagtcagc	cagtaacatg	gagcaactga	2400
caagggaaac	tgaggactat	tccaaacaag	ccctctcact	ggtgcgcaag	gccctgcatg	2460
aaggagtcgg	aagcggaagc	ggtagcccgg	acggtgctgt	ggtgcaaggg	cttgtggaaa	2520
aattggagaa	aaccaagtcc	ctggcccagc	agttgacaag	ggaggccact	caagcggaag	2580
ttgaagcaga	taggtcttat	cagcacagtc	tccgcctcct	ggattcagtg	tctcggttc	2640
agggagtcag	tgatcagtc	tttcagggtg	aagaagcaaa	gaggatcaaa	caaaaagcgg	2700
attcactctc	aagcctggta	accaggcata	tggatgagtt	caagcgtaca	cagaagaatc	2760
tgggaaactg	gaaagaagaa	gcacagcagc	tcttacagaa	tggaaaaagt	gggagagaga	2820
aatcagatca	gctgctttcc	cgtgccaatc	ttgctaaaag	cagagcacia	gaagcactga	2880
gtatgggcaa	tgccactttt	tatgaagttg	agagcatcct	taaaaacctc	agagagtttg	2940
acctgcaggt	ggacaacaga	aaagcagaag	ctgaagaagc	catgaagaga	ctctcctaca	3000
tcagccagaa	ggtttcagat	gccagtga	agaccagca	agcagaaaga	gccctgggga	3060
gcgctgctgc	tgatgcacag	agggcaaaga	atggggccgg	ggaggccctg	gaaatctcca	3120
gtgagattga	acaggagatt	gggagtctga	acttggaagc	caatgtgaca	gcagatggag	3180
ccttggccat	ggaaaaggga	ctggcctctc	tgaagagtga	gatgaggga	gtggaaggag	3240
agctggaaag	gaaggagctg	gagtttgaca	cgaatatgga	tgcagtacag	atggtgatta	3300
cagaagccca	gaaggttgat	accagagcca	agaacgctgg	ggttacaatc	caagacacac	3360
tcaacacatt	agacggcctc	ctgcatctga	tggaccagcc	tctcagtgtg	gatgaagagg	3420
ggctggtctt	actggagcag	aagctttccc	gagccaagac	ccagatcaac	agccaactgc	3480
ggcccatgat	gtcagagctg	gaagagaggg	cacgtcagca	gaggggccac	ctccatttgc	3540
tggagacaag	catagatggg	attctggctg	atgtgaagaa	cttgagagaa	attagggaca	3600
acctgcccc	aggctgctac	aatacccagg	ctcttgagca	acagtgaagc	tgccataaat	3660
atttctcaac	tgaggttctt	gggatacaga	tctcagggct	cgggagccat	gtcatgtgag	3720
tgggtgggat	ggggacattt	gaacatgttt	aatgggtatg	ctcaggtcaa	ctgacctgac	3780
ccattctctg	atcccatggc	caggtgggtg	tcttatttga	ccatactcct	tgcttctctga	3840
tgctgggcaa	tgaggcagat	agcactgggt	gtgagaatga	tcaaggatct	ggaccccaaa	3900
gaatagactg	gatggaaaga	caaactgcac	aggcagatgt	ttgcctcata	atagtcgtaa	3960
gtggagtcc	ggaatttggg	caagtgtgt	tgggatatag	tcaacttatt	ctttgagtaa	4020
tgtgactaaa	ggaaaaaact	ttgactttgc	ccaggcatga	aattcttcct	aatgtcagaa	4080
cagagtgcac	cccagtcaca	ctgtggccag	taaaatacta	ttgcctcata	ttgtcctctg	4140
caagcttctt	gctgatcaga	gttctctcta	cttacaaccc	aggggtgtga	catgttctcc	4200
attttcaagc	tggagaaggt	gagcagtgtt	ggagtgaaga	cctgtaaggc	aggcccatc	4260
agagctatgg	tgcttgctgg	tgctgcccac	cttcaagttc	tggacctggg	catgacatcc	4320
tttcttttaa	tgatgccatg	gcaacttaga	gattgcattt	ttattaaagc	atttctctacc	4380
agcaaagcaa	atgttgggaa	agtatttact	ttttcggttt	caaagtgata	gaaaagtgtg	4440
gcttgggcat	tgaagaggt	aaaattctct	agatttatta	gtcctaattc	aatcctactt	4500
ttagaacacc	aaaaatgatg	cgcatacatg	tattttatct	tattttctca	atctcctctc	4560
tctttctctc	accataata	agagaatgtt	cctactcaca	cttcagctgg	gtcacatcca	4620
tcctctcatt	catecttcca	tccatctttc	catccattac	ctccatccat	ccttccaaca	4680
tatatattat	gagtacctac	tgtgtgccag	gggctgggtg	gacagtgggtg	acatagtctc	4740
tgccctcata	gagttgattg	tctagtgaag	aagacaagca	tttttaaaaa	ataaatttaa	4800
acttacaac	tttgtttgtc	acaagtgggtg	tttattgcaa	taaccgcttg	gttttgaacc	4860
tctttgtctc	acagaacata	tgttgcaaga	ccctcccatg	ggggcacttg	agttttggca	4920
aggctgacag	agctctgggt	tgtgcacatt	tctttgcatt	ccagctgtca	ctctgtgcct	4980
ttctacaact	gattgcaaca	gactgttgag	ttatgataac	accagtggga	attgctggag	5040
gaaccagagg	cacttcacc	ttggctggga	agactatggg	gctgccttgc	ttctgtatct	5100
ccttggaatt	tctgaaagt	gttttttaaat	aaagaacaat	tgttagaaaa	aaaaaa	5156

<210> 131

<211> 671

<212> DNA

<213> Homo sapien

<400> 131
 aggtctggag ggcccacagc cggatgtggg acaccgggaa aaagtgggtca tagcacacat 60
 ttttgcaccc cggttgcagt gtgttgacaga cgaagtcctc ttgctcgtca cccacactt 120
 cctgggcagc caycacgagg atcatgactc ggaaaataaa gatgactgtg atccacacct 180
 tcccgatgct ggtggagtggt ttgttgacac ccccgatgaa agtgtgcagc gtcccccaat 240
 ccattgcgct ggtttatccc tgagtcctgt ttccaacgac tgccagtgtt tcagacccaa 300
 agaatgaggg caagatccct ctgcgagggg ttccagacctc cttctcctac cccactggag 360
 tgcctagaag ccaatgggtg cacagtgatg atacgaatgt caatctttgc tgggtcagtg 420
 aggatgtcgc ctggaatatt caaattgaat tacagatgca tgaagagggc gtacaagtta 480
 gaatttttct ttgccatac agaaattggt tagccagatc ttctgtactt cttttccttc 540
 cctgacctt cctgtcctcc aggaaggagg gtcagccccg ttgcaaaac acaggatgcc 600
 cgtgacaccg gagacaggtc ttcttcaccg acaggaagtg ccttctgggtg cctgcacgtt 660
 ttaactgcta t 671

<210> 132

<211> 590

<212> DNA

<213> Homo sapien

<400> 132
 ctgaatggaa aagcttatgg ctctgtgatg atattagtga ccagcggaga tgataagctt 60
 cttggcaatt gcttaccac tgtgtcagc agtgggtcaa caattcactc cattgccttg 120
 ggttcactcg cagccccaaa tctggaggaa ttatcacgtc ttacaggagg tttaaagttc 180
 tttgttcag atatatcaaa ctccaatagc atgattgatg ctttcagttag aatttcctct 240
 ggaactggag acattttcca gcaacatatt cagcttgaaa gtacaggtga aaatgtcaaa 300
 cctcaccatc aattgaaaaa cacagtgcag gtggataata ctgtgggcaa cgacactatg 360
 tttctagtta cgtggcaggc cagtggctcct cctgagatta tattatttga tcctgatgga 420
 cgaaaatact acacaaataa ttttatcacc aatctaactt ttccgacagc tagtctttgg 480
 attccaggaa cagctaagcc tgggcactgg acttacaccc tgaacaatac ccatcattct 540
 ctgcaagccc tgaaagtgc agtgacctct cgcgcctcca actcagacct 590

<210> 133

<211> 581

<212> DNA

<213> Homo sapien

<400> 133
 aggtcctgtc cggggggcact gagaactccc tctggaattc ttgggggggtg ttggggagag 60
 actgtgggcc tggagataaa acttgtctcc tctaccacca ccctgtaccc tagcctgcac 120
 ctgtcctcat ctctgcaaag ttcagcttcc ttccccaggt ctctgtgcac tctgtcttgg 180
 atgctctggg gagctcatgg gtggaggagt ctccaccaga gggaggctca ggggactggg 240
 tgggccaggg atgaatattt gagggataaa aatttgttaa gagccaaaga attggtagta 300
 gggggagaac agagaggagc tgggctatgg gaaatgattt gaataatgga gctgggaata 360
 tggctggata tctggtacta aaaaagggtc tttaagaacc tacttcctaa tctcttcccc 420
 aatccaaacc atagctgtct gtccagtgtc ctcttcctgc ctccagctct gccccaggct 480
 cctcctagac tctgtccctg ggctagggca ggggaggagg gagagcaggg ttgggggaga 540
 ggctgaggag agtgtgacat gtggggagag gaccagacct c 581

<210> 134

<211> 4797

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (4797)

<223> n = A, T, C or G

<400> 134

cctgggacca	aagtgtctgcc	cagagctgag	ggtcctggag	ccacatgaga	aggcttctcc	60
ctgtgtacct	gtgcagcaca	gggtaggggtg	agtccactca	gctgtctagg	agaggacca	120
ggagcagcag	agacncgccca	agcctttact	cataccatat	tctgatcctt	ttccagcaaa	180
ttgtggctac	taatttgccc	cctgaagatc	aagatggctc	tggggatgac	tctgacaact	240
tctccggctc	aggtgcaggt	gaggttgtca	tgggggcccc	ccccacccaa	gacggcaaca	300
ggtcatgcct	gggggcagtg	gtcaggcagt	ctcctgtgtt	tactgagcat	gtactgagt	360
caccctgect	gcctgtctc	caccagctg	gctccaaagg	gcaatgctga	ggagaggaat	420
ggggctgtga	gctgctgtta	aggagagctc	atgcttggag	gtgaggtgaa	ggctgtgagc	480
tccagaaggc	cccaggggcg	nctgctgcac	gcaggctcat	attcactagg	aatagcttta	540
ctcactaaga	aacctctgga	accccttca	gaaggttatt	tgactcctga	gcctctattt	600
tctcatctgc	aaaatgggaa	taataccttg	acctgataag	cttgtggagc	tgtaaggcag	660
cacagagcca	gctgggggtg	agctcttcca	tccaagctcc	cttccttact	tcccccttcc	720
tgtggggact	gggggagaga	agtccctgag	ctggaggtgg	tcagggaagc	ttcacagagg	780
aggtggctct	tgagtggacc	tcaggaagag	gggtgagaga	gctaagggaag	gaggctgagg	840
tcacccctgg	ggaagtgacc	tagcggaggc	ctgagagctg	caaggtagga	tatctgttgt	900
tggaaagtgtc	tggtgttgga	agtggggggc	tttttttcag	ggaggggtgg	gccagagaag	960
tgtgtgcctt	gggataagta	ggataaccac	agtagttatg	cccctaaggg	atgccacccc	1020
caccctgtg	gtcacagaaa	agctttccca	ggtggcctag	gcacctgtct	cggtggctcca	1080
gagacaggct	gcacctgaca	cacacaatgg	aaggacagct	ctccttgtcc	attttccaag	1140
gagcttagcc	tcagctgcct	tgtccaggta	ctagcctccc	tcatagcctg	agcttggcca	1200
gcccagggtgc	tctggagcct	cccccgaccc	acccaacaca	ctctgcttct	ggtcctcccc	1260
acccccacc	tccccaacac	actctgcttc	tggtcctgca	gggtgcttgc	aagatatcac	1320
cttgtcacag	cagaccccc	ccacttggaa	ggacacgcag	ctcctgacgg	ctattcccac	1380
gtctccagaa	cccaccggcc	tggaggctac	agctgcctcc	acctccaccc	tgccggctgg	1440
agagggggccc	aaggaggggag	aggctgtagt	cctgccagaa	gtggagcctg	gcctcaccgc	1500
ccgggagcag	gaggccaccc	cccagcccag	ggagaccaca	cagctcccga	ccactcatca	1560
ggcctcaacg	accacagcca	ccacggccca	ggagcccgcc	acctccaccc	cccacaggga	1620
catgcagcct	ggccaccatg	agacctcaac	ccctgcagga	cccagccaag	ctgaccttca	1680
cactccccac	acagaggatg	gaggtccttc	tgccaccgag	agggctgctg	aggatggagc	1740
ctccagtcag	ctccagcag	cagagggctc	tggggagcag	gtgagtggcc	tctgcattcc	1800
ttgggaaatt	gagtgggttg	gtcctaattg	ctggcacttg	gcaggcccta	cacctgtgcc	1860
ctgcgcgatc	tcgtattcct	caccaggaag	acagggcaca	ggggccgcct	tccccacccc	1920
ccagggcctc	gcagagcagg	acagactaac	tatgagatca	gagcagaagc	acctttaaag	1980
atcacccaag	agagggctcc	caaactcaca	atccaaactt	gcagccctcg	tcgaagagt	2040
aacgttatac	cagtcatttt	atttatagct	tcgtggattt	acgcttacac	taaatagtct	2100
gctattcata	caaaatgtgt	gctttgtatc	actttttgtg	atatccatgc	catgggtccag	2160
ccagggtccg	gagttgatgt	ggcaagaagg	cctggctttc	gggcctgtg	cgatcctggt	2220
ttgggtgcat	ctgagtgggt	gggtggcaaag	atcaggggag	caggagctgc	ttctgggtct	2280
gtagtggagc	tggttgctgc	tgctggcggt	gacctggcca	acccaatctg	ccctgccc	2340
cccacaggac	ttcacctttg	aaacctcggt	ggagaatacg	gctgtagtgg	ccgtggagcc	2400
tgaccgccgg	aaccagtccc	cagtggatca	gggggcccag	ggggcctcac	agggcctcct	2460
ggacaggaaa	gaggtgctgg	gaggtgagtt	ttctttcagg	ggggtagttt	ggggtgaatt	2520
gctgctgtgg	ggtcagggtg	gggctgacca	cagccaaggc	cactgctttg	ggagggctctg	2580
cacgagagcc	caaggagccg	ctgagctgag	ctggccccgt	ctacctgccc	taggggtcat	2640
tgccggaggc	ctcgtggggc	tcactctttg	tgtgtgcctg	gtgggtttca	tgctgtaccg	2700
catgaagaag	aaggacgaag	gcagctactc	cttgaggagg	ccgaaacaag	ccaacggcgg	2760
ggcctaccag	aagcccacca	aacaggagga	attctatgcc	tgacgcggga	gccatgcgcc	2820
ccctccgccc	tgccactcac	taggccccca	cttgccctct	ccttgaagaa	ctgcaggccc	2880
tggcctcccc	tgccaccagg	ccacctcccc	agcattccag	cccctctggt	cgctcctgcc	2940
cacggagtcg	tgggtgtgct	gggagctcca	ctctgcttct	ctgacttctg	cctggagact	3000
tagggcacca	ggggtttctc	gcataggacc	tttccaccac	agccagcacc	tggcatcgca	3060

ccattctgac	tcggtttctc	caaactgaag	cagcctctcc	ccaggtccag	ctctggaggg	3120
gagggggatc	cgactgcttt	ggacctaaat	ggcctcatgt	ggctggaaga	tcctgcggggt	3180
ggggcttggg	gctcacacac	ctgtagcact	tactggtagg	accaagcatc	ttgggggggt	3240
ggccgctgag	tggcagggga	caggagtcac	tttgtttcgt	ggggaggtct	aatctagata	3300
tcgacttggt	tttgacacatg	tttcctctag	ttctttgttc	atagcccagt	agaccttggt	3360
acttctgagg	taagttaagt	aagttgattc	ggtatccccc	catcttgctt	ccctaatacta	3420
tggtcgggag	acagcatcag	ggttaagaag	actttttttt	ttttttttta	actaggagaa	3480
ccaaatctgg	aagccaaaat	gtaggcttag	tttgtgtgtt	gtctcttgag	tttgtcgctc	3540
atgtgtgcaa	cagggtatgg	actatctgtc	tgggtggccc	gttctgggtg	tctgttggca	3600
ggctggccag	tccaggctgc	cgtggggccg	cgccctcttt	caagcagtcg	tgccctgtgtc	3660
catgcgctca	gggccatgct	gaggcctggg	ccgctgccac	gttggaaga	cccgtgtgag	3720
aagtgaatgc	tgggactcag	ccttcagaca	gagaggactg	tagggagggc	ggcagggggc	3780
tggagatcct	cctgcaggct	cacgcccgtc	ctcctgtggc	gccgtctcca	ggggctgctt	3840
cctcctggaa	attgacgagg	ggtgtcttgg	gcagagctgg	ctctgagcgc	ctccatccaa	3900
ggccagggtc	tccgttagct	cctgtggccc	caccctgggc	cctgggctgg	aatcaggaat	3960
attttccaaa	gagtgatagt	cttttgcttt	tggcaaaact	ctacttaatc	caatgggttt	4020
ttccctgtac	agtagatttt	ccaaatgtaa	taaactttta	tataaagtag	tctgtgaatg	4080
ccactgcctt	cgcttcttgc	ctctgtgctg	tgtgtgacgt	gaccggactt	ttctgcaaac	4140
accaacatgt	tgggaaactt	ggctcgaatc	tctgtgcctt	cgtctttccc	atggggaggg	4200
attctgggtc	cagggtccct	ctgtgtattt	gcttttttgt	tttggctgaa	attctcctgg	4260
aggtcggtag	gttcagccaa	ggttttataa	ggctgatgtc	aatttctgtg	ttgccaaagct	4320
ccaagcccat	cttctaaatg	gcaaagggaag	gtggatggcc	ccagcacagc	ttgacctgag	4380
gctgtggtca	cagcggagggt	gtggagccga	ggcctacccc	ncagacacct	tggacatcct	4440
cctcccaccc	ggctgcagag	gccaganncc	agcccagggt	cctgcactta	cttgcttatt	4500
tgacaacggt	tcagcgactc	cgttggccac	tccgagagtg	ggccagtctg	tggatcagag	4560
atgcaccacc	aagccaagggt	aacctgtgtc	cggatttcga	tactgcgact	ttctgcctgg	4620
agtgtatgac	tgacatgac	tcgggggtgg	ggaaaggggt	cggctgacca	tgctcatctg	4680
ctggtccgtg	ggacggtncc	caagccagag	gtgggttcat	ttgtgtaacg	acaataaacg	4740
gtacttggtca	tttcggggcaa	cggctgctgt	ggtggtggtt	gagtctcttc	ttggcct	4797

<210> 135

<211> 2856

<212> DNA

<213> Homo sapien

<400> 135

tagtcgcggg	tccccgagtg	agcacgccag	ggagcaggag	accaaacgac	gggggtcgga	60
gtcagagtcg	cagtgggagt	ccccggaccg	gagcacgagc	ctgagcggga	gagcgccgct	120
cgcacgcccc	tcgccacccg	cgtacccggc	gcagccagag	ccaccagcgc	agcgtgcca	180
tggagcccag	cagcaagaag	ctgacgggtc	gcctcatgct	ggctgtggga	ggagcagtgc	240
ttggctccct	gcagtttggc	tacaacactg	gagtcatcaa	tgccccccag	aagggtgatcg	300
aggagttcta	caaccagaca	tgggtccacc	gctatgggga	gagcatcctg	cccaccacgc	360
tcaccacgct	ctgggtccctc	tcagtggcca	tcttttctgt	tgggggcatg	attggctcct	420
tctctgtggg	ccttttctgt	aaccgctttg	gccggcgga	ttcaatgctg	atgatgaacc	480
tgctggcctt	cgtgtccgcc	gtgctcatgg	gcttctcgaa	actgggcaag	tcctttgaga	540
tgctgatcct	gggcccgttc	atcatcggtg	tgtactgcgg	cctgaccaca	ggcttcgtgc	600
ccatgtatgt	gggtgaagtg	tcaccacacg	cctttctgtg	ggccttgggc	accctgcacc	660
agctgggcat	cgtcgtcggc	atcctcatcg	cccaggtgtt	cggcctggac	tccatcatgg	720
gcaacaagga	cctgtggccc	ctgctgctga	gcacatctt	catcccggcc	ctgctgcagt	780
gcacgtgct	gcccttctgc	cccagagagtc	cccgttctct	gctcatcaac	cgcaacgagg	840
agaaccgggc	caagagtgtg	ctaaagaagc	tgcgcgggac	agctgacgtg	accatgacc	900
tgcaggagat	gaagggaagag	agtcggcaga	tgatgcggga	gaagaagggtc	accatcctgg	960
agctgttccg	ctcccccgcc	taccgccagc	ccatcctcat	cgtgtgtgtg	ctgcagctgt	1020
cccagcagct	gtctggcatc	aacgctgtct	tctattactc	cacgagcatc	ttcgagaagg	1080
cgggggtgca	gcagcctgtg	tatgccacca	ttggctccgg	tatcgtcaac	acggccttca	1140

ctgtcgtgtc	gctgtttgtg	gtggagcgag	caggccggcg	gaccctgcac	ctcataggcc	1200
tcgctggcat	ggcgggttgt	gccatactca	tgaccatcgc	gctagcactg	ctggagcagc	1260
taccctggat	gtcctatctg	agcatcgtgg	ccatcttttg	ctttgtggcc	ttctttgaag	1320
tgggtcctgg	ccccatccca	tggttcatcg	tggctgaact	cttcagccag	ggtccacgtc	1380
cagctgccat	tgccgttgca	ggcttctcca	actggacctc	aaatttcatt	gtgggcatgt	1440
gcttccagta	tgtggagcaa	ctgtgtggtc	cctacgtctt	catcatcttc	actgtgctcc	1500
tggttctgtt	cttcatcttc	acctacttca	aagttcctga	gactaaagge	cggaccttcg	1560
atgagatcgc	ttccggcttc	cggcaggggg	gagccagcca	aagtgataag	acacccgagg	1620
agctgttcca	tccctggggg	gctgattccc	aagtgtgagt	cgcccagat	caccagcccg	1680
gcctgtctcc	agcagcccta	aggatctctc	aggagcacag	gcagctggat	gagacttcca	1740
aacctgacag	atgtcagccg	agccgggcct	ggggctcctt	tctccagcca	gcaatgatgt	1800
ccagaagaat	attcaggact	taacggctcc	aggattttta	caaaagcaag	actgttgctc	1860
aaatctattc	agacaagcaa	caggttttat	aattttttta	ttactgattt	tgttattttt	1920
atatcagcct	gagtctcctg	tgccacatc	ccaggcttca	cctgaatgg	ttccatgcct	1980
gaggggtggag	actaagccct	gtcgagacac	ttgccttctt	caccagcta	atctgtaggg	2040
ctggacctat	gtcctaagga	cacactaatc	gaactatgaa	ctacaaagct	tctatcccag	2100
gaggtggcta	tggccacccg	ttctgctggc	ctggatctcc	ccactctagg	ggtcaggctc	2160
cattaggatt	tgccccttcc	catctcttcc	tacccaacca	ctcaaattaa	tctttcttta	2220
cctgagacca	gttgggagca	ctggagtgca	gggaggagag	gggaagggcc	agtctgggct	2280
gccgggttct	agtctccttt	gcactgaggg	ccacactatt	accatgagaa	gagggcctgt	2340
gggagcctgc	aaactcactg	ctcaagaaga	catggagact	cctgccctgt	tgtgtataga	2400
tgcaagatat	ttatatatat	ttttggttgt	caatattaaa	tacagacact	aagtatatagt	2460
atatctggac	aagccaactt	gtaaatacac	cacctcactc	ctgttactta	cctaaacaga	2520
tataaatggc	tggtttttag	aaacatggtt	ttgaaatgct	tgtggattga	gggtaggagg	2580
tttggatggg	agtgagacag	aagtaagtgg	ggttgcaacc	actgcaacgg	cttagacttc	2640
gactcaggat	ccagtcctct	acacgtacct	ctcatcagtg	tcctcttgct	caaaaatctg	2700
tttgatccct	gttaccacga	gaatatatac	attctttatc	ttgacattca	aggcatttct	2760
atcacatatt	tgatagtgtg	tgttcaaaaa	aacactagtt	ttgtgccagc	cgtgatgctc	2820
aggcttga	tcgcattatt	ttgaatgtga	aggga			2856

<210> 136

<211> 356

<212> DNA

<213> Homo sapien

<400> 136

ggtggagcca	aatgaagaaa	atgaagatga	aagagacaga	cacctcagtt	tttctggatc	60
aggcattgat	gatgatgaag	attttatctc	cagcaccatt	tcaaccacac	cacgggcttt	120
tgaccacaca	aaacagaacc	aggactggac	tcagtggaac	ccaagccatt	caaatecgga	180
agtgtacttt	cagacaacca	caaggatgac	tgatgtagac	agaaatggca	ccactgctta	240
tgaaggaaac	tggaacccag	aagcacaccc	tccctcatt	caccatgagc	atcatgagga	300
agaagagacc	ccacattcta	caagcacaat	ccaggcaact	cctagtagta	caacgg	356

<210> 137

<211> 356

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (356)

<223> n = A,T,C or G

<400> 137

gcagggtggag	aagacatttt	attgttcctg	gggtctctgg	aggccattg	gtggggctgg	60
-------------	------------	------------	------------	-----------	------------	----

gtcactggct	gcccccgga	cagggcgctg	ctccatggct	ctgcttgtgg	tagtctgtgg	120
ctatgtctcc	cagcaaggac	agaaactcag	aaaaatcaat	cttcttatcc	tcattcttgt	180
cctttttctc	aaagacatcg	gcgaggtaat	ttgtgccctt	tttacctcgg	cccgcgacca	240
cgctaaggcc	aaanttccag	acanayggcc	gggccggtn	nataggggan	cccaacttgg	300
ggacccaaac	tctggcgcg	aaacacang	gcataagctt	gnttctctgt	gggaaa	356

<210> 138
 <211> 353
 <212> DNA
 <213> Homo sapien

<400> 138						
aggteccagt	ctccacttgg	cctgatgaga	gtggggagtg	gcaagggacg	tttctcctgc	60
aatagacact	tagatttctc	tcttgtggga	agaaaccacc	tgtccatcca	ctgactcttc	120
tacattgatg	tggaaattgc	tgtgtctacc	accacctcct	gaagaggctt	ccctgatgcc	180
aatgccagcc	atcttggcat	cctggccctc	gagcaggctg	cggtaagtag	cgatctcctg	240
ctccagccgt	gtctttatgt	caagcagcat	cttgtactcc	tggttctgag	cctccatctc	300
gcateggagc	tcactcagac	ctcgscgsg	mssmcgctam	gccgaattcc	agc	353

<210> 139
 <211> 371
 <212> DNA
 <213> Homo sapien

<400> 139						
agcgtggctg	cggccgaggt	ccatccgaag	caagattgca	gatggcagtg	tgaagagaga	60
agacatatcc	tacacttcaa	agctttgggtg	caattcccat	cgaccagagt	tggtcgacc	120
agccttggaa	aggteactga	aaaatcttca	attggattat	gttgacctct	accttattca	180
ttttccagtg	tctgtaaagc	caggtgagga	agtgatccca	aaagatgaaa	atggaaaaat	240
actatttgac	acagtggatc	tctgtgccac	gtgggaggcc	gtggagaagt	gtaaagatgc	300
aggattggac	ctgccccggg	ggccgctcga	aagccgaatt	ccagcacact	ggcggccgtt	360
actagtggat	c					371

<210> 140
 <211> 370
 <212> DNA
 <213> Homo sapien

<400> 140						
tagcgtggct	gcggccgagg	tccatctccc	tttgggaact	agggggctgc	tgggtgggaaa	60
tgggagccag	ggcagatggt	gcattccttt	gtgtccctgt	aaatgtggga	ctacaagaag	120
aggagctgcc	tgagtggtag	tttctcttcc	tggtaatcct	ctggcccagc	ctcatggcag	180
aatagaggta	tttttaggct	atttttgtaa	tatggcttct	ggtcaaaatc	cctgtgtagc	240
tgaattccca	agccctgcat	tgtacagccc	cccactcccc	tcaccaccta	ataaagggaat	300
agttaacact	caaaaaaaaa	aaaaaacctg	cccgggcggc	cgctcgaaa	ccgaattcca	360
gcacactggc						370

<210> 141
 <211> 371
 <212> DNA
 <213> Homo sapien

<400> 141						
tagcgtggct	gcggccgagg	tcctctgtgc	tgctgtcac	agcccgatgg	taccagcgca	60
gggtgtaggc	agtgcaggag	ccctcatcca	gtggcaggga	acagggttca	tcactatccc	120

aaggagcttc	agggtcctgg	tactcctcca	cagaatactc	ggagtattca	gagtactcat	180
catcctcagg	gggtaccgcg	tcttcctcct	ctgcatgaga	gacgcggagc	acaggcacag	240
catggagctg	ggagccggca	gtgtctgcag	cataactagg	gaggggtcgt	gatccagatg	300
cgatgaactg	gcctggcgag	gcacagtgtc	gactcatctc	ttggcgacct	gcccgggcgg	360
ccgctcgaag	c					371

<210> 142

<211> 343

<212> DNA

<213> Homo sapien

<400> 142

gcgtttttgag	gccaatggtg	taaaaggaaa	tatcttcaca	taaaaactag	atggaagcat	60
tgtcagaaac	ctctttgtga	tgtttgcttt	caactcacag	agttgaacat	tccttttcat	120
agagcagttt	tgaacactc	ttttgtagaa	tttgcaagcg	gatgattgga	tcgctatgag	180
gtcttcattg	gaaacgggat	acctttacat	aaaaactaga	cagtagcatt	ctcagaaatt	240
tctttgggat	gtgggcattc	aaccacaga	ggagaacttc	atgtgataga	gcagttttga	300
aacacccttt	ttgtagaatc	tacaggtgga	catttagagt	gct		343

<210> 143

<211> 354

<212> DNA

<213> Homo sapien

<400> 143

aggtctgatg	gcagaaaaac	tcagactgtc	tgcaacttta	cagatgggtgc	attggttcag	60
catcaggagt	gggatgggaa	ggaaagcaca	ataacaagaa	aattgaaaga	tgggaaatta	120
gtgggtggagt	gtgtcatgaa	caatgtcacc	tgtactcgga	tctatgaaaa	agtagaataa	180
aaattccatc	atcacttttg	acaggagtta	attaagagaa	tgaccaagct	cagttcaatg	240
agcaaattct	catactgttt	ctttcttttt	tttttcatta	ctgtgttcaa	ttatctttat	300
cataaacatt	ttacatgcag	ctatttcaaa	gtgtgttgga	ttaattagga	tcatt	354

<210> 144

<211> 353

<212> DNA

<213> Homo sapien

<400> 144

ggtcaaggac	ctggggggacc	cccagggtcca	gcagccacat	gattctgcag	cagacagggga	60
cctagagcac	atctggatct	cagccccacc	cctggcaacc	tgctgccta	gagaactccc	120
aagatgacag	actaagtagg	attctgccat	ttagaataat	tctggtatcc	tgggcgttgc	180
gttaagtgtc	ttaaactttca	ttctgtctta	cgatagtctt	cagaggtggg	aacagatgaa	240
gaaaccatgc	cccagagaag	gttaagtgtc	ttcctcttta	tggagccagt	gttccaacct	300
aggtttgcct	gataccagac	ctgtggcccc	acctcccatt	caggtctctg	tgg	353

<210> 145

<211> 371

<212> DNA

<213> Homo sapien

<400> 145

caggtctgtc	ataaactggt	ctggagtttc	tgacgactcc	ttgttcacca	aatgcaccat	60
ttcctgagac	ttgctggcct	ctccgttgag	tccacttggc	tttctgtcct	ccacagctcc	120
attgccactg	ttgatcacta	gctttttctt	ctgccccacac	cttcttcgac	tggtgactgc	180
aatgcaaact	gcaagaatca	aagccaaggc	caagagggat	gccaagatga	tcagccattc	240

tggaatttgg ggtgtcctta taggaccaga ggttgtgttt gctccacctt cttgactccc	300
atgtgagacc tcggccgcga ccacgctaag ccgaattcca gcacactggc ggccccgttac	360
tagtggatcc g	371

<210> 146
 <211> 355
 <212> DNA
 <213> Homo sapien

<400> 146	
ggctcctcgt cctcttccca gaggtgtcgg ggcttggccc cagcctccat cttcgtctct	60
caggatggcg agtagcagcg gctccaaggc tgaattcatt gtcggaggga aatataaaact	120
ggtacggaag atcgggtctg gctccttcgg ggacatctat ttggcgatca acatcaccaa	180
cggcgaggaa gtggcagtga agctagaatc tcagaaggcc aggcaccccc agttgctgta	240
cgagagcaag ctctataaga ttcttcaagg tggggttggc atcccccaac tacggtggta	300
tggtcaggaa aaagactaca atgtactagt catggatctt ctgggaccta gcctc	355

<210> 147
 <211> 355
 <212> DNA
 <213> Homo sapien

<400> 147	
ggtctgttac aaaatgaaga cagacaacac aacatttact ctgtggagat atcctactca	60
tactatgcac gtgctgtgat tttgaacata actcgtccca aaaacttgtc acgatcatcc	120
tgacttttta ggttggctga tccatcaatc ttgcactcaa ctgttacttc tttcccagtg	180
ttgttaggag caaagctgac ctgaacagca accaatggct gtagataccc aacatgcagt	240
tttttcccat aatatgggaa atattttaag tctatcattc cattatgagg ataaactgct	300
acatttggta tatcttcatt ctttgaaaca caatctatcc ttggcactcc ttcag	355

<210> 148
 <211> 369
 <212> DNA
 <213> Homo sapien

<400> 148	
aggtctctct cccctctccc ctctcctgcc agccaagtga agacatgctt acttccccctt	60
caccttccct catgatgtgg gaagagtgtc gcaaccacgc cctagccaac accgcatgag	120
agggagtgtg ccgagggctt ctgagaaggc ttctctcaca tctagaaaga agcgcttaag	180
atgtggcagc cctctctctt caagtggctc ttgtcctgtt gccctgggag ttctcaaatt	240
gctgcagcag cctccatcca gcctgaggat gacatcaata cacagaggaa gaagagtcag	300
gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag	360
acttcttca	369

<210> 149
 <211> 620
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(620)
 <223> n = A,T,C or G

<400> 149

actagtcaaa	aatgctaaaa	taatttgga	gaaaatattt	tttaagtagt	gttatagttt	60
catgtttatc	ttttattatg	ttttgtgaag	ttgtgtcttt	tcactaatta	cctatactat	120
gccaatattt	ccttatatct	atccataaca	tttatactac	atttgtaana	naatatgcac	180
gtgaaactta	acactttata	aggtaaaaa	gaggtttcca	anatttaata	atctgatcaa	240
gttcttggtta	tttccaaata	gaatggactt	ggtctgttaa	gggctaagga	gaagaggaag	300
ataagggttaa	aagttgttaa	tgaccaaaca	ttctaaaaga	aatgcaaaaa	aaaagtttat	360
tttcaagcct	tcgaactatt	taaggaaagc	aaaatcattt	cctaaatgca	tatcatttgt	420
gagaatttct	cattaatatc	ctgaatcatt	catttcacta	aggctcatgt	tnactccgat	480
atgtctctaa	gaaagtacta	tttcatggtc	caaacctggt	tgccatantt	gggtaaaggc	540
tttcccttaa	gtgtgaaant	atttaaaatg	aaattttcct	ctttttaaaa	attctttana	600
aggggttaagg	gtgttgggga					620

<210> 150

<211> 371

<212> DNA

<213> Homo sapien

<400> 150

ggtcgatca	aaacctgcta	cctccccaag	actttactag	tgccgataaa	ctttctcaaa	60
gagcaaccag	tatcacttcc	ctgtttataa	aacctctaac	catctctttg	ttctttgaac	120
atgctgaaaa	ccacctgggc	tgcatgtatg	cccgaatttg	yaattctttt	ctctcaaatg	180
aaaattttaat	tttagggatt	catttctata	ttttcacata	tgtagtatta	ttatttcctt	240
atatgtgtaa	gggtgaaattt	atggtatttg	agtgtgcaag	aaaatatatt	tttaaagctt	300
tcatttttcc	cccagtgaat	gatttagaat	tttttatgta	aatatacaga	atgttttttc	360
ttacttttat	a					371

<210> 151

<211> 4655

<212> DNA

<213> Homo sapien

<400> 151

gggacttgag	ttctgttate	ttcttaagta	gattcatatt	gtaagggtct	cggggtgggg	60
gggttgga	aatcctggag	ccagaagaaa	ggacagcagc	attgatcaat	cttacagcta	120
acatgttgta	cctggaaaac	aatgccaga	ctcaatttag	tgagccacag	tacacgaacc	180
tggggctcct	gaacagcatg	gaccagcaga	ttcagaacgg	ctcctcgctc	accagtcctt	240
ataacacaga	ccacgcgcag	aacagcgtea	cggcgccctc	gccctacgca	cagcccagct	300
ccaccttcga	tgtctctctt	ccatcacccg	ccatcccttc	caacaccgac	taccagggcc	360
cgcacagttt	cgacgtgtcc	ttccagcagt	cgagcaccgc	caagtcggcc	acctggacgt	420
attccactga	actgaagaaa	ctctactgcc	aaattgcaaa	gacatgcccc	atccagatca	480
aggtgatgac	cccacctcct	cagggagctg	ttatccgcgc	catgcctgtc	tacaaaaaag	540
ctgagcacgt	cacggaggty	gtgaagcgg	gccccaaaca	tgagctgagc	cgtgaattca	600
acgagggaca	gattgcccc	ycatgtcatt	tgattcgagt	agaggggaac	agccatgccc	660
agtatgtaga	agatcccatc	acaggaagac	agagtgtgct	ggtaccttat	gagccacccc	720
aggttgga	tgaattcacg	acagtcttgt	acaatttcat	gtgtaacagc	agttgtgttg	780
gagggatgaa	ccgcggtcca	attttaatca	ttgttactct	ggaaaccaga	gatgggcaag	840
tcttgggccc	acgtgtcttt	gaggcccgga	tctgtgcttg	cccaggaaga	gacaggaagg	900
cggatgaaga	tagcatcaga	aagcagcaag	tttcggacag	tacaaagaac	ggtgatggta	960
cgaagcgc	gtttcgctcag	aacacacatg	gtatccagat	gacatccatc	aagaaacgaa	1020
gateccccaga	tgatgaactg	gtatacttac	cagtgaaggg	ccgtgagact	tatgaaatgc	1080
tggtgaagat	caaagagtcc	ctggaactca	tgagtagcct	tcttcagcac	acaattgaaa	1140
cgtacaggca	acagcaacag	cagcagcacc	agcacttact	tcagaaacag	acctcaatac	1200
agtctccatc	ttcatatggt	aacagctccc	cacctctgaa	caaaatgaac	agcatgaaca	1260
agctgccttc	tgtgagccag	cttatcaacc	ctcagcagcg	caacgccttc	actcctacaa	1320
ccattcctga	tggcatggga	gccaacattc	ccatgatggg	caccacatg	ccaatggctg	1380

gagacatgaa	tggactcage	cccacccagg	cactccctcc	cccactctcc	atgccatcca	1440
cctcccactg	cacaccccc	cctccgtatc	ccacagattg	cagcattgtc	agtttcttag	1500
cgagggtggg	ctgttcatca	tgtctggact	atttcacgac	ccaggggctg	accaccatct	1560
atcagattga	gcattactcc	atggatgate	tggcaagtct	gaaaatccct	gagcaatttc	1620
gacatgcgat	ctggaagggc	atcctggacc	accggcagct	ccacgaattc	tcttccccct	1680
ctcatctcct	gcggaccccc	agcagtgcct	ctacagtcag	tgtgggctcc	agtgaagacc	1740
ggggtgagcg	tgttattgat	gctgtgcgat	tcacccctcc	ccagaccatc	tctttccccc	1800
cccagatga	gtggaatgac	ttcaactttg	acatggatgc	tcgccgcaat	aagcaacagc	1860
gcatcaaaga	ggagggggag	tgagcctcac	catgtgagct	cttcttatcc	ctctcctaac	1920
tgccagcccc	ctaaaagcac	tctgtcttaa	tcttcaaagc	cttctcccta	gtccttcccc	1980
ttcctcttgt	ctgatttctt	aggggaagga	gaagtaagag	gcttacttct	taccctaacc	2040
atctgacctg	gcatctaatt	ctgattctgg	ctttaagcct	tcaaaactat	agcttgacga	2100
actgtagctt	gccatggcta	ggtagaagtg	agcaaaaaag	agttgggtgt	ctccttaagc	2160
tgcagagatt	tctcattgac	ttttataaag	catgttcacc	cttatagtct	aagactatat	2220
atataaatgt	ataaatatac	agtatagatt	tttgggtggg	gggcattgag	tattgtttta	2280
aatgtaattt	aaatgaaaga	aaattgagtt	gcacttattg	accatttttt	aatttacttg	2340
ttttggatgg	cttgtctata	ctccttccct	taaggggtat	catgtatggt	gataggatct	2400
tagagcttaa	tgtacatgt	gagtgaagat	gatgtacaga	ttctttcagt	tctttggatt	2460
ctaaatacat	gccacatcaa	acctttgagt	agatccattt	ccattgctta	ttatgtaggt	2520
aagactgtag	atatgtattc	ttttctcagt	gttggtatat	tttatattac	tgacatttct	2580
tctagtgatg	atgggtcacg	ttgggtgat	ttaatccagt	tataagaaga	agttcatgtc	2640
caaacgtcct	cttttagttt	tgggtgggaa	tgaggaaaat	tcttaaaaag	cccatagcag	2700
ccagttcaaa	aacacccgac	gtcatgtatt	tgagcatatc	agtaaccccc	ttaaatttaa	2760
taccagatac	cttatcttac	aatattgatt	gggaaaacat	ttgctgccat	tacagaggtg	2820
ttaaaactaa	atttcactac	tagattgact	aactcaaata	cacatttgct	actgttgtaa	2880
gaattctgat	tgatttgatt	gggatgaatg	ccatctatct	agttctaaca	gtgaagtgtt	2940
actgtctatt	aatattcagg	gtaaatagga	atcattcaga	aatgttgagt	ctgtactaaa	3000
cagtaagata	tctcaatgaa	ccataaattc	aactttgtaa	aaatcttttg	aagcatagat	3060
aatattgttt	ggtaaagtgt	tcttttggtt	ggtaaagtgt	tcttttaaag	accctcttat	3120
tctataaaac	tctgcatgta	gaggcttggt	tacctttctc	tctctaaggt	ttacaatagg	3180
agtgggtgatt	tgaaaaatat	aaaattatga	gattgggttt	cctgtggcat	aaattgcatc	3240
actgtatcat	tttctttttt	aaccggtaag	agtttcagtt	tgttggaag	taactgtgag	3300
aaccagttt	cccgctccatc	tcccttaggg	actaccata	gacatgaaag	gtccccacag	3360
agcaagagat	aagtctttca	tggctgctgt	tgcttaaacc	acttaaacga	agagtctcct	3420
tgaaactttg	ggaaaacatg	ttaatgacaa	tattccagat	ctttcagaaa	tataacacat	3480
ttttttgcat	gcatgcaaat	gagctctgaa	atcttcccat	gcattctggt	caagggtgt	3540
cattgcacat	aagcttccat	tttaatttta	aagtgcacaaa	gggccagcgt	ggctctaaaa	3600
ggtaatgtgt	ggattgcctc	tgaaaagtgt	gtatatattt	tgtgtgaaat	tgcatacttt	3660
gtattttgat	tatttttttt	ttcttcttgg	gatagtggga	tttcagaaac	cacacttgaa	3720
accttttttt	atcgtttttg	tattttcatg	aaaataccat	ttagttaaga	taccacatca	3780
aataagaaat	aatgctacaa	ttttaagagg	ggagggaagg	gaaagttttt	ttttttatta	3840
tttttttaaa	attttgtatg	ttaaagagaa	tgagtccttg	atttcaaagt	tttgttgtag	3900
ttaaatggta	ataagcactg	taaacttctg	caacaagcat	gcagctttgc	aaaccattta	3960
aggggaagaa	tgaaagctgt	tccttgggtc	tagtaagaag	acaaactgct	tcccttactt	4020
tgctgagggg	ttgaataaac	ctaggacttc	cgagctatgt	cagtactatt	caggtaaacac	4080
tagggccttg	gaaatccctg	tactgtgtct	catggatttg	gcactagcca	aagcgaggca	4140
ccccttactg	gcttacctcc	tcattggcagc	ctactctcct	tgagtgtatg	agtagccagg	4200
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagtctt	4260
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4320
ataaacagaa	atggaaagca	gagttttcat	taaactcttt	tacctttttt	ttttcttggt	4380
aatcccctaa	aataacagta	tgtgggatat	tgaatgttaa	agggatattt	ttttctatta	4440
tttttataat	tgtacaaaat	taagcaaatg	ttaaaagtgt	tatatgcttt	attaatgttt	4500
tcaaaaggta	ttatacatgt	gatacatttt	ttaagcttca	gttgcttgct	ttctggtagt	4560
ttctgttatg	ggcttttggt	gagccagaag	ccaactcaca	atctcttttt	gtttgccagg	4620
acatgcaata	aaatttataa	aataaataaa	aacta			4655

<210> 152
 <211> 586
 <212> PRT
 <213> Homo sapien

<400> 152

Met	Leu	Tyr	Leu	Glu	Asn	Asn	Ala	Gln	Thr	Gln	Phe	Ser	Glu	Pro	Gln
1				5				10						15	
Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser	Met	Asp	Gln	Gln	Ile	Gln	Asn
			20					25					30		
Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn	Thr	Asp	His	Ala	Gln	Asn	Ser
		35					40					45			
Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln	Pro	Ser	Ser	Thr	Phe	Asp	Ala
	50					55					60				
Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser	Asn	Thr	Asp	Tyr	Pro	Gly	Pro
65					70					75					80
His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln	Ser	Ser	Thr	Ala	Lys	Ser	Ala
				85					90					95	
Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys	Lys	Leu	Tyr	Cys	Gln	Ile	Ala
			100					105					110		
Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val	Met	Thr	Pro	Pro	Pro	Gln	Gly
		115					120					125			
Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr	Lys	Lys	Ala	Glu	His	Val	Thr
	130					135					140				
Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His	Glu	Leu	Ser	Arg	Glu	Phe	Asn
145					150					155					160
Glu	Gly	Gln	Ile	Ala	Pro	Ser	Ser	His	Leu	Ile	Arg	Val	Glu	Gly	Asn
				165					170					175	
Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro	Ile	Thr	Gly	Arg	Gln	Ser	Val
		180						185					190		
Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val	Gly	Thr	Glu	Phe	Thr	Thr	Val
	195						200					205			
Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser	Cys	Val	Gly	Gly	Met	Asn	Arg
	210					215					220				
Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu	Glu	Thr	Arg	Asp	Gly	Gln	Val
225					230					235					240
Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg	Ile	Cys	Ala	Cys	Pro	Gly	Arg
				245					250					255	
Asp	Arg	Lys	Ala	Asp	Glu	Asp	Ser	Ile	Arg	Lys	Gln	Gln	Val	Ser	Asp
		260					265						270		
Ser	Thr	Lys	Asn	Gly	Asp	Gly	Thr	Lys	Arg	Pro	Phe	Arg	Gln	Asn	Thr
		275					280					285			
His	Gly	Ile	Gln	Met	Thr	Ser	Ile	Lys	Lys	Arg	Arg	Ser	Pro	Asp	Asp
	290					295					300				
Glu	Leu	Val	Tyr	Leu	Pro	Val	Arg	Gly	Arg	Glu	Thr	Tyr	Glu	Met	Leu
305					310					315					320
Val	Lys	Ile	Lys	Glu	Ser	Leu	Glu	Leu	Met	Gln	Tyr	Leu	Leu	Gln	His
				325					330					335	
Thr	Ile	Glu	Thr	Tyr	Arg	Gln	Gln	Gln	Gln	Gln	Gln	His	Gln	His	Leu
			340					345					350		
Leu	Gln	Lys	Gln	Thr	Ser	Ile	Gln	Ser	Pro	Ser	Ser	Tyr	Gly	Asn	Ser
		355					360					365			
Ser	Pro	Pro	Leu	Asn	Lys	Met	Asn	Ser	Met	Asn	Lys	Leu	Pro	Ser	Val
	370					375					380				

Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys
 450 455 460
 Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr
 465 470 475 480
 Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
 485 490 495
 Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
 500 505 510
 Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
 515 520 525
 Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
 530 535 540
 Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
 545 550 555 560
 Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
 565 570 575
 Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
 580 585

<210> 153

<211> 2007

<212> DNA

<213> Homo sapien

<400> 153

gaattcgtcg	ctgctccagg	gaaagtctctg	ttactccact	gactctctct	tttcctgata	60
acatggccag	caagaaagta	attacagtgt	ttggagcaac	aggagctcaa	gggtggctctg	120
tggccagggc	aattttggag	agcaaaaaat	ttgcagttag	agcagtgacc	agggatgtga	180
cttgacaaaa	tgccctggag	ctccagcgcc	ttggagctga	gggtggtcaa	ggtgacctga	240
atgataaagc	atcgggtggac	agtgccttaa	aagggtgtcta	tggggccttc	ttggtgacca	300
acttctggga	ccctctcaac	caagataagg	aagtgtgtcg	ggggaagctg	gtggcagact	360
ccgccaaagc	cctgggtctg	aagcacgtgg	tgtacagcgg	cctggagaac	gtcaagcgac	420
tgacggatgg	caagctggag	gtgccgcact	ttgacagcaa	gggcgaggtg	gaggagtact	480
tctggtccat	tggcatcccc	atgaccagtg	tccgcgtggc	ggcctacttt	gaaaactttc	540
tcgcggcgctg	gcggcccgctg	aaagcctctg	atggagatta	ctacaccttg	gctgtaccga	600
tgggagatgt	accaatggat	ggtatctctg	ttgctgatat	tggagcagcc	gtctctagca	660
tttttaattc	tccagaggaa	tttttaggca	aggccgtggg	gctcagtgca	gaagcactaa	720
caatacagca	atatgctgat	gttttgtcca	aggctttggg	gaaagaagtc	cgagatgcaa	780
agattacccc	ggaagctttc	gagaagctgg	gattccctgc	agcaaaggaa	atagccaata	840
tgtgtcgttt	ctatgaaatg	aagccagacc	gagatgtcaa	tctcacccac	caactaaatc	900
ccaaagtcaa	aagcttcagc	cagtttatct	cagagaacca	gggagccttc	aagggcatgt	960
agaaaatcag	ctgttcagat	aggcctctgc	accacacagc	ctctttcctc	tctgatcctt	1020
ttcctcttta	cggcacaaca	ttcatgttga	cagaacatgc	tggaaatgcaa	ttgtttgcaa	1080
caccgaagga	tttcctgcgg	tcgcctcttc	agtaggaagc	actgcattgg	tgataggaca	1140
cggtaatattg	attcacattt	aacttgctag	ttagtataaa	gggtggtaca	actgtttggt	1200
aaaatgagaa	gcctcggaac	ttggagcttc	tctcctacca	ctaattgggag	ggcagattat	1260
actgggattt	ctcctgggtg	agtaatttca	agccctaattg	ctgaaattcc	cctaggcagc	1320

tccagttttc	tcaactgcat	tgcaaaaattc	ccagtgaact	tttaagtact	tttaacttaa	1380
aaaaatgaac	atctttgtag	agaattttct	ggggaacatg	gtgttcaatg	aacaagcaca	1440
agcattggaa	atgctaaaaat	tcagttttgc	ctcaagattg	gaagtttatt	ttctgactca	1500
ttcatgaagt	catctattga	gccaccattc	aattattcat	ctattaattc	cttgatcctt	1560
catttatcca	ttctgcaaac	ttttcttgag	caccagcacg	ggtggccatt	tgtggacttc	1620
tcttcattcc	tatgtgtttt	cttatcaaag	tgatccactc	tcgaaaggct	cctttccagt	1680
ctgtggttgg	gttcaagtca	tgccaggggc	agggggccca	tctcctcggt	tagctctagg	1740
caaaatccag	gggatctgca	gtggggagcg	ggggcaggaa	gctggaggga	aggcctgtga	1800
agggtaggga	tgtggaaaga	caaggtgaca	gaaggaccca	ataggacctt	tctatatctc	1860
tggcttagca	ttttctacat	catattgtaa	tcgtcttatt	tgctagtttt	cttccttact	1920
gtgagtgact	aacagtcatc	tttatccag	tgccctggtac	ataataagtg	atcaataaat	1980
gttgattgac	taaaaaaaaa	aaaaaaaa				2007

<210> 154

<211> 2148

<212> DNA

<213> Homo sapien

<400> 154

gaattcgtcg	ctgctccagg	gaaagttctg	ttactccact	gactctctct	tttctgata	60
acatggccag	caagaaagta	attacagtgt	ttggagcaac	aggagctcaa	ggtggctctg	120
tggccagggc	aatttttgag	agcaaaaaat	ttgcagtgag	agcagtgacc	agggatgtga	180
cttgaccaaa	tgccctggag	ctccagcgcc	ttggagctga	ggtggtcaaa	ggtgacctga	240
atgataaagc	atcgggtggac	agtgccttaa	aaggggaagc	tgggtggcaga	ctccgccaag	300
cacctgggtc	tgaagcacgt	ggtgtacagc	ggcctggaga	acgtcaagcg	actgacggat	360
ggcaagctgg	aggtgccgca	ctttgacagc	aagggcgagg	tggaggagta	cttctggtcc	420
attggcatcc	ccatgaccag	tgtccgcgtg	gcggcctact	ttgaaaactt	tctcgcggcg	480
tggcggcccg	tgaaagcctc	tgatggagat	tactacacct	tggctgtacc	gatgggagat	540
gtaccaatgg	atggtatctc	tgttgctgat	attggagcag	ccgtctctag	catttttaaat	600
tctccagagg	aatttttagg	caaggccgtg	gggctcagt	cagaagcact	aacaatacag	660
caatatgctg	atgttttgtc	caaggctttg	gggaaagaag	tccgagatgc	aaagactatc	720
tgtgctatag	atgaccagaa	aacagtggaa	gaaggtttca	tggaaagacgt	gggcttgagt	780
tggctcctga	gggaacatga	ccatgtatag	acagaggagg	catcaagaag	gctggcctgg	840
ctaattctgg	aataaacacg	acaaaccaga	ggcagtacgg	gaaggaggca	aattctggct	900
ctgcctctat	ccttgattac	cccgaagct	ttcgagaagc	tgggattccc	tgacagaaag	960
gaaatagcca	atatgtgtcg	tttctatgaa	atgaagccag	accgagatgt	caatctcacc	1020
caccaactaa	atcccaaagt	caaaagcttc	agccatttta	tctcagagaa	ccaggggagcc	1080
ttcaagggca	tgtagaaaat	cagctgttca	gataggcctc	tgaccacac	agcctctttc	1140
ctctctgac	cttttctct	ttacggcaca	acattcatgt	tgacagaaca	tgttggaatg	1200
caattgtttg	caacaccgaa	ggatttctctg	cggctgcctc	ttcagtagga	agcactgcat	1260
tggtgatagg	acacggtaat	ttgattcaca	tttaacttgc	tagttagtga	taaggggtggt	1320
acaactgttt	ggtaaaaatga	gaagcctcgg	aacttggagc	ttctctccta	ccactaatgg	1380
gagggcagat	tatactggga	tttctcctgg	gtgagtaatt	tcaagcccta	atgctgaaat	1440
tcccctaggc	agctccagtt	ttctcaactg	cattgcaaaa	ttcccagtga	acttttaagt	1500
acttttaact	taaaaaaatg	aacatctttg	tagagaattt	tctggggaac	atgggtgttca	1560
atgaacaagc	acaagcattg	gaaatgctaa	aattcagttt	tgectcaaga	ttggaagttt	1620
attttctgac	tcattcatga	agtcacttat	tgagccacca	ttcaattatt	catctattaa	1680
ttccttgatc	cttcatttat	ccattctgca	aacttttctt	gagcaccagc	acgggtggcc	1740
atttgtggac	ttctcttcat	tcctatgtgt	tttcttatca	aagtgatcca	ctctcgaaag	1800
gctcctttcc	agtctgtggt	tgggttcaag	tcatgccagg	gccagggggc	ccatctcctc	1860
gtttagctct	aggcaaaaatc	caggggatct	gcagtgggga	gcgggggcag	gaagctggag	1920
ggaaggcctg	tgaagggtag	ggatgtggaa	agacaagggtg	acagaaggac	ccaataggac	1980
ctttctatat	ctctggctta	gcattttcta	catcatattg	taatcgtctt	atgtgctagt	2040
tttcttcctt	actgtgagtg	actaacagtc	atctttatcc	cagtgcctgg	tacataataa	2100
gtgatcaata	aatgttgatt	gactaaatga	aaaaaaaaaa	aaaaaaaaaa		2148

<210> 155
 <211> 153
 <212> PRT
 <213> Homo sapien

<400> 155
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 156
 <211> 128
 <212> PRT
 <213> Homo sapien

<400> 156
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Thr Ile
 85 90 95
 Cys Ala Ile Asp Asp Gln Lys Thr Val Glu Glu Gly Phe Met Glu Asp
 100 105 110
 Val Gly Leu Ser Trp Ser Leu Arg Glu His Asp His Val Ala Gly Ala
 115 120 125

<210> 157
 <211> 424
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(424)

<223> n = A,T,C or G

<400> 157

ctgcagcccg	ggggatccac	tagtccagtg	tggtggaatt	cattgggtctt	tacaagactt	60
ggatacatta	cagcagacat	ggaaatataa	ttttaaaaaa	tttctctcca	acctccttca	120
aattcagtc	ccactgttat	attaccttct	ccaggaaccc	tccagtgggg	aaggctgcga	180
tattagattt	ccttgtatgc	aaagtttttg	ttgaaagctg	tgctcagagg	aggtgagagg	240
agaggaagga	gaaaactgca	tcataacttt	acagaattga	atctagagtc	ttccccgaaa	300
agcccagaaa	cttctctgcn	gnatctggct	tgtccatctg	gtctaagggtg	gctgcttctt	360
cccagccat	cgagtcagtt	tgtgcccatg	aataatacac	gacctgctat	ttcccatgac	420
tgct						424

<210> 158

<211> 2099

<212> DNA

<213> Homo sapien

<400> 158

ccgcggttaa	aaggcgagc	aggtgggagc	cggggccttc	acccgaaacc	cgacgagagc	60
ccgacagccg	gcggcgcccg	agcccagcct	gcctgccag	ccggagcgaa	gggcgcgcgc	120
ccgcgcagag	cccgcgccag	ggccgcgggc	cgcagagcag	ttaaaacgtg	caggcaccag	180
aaggcacttc	ctgtcggtga	agaagacctg	tctccgggtg	cacgggcata	ctgtgttttg	240
caaacggggc	tgacctccct	tcctggggag	caggaagggt	caggaagga	aaagaagtac	300
agaagatctg	gctaaacaat	ttctgtatgg	cgaaagaaaa	attctaactt	gtacgccttc	360
ttcatgcata	tttaattcaa	tttgaatatt	ccaggcgaca	tcctcactga	ccgagcaaag	420
attgacattc	gtatcatcac	tgtgcacat	tggtctctag	gcactccagt	ggggtaggag	480
aaggaggtct	gaaaccctcg	cagagggatc	ttgccctcat	tctttgggtc	tgaaacactg	540
gcagtcgttg	gaaacaggac	tcagggataa	accagcgcaa	tggtattggg	gacgctgcac	600
actttcatcg	ggggtgtcaa	caaacactcc	accagcatcg	ggaagggtgtg	gatcacagtc	660
atctttatct	tccagatcat	gatcctcggt	gtggctgccc	aggaagtgtg	gggtgacgag	720
caagaggact	tcgtctgcaa	cacactgcaa	ccgggatgca	aaaatgtgtg	ctatgaccac	780
tttttcccg	tgtcccacat	ccggctgtgg	gccctccagc	tgatcttcgt	ctccacccca	840
gcgtgctgg	tggccatgca	tgtggcctac	tacaggcacg	aaaccactcg	caagtccagg	900
cgaggagaga	agaggaatga	tttcaaagac	atagaggaca	ttaaaaagca	gaaggttcgg	960
atagaggggt	cgctgtgggtg	gacgtacacc	agcagcatct	ttttccgaat	catctttgaa	1020
gcagccttta	tgtatgtgtt	ttacttcctt	tacaatgggt	accacctgcc	ctgggtgttg	1080
aaatgtggga	ttgaccctcg	ccccaacctt	gttgactgct	ttatttctag	gccaacagag	1140
aagaccgtgt	ttaccatttt	tatgatttct	gcgtctgtga	tttgcatgct	gcttaacgtg	1200
gcagagtgtg	gctacctgct	gctgaaagtg	tgtttttagga	gatcaaagag	agcacagacg	1260
caaaaaaatc	accccaatca	tgccctaaag	gagagtaagc	agaatgaaat	gaatgagctg	1320
atttcagata	gtgggtcaaaa	tgcaatcaca	ggttcccaag	ctaaacattt	caaggtaaaa	1380
tgtagctgcg	tcataaggag	acttctgtct	tctccagaag	gcaataccaa	cctgaaagtt	1440
ccttctgtag	cctgaagagt	ttgtaaatga	ctttcataat	aaatagacac	ttgagttaac	1500
tttttgtagg	atacttgctc	cattcataca	caacgtaatc	aaatatgtgg	tccatctctg	1560
aaaacaagag	actgcttgac	aaaggagcat	tgagtcact	ttgacagggt	ccttttaagt	1620
ggactctctg	acaaagtggg	tactttctga	aaatttatat	aactgttggt	gataagggaac	1680
atttatccag	gaattgatac	gtttattagg	aaaagatatt	tttataggct	tggtatgttt	1740
tagttctgac	tttgaattta	tataaagtat	ttttataatg	actggctctc	cttacctgga	1800
aaaacatgcg	atgttagttt	tagaattaca	ccacaagtat	ctaaatttgg	aacttacaaa	1860
gggtctatct	tgtaaatatt	gttttgcat	gtctgttggt	aaatttgtga	actgtcatga	1920
tacgcttaag	gtggaaagtg	ttcattgcac	aatatatatt	tactgctttc	tgaatgtaga	1980

cggaacagtg tggaagcaga aggcctttttt aactcatccg tttgccaatc attgcaaaca 2040
actgaaatgt ggatgtgatt gctcaataa agctcgtccc cattgcttaa aaaaaaaaaa 2099

<210> 159
<211> 291
<212> PRT
<213> Homo sapien

<400> 159
Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
1 5 10 15
Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
20 25 30
Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
35 40 45
Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
50 55 60
Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
65 70 75 80
Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
85 90 95
Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
100 105 110
Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys Gln Lys Val Arg Ile
115 120 125
Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile
130 135 140
Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly
145 150 155 160
Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn
165 170 175
Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr
180 185 190
Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala
195 200 205
Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg
210 215 220
Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys
225 230 235 240
Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile
245 250 255
Thr Gly Ser Gln Ala Lys His Phe Lys Val Lys Cys Ser Cys Val Ile
260 265 270
Arg Arg Leu Leu Ser Ser Pro Glu Gly Asn Thr Asn Leu Lys Val Pro
275 280 285
Ser Val Ala
290

<210> 160
<211> 3951
<212> DNA
<213> Homo sapien

<400> 160
tctgcatcca tattgaaaac ctgacacaat gtatgcagca ggctcagtgt gaggtaactg 60

gaggtttctc	tacaacatga	cccaaaggag	cattgcaggt	cctatattgca	acctgaagtt	120
tgtgactctc	ctggttgcc	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcagggtac	ctgagaatca	240
gaacctcatc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tattttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcc	catggaaaagc	360
taataataac	agcaaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctggtatggg	gcacatggag	atgatccata	caccctacaa	tacagagggt	gtggaaaaga	480
gggaaaatac	attcattttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggccgagtg	ttgtccatga	atgggcccac	ctccgttggg	gtgtgttcga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaatta	aagtgcagaag	660
gtgttcatct	gacatcacag	gcatttttgt	gtgtgaaaaa	ggccttgcc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcattgcaaag	tttatcttct	gtggttgaat	tttgtaatgc	840
aagtaccac	aaccaagaag	caccaaacct	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgactt	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccat	tctcgcttgt	agaggctgg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttcga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tggttgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatattagt	accagcggag	atgataagct	tcttggaat	tgcttacc	ctgtgctcag	1380
cagtggttca	acaattcact	ccattgccct	gggttcatct	gcagcccaa	atctggagga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gatatatcaa	actccaatag	1500
catgattgat	gctttcagta	gaatttctc	tggaaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggt	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgc	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggctc	1680
tcttgagatt	atattatttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggcactg	1800
gacttacacc	ctgaacaata	cccatcattc	tctgcaagcc	ctgaaagtga	cagtgcctc	1860
tgcgcctcc	aactcagctg	tgccccagc	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttgcgtcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	acccagccc	actctattcc	agggagtcat	gctatgtatg	taccaggtta	2220
cacagcaaac	ggtaatatcc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaag	tggggcttta	gccgagtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
tccagctggc	ccccacctg	atgtgtttcc	accatgcaaa	attattgacc	tggaagctgt	2400
aaaagtagaa	gaggaattga	ccctatcttg	gacagcacct	ggagaagact	ttgatcaggg	2460
ccaggctaca	agctatgaaa	taagaatgag	taaaagtcta	cagaatatcc	aagatgactt	2520
taacaatgct	attttagtaa	atacatcaaa	gcgaaatcct	cagcaagctg	gcacaggga	2580
gatatttacg	ttctcacc	aaatttccac	gaatggacct	gaacatcagc	caaatggaga	2640
aacacatgaa	agccacagaa	tttatgttgc	aatacagca	atggatagga	actccttaca	2700
gtctgctgta	tctaacattg	cccaggcgcc	tctgtttatt	cccccaatt	ctgactctgt	2760
acctgccaga	gattatctta	tattgaaagg	agttttaaca	gcaatgggtt	tgataggaat	2820
catttgccct	attatagttg	tgacacatca	tactttaagc	aggaaaaaga	gagcagacaa	2880
gaaagagaat	ggaacaaaat	tattataaat	aaatatccaa	agtgtcttcc	ttcttagata	2940
taagacccat	ggccttcgac	tacaaaaaca	tactaacaaa	gtcaaattaa	catcaaaact	3000
gtattaaaaat	gcattgagtt	tttgtacaat	acagataaga	tttttcatg	gtagatcaac	3060
aaattctttt	tgggggtaga	ttagaaaacc	cttacacttt	ggctatgaac	aaataataaa	3120
aattattctt	taaagtaatg	tctttaaagg	caaagggaag	ggtaaagtcg	gaccagtgtc	3180
aaggaaagtt	tgttttattg	aggtggaaaa	atagcccaa	gcagagaaaa	ggagggtagg	3240
tctgcattat	aactgtctgt	gtgaagcaat	catttagtta	ctttgattaa	tttttctttt	3300
ctccttatct	gtgcagaaca	ggttgcttgt	ttacaactga	agatcatgct	atatttcata	3360

```

tatgaagccc ctaatgcaaa gctctttacc tcttgcattt ttggtatata tattacagat 3420
gaaatctcac tgctaatgct cagagatctt ttttcaactgt aagaggtaac ctttaacaat 3480
atgggtatta cctttgtctc ttcataccgg ttttatgaca aaggtctatt gaatttattt 3540
gtttgtaagt ttctactccc atcaaagcag ctttttaagt tattgccttg gttattatgg 3600
atgatagtta tagcccttat aatgccttaa ctaaggaaga aaagatgta ttctgagttt 3660
gttttaatac atatatgaac atatagtttt attcaattaa accaaagaag aggtcagcag 3720
ggagatacta acctttggaa atgattagct ggctctgttt tttgggtaaa taagagtctt 3780
taatcctttc tccatcaaga gttacttacc aagggcaggg gaagggggat atagagggtcc 3840
caaggaaata aaaatcatct ttcactttta attttactcc ttcctcttat ttttttaaaa 3900
gattatcgaa caataaaatc atttgccttt ttaattaaaa acataaaaaa a 3951

```

<210> 161

<211> 943

<212> PRT

<213> Homo sapien

<400> 161

```

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val
1      5      10      15
Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly
20     25     30
Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn
35     40     45
Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met
50     55     60
Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val
65     70     75     80
Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn
85     90     95
Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile
100    105    110
Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln
115    120    125
Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn
130    135    140
Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg
145    150    155    160
Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu
165    170    175
Tyr Asn Asn Asp Lys Pro Phe Tyr Ile Asn Gly Gln Asn Gln Ile Lys
180    185    190
Val Thr Arg Cys Ser Ser Asp Ile Thr Gly Ile Phe Val Cys Glu Lys
195    200    205
Gly Pro Cys Pro Gln Glu Asn Cys Ile Ile Ser Lys Leu Phe Lys Glu
210    215    220
Gly Cys Thr Phe Ile Tyr Asn Ser Thr Gln Asn Ala Thr Ala Ser Ile
225    230    235    240
Met Phe Met Gln Ser Leu Ser Ser Val Val Glu Phe Cys Asn Ala Ser
245    250    255
Thr His Asn Gln Glu Ala Pro Asn Leu Gln Asn Gln Met Cys Ser Leu
260    265    270
Arg Ser Ala Trp Asp Val Ile Thr Asp Ser Ala Asp Phe His His Ser
275    280    285
Phe Pro Met Asn Gly Thr Glu Leu Pro Pro Pro Pro Thr Phe Ser Leu
290    295    300

```

Val Glu Ala Gly Asp Lys Val Val Cys Leu Val Leu Asp Val Ser Ser
 305 310 315 320
 Lys Met Ala Glu Ala Asp Arg Leu Leu Gln Leu Gln Gln Ala Ala Glu
 325 330 335
 Phe Tyr Leu Met Gln Ile Val Glu Ile His Thr Phe Val Gly Ile Ala
 340 345 350
 Ser Phe Asp Ser Lys Gly Glu Ile Arg Ala Gln Leu His Gln Ile Asn
 355 360 365
 Ser Asn Asp Asp Arg Lys Leu Val Ser Tyr Leu Pro Thr Thr Val
 370 375 380
 Ser Ala Lys Thr Asp Ile Ser Ile Cys Ser Gly Leu Lys Lys Gly Phe
 385 390 395 400
 Glu Val Val Glu Lys Leu Asn Gly Lys Ala Tyr Gly Ser Val Met Ile
 405 410 415
 Leu Val Thr Ser Gly Asp Asp Lys Leu Gly Asn Cys Leu Pro Thr
 420 425 430
 Val Leu Ser Ser Gly Ser Thr Ile His Ser Ile Ala Leu Gly Ser Ser
 435 440 445
 Ala Ala Pro Asn Leu Glu Glu Leu Ser Arg Leu Thr Gly Gly Leu Lys
 450 455 460
 Phe Phe Val Pro Asp Ile Ser Asn Ser Asn Ser Met Ile Asp Ala Phe
 465 470 475 480
 Ser Arg Ile Ser Ser Gly Thr Gly Asp Ile Phe Gln Gln His Ile Gln
 485 490 495
 Leu Glu Ser Thr Gly Glu Asn Val Lys Pro His His Gln Leu Lys Asn
 500 505 510
 Thr Val Thr Val Asp Asn Thr Val Gly Asn Asp Thr Met Phe Leu Val
 515 520 525
 Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe Asp Pro Asp
 530 535 540
 Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn Leu Thr Phe Arg
 545 550 555 560
 Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys Pro Gly His Trp Thr
 565 570 575
 Tyr Thr Leu Asn Asn Thr His His Ser Leu Gln Ala Leu Lys Val Thr
 580 585 590
 Val Thr Ser Arg Ala Ser Asn Ser Ala Val Pro Pro Ala Thr Val Glu
 595 600 605
 Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile
 610 615 620
 Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val
 625 630 635 640
 Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu
 645 650 655
 Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr
 660 665 670
 Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys
 675 680 685
 Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile
 690 695 700
 Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn
 705 710 715 720
 Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu
 725 730 735
 Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val

	740		745		750										
Leu	Gly	Val	Pro	Ala	Gly	Pro	His	Pro	Asp	Val	Phe	Pro	Pro	Cys	Lys
	755						760					765			
Ile	Ile	Asp	Leu	Glu	Ala	Val	Lys	Val	Glu	Glu	Glu	Leu	Thr	Leu	Ser
	770						775					780			
Trp	Thr	Ala	Pro	Gly	Glu	Asp	Phe	Asp	Gln	Gly	Gln	Ala	Thr	Ser	Tyr
785					790				795						800
Glu	Ile	Arg	Met	Ser	Lys	Ser	Leu	Gln	Asn	Ile	Gln	Asp	Asp	Phe	Asn
			805						810					815	
Asn	Ala	Ile	Leu	Val	Asn	Thr	Ser	Lys	Arg	Asn	Pro	Gln	Gln	Ala	Gly
			820						825				830		
Ile	Arg	Glu	Ile	Phe	Thr	Phe	Ser	Pro	Gln	Ile	Ser	Thr	Asn	Gly	Pro
	835						840					845			
Glu	His	Gln	Pro	Asn	Gly	Glu	Thr	His	Glu	Ser	His	Arg	Ile	Tyr	Val
	850					855					860				
Ala	Ile	Arg	Ala	Met	Asp	Arg	Asn	Ser	Leu	Gln	Ser	Ala	Val	Ser	Asn
865					870				875						880
Ile	Ala	Gln	Ala	Pro	Leu	Phe	Ile	Pro	Pro	Asn	Ser	Asp	Pro	Val	Pro
			885						890					895	
Ala	Arg	Asp	Tyr	Leu	Ile	Leu	Lys	Gly	Val	Leu	Thr	Ala	Met	Gly	Leu
	900							905					910		
Ile	Gly	Ile	Ile	Cys	Leu	Ile	Ile	Val	Val	Thr	His	His	Thr	Leu	Ser
	915						920					925			
Arg	Lys	Lys	Arg	Ala	Asp	Lys	Lys	Glu	Asn	Gly	Thr	Lys	Leu	Leu	
	930						935				940				

<210> 162
 <211> 498
 <212> DNA
 <213> Homo sapien

<400> 162

tggagaacca	cgtggacagc	accatgaaca	tgttgggagg	gggaggcagc	gctggccgga	60
agccctctca	gtcgggtatg	aaggagctgg	ccgtgttccg	ggagaaggtc	actgagcagc	120
accggcagat	gggcaagggt	ggcaagcatc	accttggcct	ggaggagccc	aagaagctgc	180
gaccaccccc	tgccaggact	ccttgccaac	aggaactgga	ccaggtcctg	gagcggatct	240
ccaccatgcg	ccttccggat	gagcggggcc	ctctggagca	cctctactcc	ctgcacatcc	300
ccaactgtga	caagcatggc	ctgtacaacc	tcaaacagtg	gcaagatgtc	tctgaacggg	360
cagcgtgggg	agtgtctggt	tgtgaacccc	aacaccggga	agctgatcca	gggagccccc	420
accatccggg	gggaccccga	gtgtcatctc	ttctacaatg	agcagcagga	ggctcgcggg	480
gtgcacaccc	cagcggat					498

<210> 163
 <211> 1128
 <212> DNA
 <213> Homo sapien

<400> 163

gccacctggc	cctcctgata	gacgacacac	gcacttgaaa	cttgtttctca	gggtgtgtgg	60
aatcaacttt	ccggaagcaa	ccagcccacc	agaggaggtc	ccgagcgcga	gcggagacga	120
tgcagcggag	actggttcag	cagtggagcg	tcgctggtgt	cctgctgagc	tacgcgggtgc	180
cctcctgcgg	gcgctcgggt	gaggggtctca	gccgccgcct	caaaagagct	gtgtctgaac	240
atcagctcct	ccatgacaag	gggaagtcca	tccaagattt	acggcgacga	ttcttccttc	300
accatctgat	cgcagaaatc	cacacagctg	aatcagagcg	tacctcggag	gtgtccccta	360
actccaagcc	ctctcccaac	acaaagaacc	accccgctcc	atttgggtct	gatgatgagg	420

gcagatacct	aactcaggaa	actaacaagg	tggagacgta	caaagagcag	ccgctcaaga	480
cacctgggaa	gaaaaagaaa	ggcaagcccg	ggaaacgcaa	ggagcaggaa	aagaaaaaac	540
ggcgaactcg	ctctgcctgg	ttagactctg	gagtgcctgg	gagtgggcta	gaagggggacc	600
acctgtctga	cacctccaca	acgtcgctgg	agctcgattc	acggaggcat	tgaaattttc	660
agcagagacc	ttccaaggac	atattgcagg	attctgtaat	agtgaacata	tggaaagtat	720
tagaaatatt	tattgtctgt	aaatactgta	aatgcattgg	aataaaaactg	tctcccccat	780
tgctctatga	aactgcacat	tggtcattgt	gaatattttt	ttttttgcc	aggctaatacc	840
aattattatt	atcacattta	ccataattta	ttttgtccat	tgatgtattt	attttgtaaa	900
tgtatcttgg	tgctgctgaa	tttctatatt	ttttgtaaca	taatgcactt	tagatataca	960
tatcaagtat	gttgataaat	gacacaatga	agtgtctcta	ttttgtgggt	gatttttaatg	1020
aatgcctaaa	tataattatc	caaattgatt	ttcctttgtg	catgtaaaaa	taacagtatt	1080
ttaaattttgt	aaagaatgtc	taataaaata	taatctaatt	acatcatg		1128

<210> 164

<211> 1310

<212> DNA

<213> Homo sapien

<400> 164

gggcctgggt	cgcaaagaag	ctgacttcag	agggggaaac	tttcttcttt	taggaggcgg	60
ttagccctgt	tccacgaacc	caggagaact	gctggccaga	ttaattagac	attgctatgg	120
gagacgtgta	aacacactac	ttatcattga	tgcataata	aaaccatttt	attttcgcta	180
ttatttcaga	ggaagcgcct	ctgatttgtt	tcttttttcc	ctttttgtct	tttctggctg	240
tgtggtttgg	agaaagcaca	gttgagtag	ccggttgcta	aataagtccc	gagcgcgagc	300
ggagacgatg	cagcggagac	tggttcagca	gtggagcgtc	gcggtgttcc	tgctgagcta	360
cgcggtgccc	tcctgcgggc	gctcggtgga	gggtctcagc	cgccgectca	aaagagctgt	420
gtctgaacat	cagctcctcc	atgacaaggg	gaagtcctac	caagatttac	ggcgacgatt	480
cttccttcac	catctgatcg	cagaaatcca	cacagctgaa	atcagagcta	cctcggaggt	540
gtcccctaac	tccaagccct	ctcccaacac	aaagaaccac	cccgtccgat	ttgggtctga	600
tgatgagggc	agatacctaa	ctcaggaaac	taacaagggt	gagacgtaca	aagagcagcc	660
gctcaagaca	cctgggaaga	aaaagaaagg	caagcccggg	aaacgcaagg	agcaggaaaa	720
gaaaaaacgg	cgaactcgct	ctgcctgggt	agactctgga	gtgactggga	gtgggctaga	780
aggggaccac	ctgtctgaca	cctccacaac	gtcgtctggag	ctcgattcac	ggaggcattg	840
aaattttcag	cagagacctt	ccaaggacat	attgcaggat	tctgtaatag	tgaacatatg	900
gaaagtatta	gaaatattta	ttgtctgtaa	atactgtaaa	tgcattggaa	taaaactgtc	960
tccccctattg	ctctatgaaa	ctgcacattg	gtcattgtga	atattttttt	ttttgccaa	1020
gctaataccaa	ttattattat	cacatttacc	ataatttatt	ttgtccattg	atgtatttat	1080
tttgtaaattg	tatcttggtg	ctgctgaatt	tctatatatt	ttgtaacata	atgcacttta	1140
gatatacata	tcaagtatgt	tgataaatga	cacaatgaag	tgtctctatt	ttgtggttga	1200
ttttaatgaa	tgcttaata	taattatcca	aattgatttt	cctttgtgcc	cgtaaaaaata	1260
acagtatttt	aaatttgtaa	agaatgtcta	ataaaaatata	atctaattac		1310

<210> 165

<211> 177

<212> PRT

<213> Homo sapien

<400> 165

Met	Gln	Arg	Arg	Leu	Val	Gln	Gln	Trp	Ser	Val	Ala	Val	Phe	Leu	Leu
1				5				10						15	
Ser	Tyr	Ala	Val	Pro	Ser	Cys	Gly	Arg	Ser	Val	Glu	Gly	Leu	Ser	Arg
				20				25						30	
Arg	Leu	Lys	Arg	Ala	Val	Ser	Glu	His	Gln	Leu	Leu	His	Asp	Lys	Gly
				35				40						45	
Lys	Ser	Ile	Gln	Asp	Leu	Arg	Arg	Arg	Phe	Phe	Leu	His	His	Leu	Ile

50		55		60	
Ala	Glu	Ile	His	Thr	Ala
65		70		75	
Asn	Ser	Lys	Pro	Ser	Pro
		85		90	
Ser	Asp	Asp	Glu	Gly	Arg
		100		105	
Thr	Tyr	Lys	Glu	Gln	Pro
		115		120	
Lys	Pro	Gly	Lys	Arg	Lys
		130		135	
Ser	Ala	Trp	Leu	Asp	Ser
145		150		155	
His	Leu	Ser	Asp	Thr	Thr
		165		170	

His

<210> 166
 <211> 177
 <212> PRT
 <213> Homo sapien

<400> 166	
Met	Gln
1	5
Ser	Tyr
	20
Arg	Leu
	35
Lys	Ser
	50
Ala	Glu
65	70
Asn	Ser
	85
Ser	Asp
	100
Thr	Tyr
	115
Lys	Pro
	130
Ser	Ala
145	150
His	Leu
	165

Arg	Arg	Leu	Val	Gln	Gln	Trp	Ser	Val	Ala	Val	Phe	Leu	Leu
		5					10					15	
Ser	Tyr	Ala	Val	Pro	Ser	Cys	Gly	Arg	Ser	Val	Glu	Gly	Leu
		20					25					30	
Arg	Leu	Lys	Arg	Ala	Val	Ser	Glu	His	Gln	Leu	Leu	His	Asp
		35					40					45	
Lys	Ser	Ile	Gln	Asp	Leu	Arg	Arg	Phe	Phe	Leu	His	His	Leu
		50				55				60			
Ala	Glu	Ile	His	Thr	Ala	Glu	Ile	Arg	Ala	Thr	Ser	Glu	Val
65					70				75				80
Asn	Ser	Lys	Pro	Ser	Pro	Asn	Thr	Lys	Asn	His	Pro	Val	Arg
			85					90					95
Ser	Asp	Asp	Glu	Gly	Arg	Tyr	Leu	Thr	Gln	Glu	Thr	Asn	Lys
			100					105				110	
Thr	Tyr	Lys	Glu	Gln	Pro	Leu	Lys	Thr	Pro	Gly	Lys	Lys	Lys
		115				120					125		
Lys	Pro	Gly	Lys	Arg	Lys	Glu	Gln	Glu	Lys	Lys	Lys	Arg	Thr
		130				135				140			
Ser	Ala	Trp	Leu	Asp	Ser	Gly	Val	Thr	Gly	Ser	Gly	Leu	Glu
145					150				155				160
His	Leu	Ser	Asp	Thr	Ser	Thr	Thr	Ser	Leu	Glu	Leu	Asp	Ser
			165					170					175

His

<210> 167
 <211> 3362
 <212> DNA
 <213> Homo sapien

<400> 167

cacaatgtat	gcagcaggct	cagtgtgagt	gaactggagg	cttctctaca	acatgaccca	60
aaggagcatt	gcaggtccta	tttgcaacct	gaagtttggt	actctcctgg	ttgccttaag	120
ttcagaactc	ccattcctgg	gagctggagt	acagcttcaa	gacaatgggt	ataatggatt	180
gctcattgca	attaatcctc	aggtacctga	gaatcagaac	ctcatctcaa	acattaagga	240
aatgataact	gaagcttcat	tttacctatt	taatgctacc	aagagaagag	tatttttccag	300
aaatataaag	attttaatac	ctgccacatg	gaaagctaata	aataacagca	aaataaaaca	360
agaatcatat	gaaaaggcaa	atgtcatagt	gactgactgg	tatggggcac	atggagatga	420
tccatacacc	ctacaataca	gaggggtgtg	aaaagaggga	aaatacattc	atttcacacc	480
taatttccta	ctgaatgata	acttaacagc	tggctacgga	tcacgaggcc	gagtgtttgt	540
ccatgaatgg	gccacacctc	gttgggggtg	gttcgatgag	tataacaatg	acaaaccttt	600
ctacataaat	gggcaaaatc	aaattaaagt	gacaagggtg	tcacttgaca	tcacaggcat	660
ttttgtgtgt	gaaaaagggtc	cttgccccc	agaaaactgt	attattagta	agcttttttaa	720
agaaggatgc	accttttatct	acaatagcac	ccaaaatgca	actgcatcaa	taatgttcat	780
gcaaagttta	tcttctgtgg	ttgaattttg	taatgcaagt	accacacaacc	aagaagcacc	840
aaacctacag	aaccagatgt	gcagcctcag	aagtgcattg	gatgtaatca	cagactctgc	900
tgactttcac	cacagctttc	ccatgaacgg	gactgagctt	ccacctcctc	ccacattctc	960
gctttagtag	gctggtgaca	aagtggctctg	tttagtgctg	gatgtgtcca	gcaagatggc	1020
agaggctgac	agactccttc	aactacaaca	agccgcagaa	ttttatttga	tgacagattgt	1080
tgaaattcat	accttcgtgg	gcattgccag	tttcgacagc	aaaggagaga	tcagagccca	1140
gctacaccaa	attaacagca	atgatgatcg	aaagttgctg	gtttcatatc	tgcccaccac	1200
tgtatcagct	aaaacagaca	tcagcatttg	ttcagggtct	aagaaaggat	ttgagggtgg	1260
tgaaaaactg	aatggaaaag	cttatggctc	tgtgatgata	ttagtgaacca	gcggagatga	1320
taagcttctt	ggcaattgct	taccactgtg	gctcagcagt	ggttcaacaa	ttcactccat	1380
tgccctgggt	tcactctgag	ccccaaatct	ggaggaatta	tcacgtctta	caggagggtt	1440
aaagttcttt	gttccagata	tatcaaactc	caatagcatg	attgatgctt	tcagtagaat	1500
ttctctgga	actggagaca	ttttccagca	acatattcag	cttgaaagta	cagggtgaaaa	1560
tgtcaaacct	caccatcaat	tgaaaaacac	agtgaactgt	gataaactgt	tgggcaacga	1620
cactatgttt	ctagttacgt	ggcaggccag	tggctcctct	gagattatat	tatttgatcc	1680
tgatggacga	aaatactaca	caaataattt	tatcaccaat	ctaacttttc	ggacagctag	1740
tctttggatt	ccaggaacag	ctaagcctgg	gcactggact	tacacctga	tgtgtttcca	1800
ccatgcaaaa	ttattgacct	ggaagctgta	aaagtagaag	aggaattgac	cctatcttgg	1860
acagcacctg	gagaagactt	tgatcagggc	caggctacaa	gctatgaaat	aagaatgagt	1920
aaaagtctac	agaatatcca	agatgacttt	aacaatgcta	ttttagtaaa	tacatcaaag	1980
cgaaatcctc	agcaagctgg	catcagggag	atattttacgt	tctcacccca	aattttccacg	2040
aatggacctg	aacatcagcc	aaatggagaa	acacatgaaa	gccacagaat	ttatgttgca	2100
atcacgacaa	tggataggaa	ctccttacag	tctgctgtat	ctaacattgc	ccaggcgcct	2160
ctgtttattc	cccccaattc	tgatcctgta	cctgccagag	attatcttat	attgaaagga	2220
gttttaacag	caatgggttt	gataggaatc	atttgcttta	ttatagttgt	gacacatcat	2280
actttaagca	ggaaaaagag	agcagacaag	aaagagaatg	gaacaaaatt	attataaata	2340
aatatccaaa	gtgtcttctc	tcttagatat	aagacctatg	gccttcgact	acaaaaacat	2400
actaacaag	tcaaattaac	atcaaaaactg	tattaaaatg	cattgagttt	ttgtacaata	2460
cagataagat	ttttacatgg	tagatcaaca	aattcttttt	gggggtagat	tagaaaaccc	2520
ttacactttg	gctatgaaca	aataataaaa	attattcttt	aaagtaatgt	ctttaaggc	2580
aaagggaagg	gtaaagtcgg	accagtgtca	aggaaagttt	gttttattga	ggtggaaaaa	2640
tagccccaag	cagagaaaag	gagggtaggt	ctgcattata	actgtctgtg	tgaagcaatc	2700
atttagttac	tttgattaat	ttttcttttc	tccttatctg	tgacgaacag	gttgcttgtt	2760
tacaactgaa	gatcatgcta	tatttcatat	atgaagcccc	taatgcaaag	ctctttacct	2820
cttgctattt	tgttatatat	attacagatg	aaatctcact	gctaattgctc	agagatcttt	2880
tttactgta	agaggttaacc	tttaacaata	tgggtattac	ctttgtctct	tcataccggt	2940
tttatgacaa	aggtctattg	aattttatttg	tttgtaagtt	tctactccca	tcaaagcagc	3000
tttctaagtt	attgccttgg	ttattatgga	tgatagttat	agcccttata	atgccttaac	3060
taagggaagaa	aagatgttat	tctgagtttg	ttttaataca	tatatgaaca	tatagtttta	3120
ttcaattaaa	ccaaagaaga	ggtcagcagg	gagatactaa	cctttggaaa	tgattagctg	3180
gctctgtttt	ttgggttaaat	aagagctttt	aatcctttct	ccatcaagag	ttacttacca	3240
agggcagggg	aaggggggata	tagagggtcac	aaggaaataa	aaatcatctt	tcacttttaa	3300

ttttactcct tctctttatt tttttaaaag attatcgaac aataaaatca tttgcctttt 3360
 tt 3362

<210> 168
 <211> 2784
 <212> DNA
 <213> Homo sapien

<400> 168

tctgcatcca	tattgaaaac	ctgacacaat	gtatgcagca	ggctcagtg	gagtgaactg	60
gaggcttctc	tacaacatga	cccaaaggag	cattgcaggt	cctatttgca	acctgaagtt	120
tgtgactctc	ctggttgect	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcaggtac	ctgagaatca	240
gaacctcacc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tatttaaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcc	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctggtatggg	gcacatggag	atgatccata	caccctacaa	tacagagggg	gtggaaaaga	480
gggaaaatac	attcatttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggccgagtg	ttgtccatga	atgggcccac	ctccgttggg	gtgtgttoga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaatta	aagtgacaag	660
gtgttcatct	gacatcacag	gcatttttgt	gtgtgaaaaa	ggtccttgcc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcattgcaaag	tttatcttct	gtggttgaat	tttgtaatgc	840
aagtacccac	aaccaagaag	caccaaacct	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgaact	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccacat	tctcgcttgt	agaggctggg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttoga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tgggtgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatatttagtg	accagcggag	atgataagct	tcttggcaat	tgettaccca	ctgtgctcag	1380
cagtggttca	acaattcact	ccattgcccc	gggttcatct	gcagcccca	atctggagga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gatatatcaa	actccaatag	1500
catgattgat	gctttcagta	gaatttcttc	tggaaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggtg	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgac	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggctc	1680
tcttgagatt	atattatttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggcaactg	1800
gacttacacc	ctgaacaata	cccatcattc	tctgcaagcc	ctgaaagtga	cagtgaacctc	1860
tgcgcctcc	aactcagctg	tgcctccagc	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcactctg	tgatgattta	tgcacatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttgctgcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	accccagccc	actctattcc	agggagtcac	gctatgtatg	taccagggtta	2220
cacagcaaac	ggtaatatcc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaag	tggggcttta	gccgagtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
tccagctggc	ccccacctg	atgtgtttcc	accatgcaaa	attattgacc	tggaaagctgt	2400
aaatagaaga	ggaattgacc	ctatcttgga	cagcacctgg	agaagacttt	gatcagggcc	2460
aggctacaag	ctatgaaata	agaatgagta	aaagtctaca	gaatatccaa	gatgacttta	2520
acaatgctat	tttagtaaat	acatcaaagc	gaaatcctca	gcaagctggc	atcaggggaga	2580
tattttacgtt	ctcaccocaa	atttccacga	atggacctga	acatcagcca	aatggagaaa	2640
cacatgaaag	ccacagaatt	tatgttgcaa	tacgagcaat	ggataggaac	tccttacagt	2700
ctgctgtatc	taacattgcc	caggcgccctc	tgtttattcc	ccccaattct	gactctgtac	2760

ctgccagaga ttatcttata ttga

2784

<210> 169

<211> 592

<212> PRT

<213> Homo sapien

<400> 169

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe Val
 1 5 10 15
 Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly Ala Gly
 20 25 30
 Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile Ala Ile Asn
 35 40 45
 Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn Ile Lys Glu Met
 50 55 60
 Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala Thr Lys Arg Arg Val
 65 70 75 80
 Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro Ala Thr Trp Lys Ala Asn
 85 90 95
 Asn Asn Ser Lys Ile Lys Gln Glu Ser Tyr Glu Lys Ala Asn Val Ile
 100 105 110
 Val Thr Asp Trp Tyr Gly Ala His Gly Asp Asp Pro Tyr Thr Leu Gln
 115 120 125
 Tyr Arg Gly Cys Gly Lys Glu Gly Lys Tyr Ile His Phe Thr Pro Asn
 130 135 140
 Phe Leu Leu Asn Asp Asn Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg
 145 150 155 160
 Val Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe Asp Glu
 165 170 175
 Tyr Asn Asn Asp Lys Pro Phe Tyr Ile Asn Gly Gln Asn Gln Ile Lys
 180 185 190
 Val Thr Arg Cys Ser Ser Asp Ile Thr Gly Ile Phe Val Cys Glu Lys
 195 200 205
 Gly Pro Cys Pro Gln Glu Asn Cys Ile Ile Ser Lys Leu Phe Lys Glu
 210 215 220
 Gly Cys Thr Phe Ile Tyr Asn Ser Thr Gln Asn Ala Thr Ala Ser Ile
 225 230 235 240
 Met Phe Met Gln Ser Leu Ser Ser Val Val Glu Phe Cys Asn Ala Ser
 245 250 255
 Thr His Asn Gln Glu Ala Pro Asn Leu Gln Asn Gln Met Cys Ser Leu
 260 265 270
 Arg Ser Ala Trp Asp Val Ile Thr Asp Ser Ala Asp Phe His His Ser
 275 280 285
 Phe Pro Met Asn Gly Thr Glu Leu Pro Pro Pro Pro Thr Phe Ser Leu
 290 295 300
 Val Glu Ala Gly Asp Lys Val Val Cys Leu Val Leu Asp Val Ser Ser
 305 310 315 320
 Lys Met Ala Glu Ala Asp Arg Leu Leu Gln Leu Gln Gln Ala Ala Glu
 325 330 335
 Phe Tyr Leu Met Gln Ile Val Glu Ile His Thr Phe Val Gly Ile Ala
 340 345 350
 Ser Phe Asp Ser Lys Gly Glu Ile Arg Ala Gln Leu His Gln Ile Asn
 355 360 365
 Ser Asn Asp Asp Arg Lys Leu Leu Val Ser Tyr Leu Pro Thr Thr Val

370		375		380											
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe
385					390					395					400
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile
				405					410					415	
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr
			420					425					430		
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser
		435				440					445				
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys
450					455					460					
Phe	Phe	Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe
465				470						475					480
Ser	Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln
			485					490						495	
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys	Asn
		500						505					510		
Thr	Val	Thr	Val	Asp	Asn	Thr	Val	Gly	Asn	Asp	Thr	Met	Phe	Leu	Val
	515					520					525				
Thr	Trp	Gln	Ala	Ser	Gly	Pro	Pro	Glu	Ile	Ile	Leu	Phe	Asp	Pro	Asp
530					535					540					
Gly	Arg	Lys	Tyr	Tyr	Thr	Asn	Asn	Phe	Ile	Thr	Asn	Leu	Thr	Phe	Arg
545				550					555					560	
Thr	Ala	Ser	Leu	Trp	Ile	Pro	Gly	Thr	Ala	Lys	Pro	Gly	His	Trp	Thr
			565					570					575		
Tyr	Thr	Leu	Met	Cys	Phe	His	His	Ala	Lys	Leu	Leu	Thr	Trp	Lys	Leu
		580					585						590		

<210> 170

<211> 791

<212> PRT

<213> Homo sapien

<400> 170

Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1			5						10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
	35					40					45				
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
50					55					60					
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65				70					75					80	
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
			85					90					95		
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
		100					105					110			
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
	115					120					125				
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
130					135				140						
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145				150					155					160	
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu

Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys	
			180					185					190			
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys	
		195					200					205				
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu	
	210					215					220					
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile	
225					230					235					240	
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser	
				245					250					255		
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu	
			260					265					270			
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser	
		275					280					285				
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu	
	290					295					300					
Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser	
305					310					315					320	
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu	
				325					330					335		
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala	
			340					345					350			
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn	
		355					360					365				
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val	
	370					375					380					
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe	
385					390					395					400	
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile	
				405					410					415		
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr	
			420					425				430				
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser	
		435					440					445				
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys	
	450					455					460					
Phe	Phe	Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe	
465					470					475					480	
Ser	Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln	
				485					490					495		
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys	Asn	
			500					505								

Ala	Phe	Val	Glu	Arg	Asp	Ser	Leu	His	Phe	Pro	His	Pro	Val	Met	Ile
610						615					620				
Tyr	Ala	Asn	Val	Lys	Gln	Gly	Phe	Tyr	Pro	Ile	Leu	Asn	Ala	Thr	Val
625					630					635					640
Thr	Ala	Thr	Val	Glu	Pro	Glu	Thr	Gly	Asp	Pro	Val	Thr	Leu	Arg	Leu
				645					650					655	
Leu	Asp	Asp	Gly	Ala	Gly	Ala	Asp	Val	Ile	Lys	Asn	Asp	Gly	Ile	Tyr
			660					665				670			
Ser	Arg	Tyr	Phe	Phe	Ser	Phe	Ala	Asn	Gly	Arg	Tyr	Ser	Leu	Lys	
		675					680				685				
Val	His	Val	Asn	His	Ser	Pro	Ser	Ile	Ser	Thr	Pro	Ala	His	Ser	Ile
		690				695					700				
Pro	Gly	Ser	His	Ala	Met	Tyr	Val	Pro	Gly	Tyr	Thr	Ala	Asn	Gly	Asn
705					710					715					720
Ile	Gln	Met	Asn	Ala	Pro	Arg	Lys	Ser	Val	Gly	Arg	Asn	Glu	Glu	Glu
				725						730				735	
Arg	Lys	Trp	Gly	Phe	Ser	Arg	Val	Ser	Ser	Gly	Gly	Ser	Phe	Ser	Val
			740					745					750		
Leu	Gly	Val	Pro	Ala	Gly	Pro	His	Pro	Asp	Val	Phe	Pro	Pro	Cys	Lys
		755					760				765				
Ile	Ile	Asp	Leu	Glu	Ala	Val	Asn	Arg	Arg	Gly	Ile	Asp	Pro	Ile	Leu
		770				775					780				
Asp	Ser	Thr	Trp	Arg	Arg	Leu									
785						790									

<210> 171

<211> 1491

<212> DNA

<213> Homo sapien

<400> 171

cctcctgcca	gccaaagtga	gacatgctta	cttccccttc	accttccttc	atgatgtggg	60
aagagtgtctg	caaccagcc	ctagccaacg	ccgcatgaga	gggagtgtgc	cgagggtcttc	120
tgagaaggtt	tctctcacat	ctagaaagaa	gcgcttaaga	tgtggcagcc	cctcttcttc	180
aagtggctct	tgtcctgttg	ccctgggagt	tctcaaattg	ctgcagcagc	ctccaccag	240
cctgaggatg	acatcaatac	acagaggaag	aagagtcagg	aaaagatgag	agaagttaca	300
gactctcctg	ggcgaccccg	agagcttacc	attcctcaga	cttcttcaca	tggtgctaac	360
agatttgctc	ctaaaagtaa	agctctagag	gccgtcaaat	tggcaataga	agccgggttc	420
caccatattg	attctgcaca	tgtttacaat	aatgaggagc	aggttggact	ggccatccga	480
agcaagattg	cagatggcag	tgtgaagaga	gaagacatat	tctacacttc	aaagctttgg	540
agcaattccc	atcgaccaga	gttggtccga	ccagccttgg	aaaggctcact	gaaaaatctt	600
caattggact	atgttgacct	ctatcttatt	cattttccag	tgtctgtaaa	gccaggtgag	660
gaagtgatcc	caaaagatga	aaatggaaaa	atactatttg	acacagtgga	tctctgtgcc	720
acatgggagg	ccatggagaa	gtgtaaagat	gcaggattgg	ccaagtccat	cggggtgtcc	780
aacttcaacc	acaggctgct	ggagatgac	ctcaacaagc	cagggtcaa	gtacaagcct	840
gtctgcaacc	aggtggaatg	tcaccttac	ttcaaccaga	gaaaactgct	ggatttctgc	900
aagtcaaaaag	acattgttct	ggttgccctat	agtgtcttgg	gatcccatcg	agaagaacca	960
tgggtggacc	cgaactcccc	ggtgtctctg	gaggaccag	tcctttgtgc	cttggcaaaa	1020
aagcacaagc	gaacccagc	cctgattgcc	ctgcgtacc	agctgcagcg	tggggttgtg	1080
gtcctggcca	agagctacaa	tgagcagcgc	atcagacaga	acgtgcagg	gtttgaattc	1140
cagttgactt	cagaggagat	gaaagccata	gatggcctaa	acagaaatgt	gcgatatttg	1200
acccttgata	tttttgctgg	ccccctaat	tatccatttt	ctgatgaata	ttacatgga	1260
gggcattgca	tgaggctctg	cagaaggccc	tgcgtgtgga	tggtgacaca	gaggatggct	1320
ctatgctggt	gactggacac	atcgctctg	gttaaattct	tcctgcttgg	cgacttcagt	1380
aagctacagc	taagcccatc	ggccggaaaa	gaaagacaat	aattttgttt	ttcattttga	1440

aaaaattaaa tgctctctcc taaagattct tcacctaaaa aaaaaaaaaa a

1491

<210> 172

<211> 364

<212> PRT

<213> Homo sapien

<400> 172

Met	Trp	Gln	Pro	Leu	Phe	Phe	Lys	Trp	Leu	Leu	Ser	Cys	Cys	Pro	Gly
1				5					10					15	
Ser	Ser	Gln	Ile	Ala	Ala	Ala	Ala	Ser	Thr	Gln	Pro	Glu	Asp	Asp	Ile
			20					25					30		
Asn	Thr	Gln	Arg	Lys	Lys	Ser	Gln	Glu	Lys	Met	Arg	Glu	Val	Thr	Asp
		35					40					45			
Ser	Pro	Gly	Arg	Pro	Arg	Glu	Leu	Thr	Ile	Pro	Gln	Thr	Ser	Ser	His
	50					55					60				
Gly	Ala	Asn	Arg	Phe	Val	Pro	Lys	Ser	Lys	Ala	Leu	Glu	Ala	Val	Lys
65					70					75					80
Leu	Ala	Ile	Glu	Ala	Gly	Phe	His	His	Ile	Asp	Ser	Ala	His	Val	Tyr
				85					90					95	
Asn	Asn	Glu	Glu	Gln	Val	Gly	Leu	Ala	Ile	Arg	Ser	Lys	Ile	Ala	Asp
			100					105					110		
Gly	Ser	Val	Lys	Arg	Glu	Asp	Ile	Phe	Tyr	Thr	Ser	Lys	Leu	Trp	Ser
		115					120					125			
Asn	Ser	His	Arg	Pro	Glu	Leu	Val	Arg	Pro	Ala	Leu	Glu	Arg	Ser	Leu
	130					135					140				
Lys	Asn	Leu	Gln	Leu	Asp	Tyr	Val	Asp	Leu	Tyr	Leu	Ile	His	Phe	Pro
145					150					155					160
Val	Ser	Val	Lys	Pro	Gly	Glu	Glu	Val	Ile	Pro	Lys	Asp	Glu	Asn	Gly
				165					170					175	
Lys	Ile	Leu	Phe	Asp	Thr	Val	Asp	Leu	Cys	Ala	Thr	Trp	Glu	Ala	Met
			180					185					190		
Glu	Lys	Cys	Lys	Asp	Ala	Gly	Leu	Ala	Lys	Ser	Ile	Gly	Val	Ser	Asn
		195					200					205			
Phe	Asn	His	Arg	Leu	Leu	Glu	Met	Ile	Leu	Asn	Lys	Pro	Gly	Leu	Lys
	210					215					220				
Tyr	Lys	Pro	Val	Cys	Asn	Gln	Val	Glu	Cys	His	Pro	Tyr	Phe	Asn	Gln
225					230					235					240
Arg	Lys	Leu	Leu	Asp	Phe	Cys	Lys	Ser	Lys	Asp	Ile	Val	Leu	Val	Ala
				245					250					255	
Tyr	Ser	Ala	Leu	Gly	Ser	His	Arg	Glu	Glu	Pro	Trp	Val	Asp	Pro	Asn
			260					265					270		
Ser	Pro	Val	Leu	Leu	Glu	Asp	Pro	Val	Leu	Cys	Ala	Leu	Ala	Lys	Lys
		275					280					285			
His	Lys	Arg	Thr	Pro	Ala	Leu	Ile	Ala	Leu	Arg	Tyr	Gln	Leu	Gln	Arg
	290					295					300				
Gly	Val	Val	Val	Leu	Ala	Lys	Ser	Tyr	Asn	Glu	Gln	Arg	Ile	Arg	Gln
305					310					315					320
Asn	Val	Gln	Val	Phe	Glu	Phe	Gln	Leu	Thr	Ser	Glu	Glu	Met	Lys	Ala
				325					330					335	
Ile	Asp	Gly	Leu	Asn	Arg	Asn	Val	Arg	Tyr	Leu	Thr	Leu	Asp	Ile	Phe
			340					345					350		
Ala	Gly	Pro	Pro	Asn	Tyr	Pro	Phe	Ser	Asp	Glu	Tyr				
		355					360								

```
<210> 173
<211> 1988
<212> DNA
<213> Homo sapiens
```

<400> 173						
cgggagccgc	ctccccgcgg	cctcttccgt	tttgtggcgg	cgcccgcgct	cgcaggccac	60
tctctgtctgt	cgcccgctcc	gcgcgctcct	ccgaccgcgt	ccgctccgct	ccgctcggcc	120
ccgcgcgcgc	cgtcaacatg	atccgctgcg	gcctggcctg	cgagcgctgc	cgctggatcc	180
tgccccctgct	cctactcagc	gccatcgctt	tcgacatcat	cgcgctggcc	ggccgcggct	240
ggttgccagtc	tagcgaccac	ggccagacgt	cctcgctgtg	gtggaaatgc	tcccaagagg	300
gcggcggcag	cgggtcctac	gaggagggct	gtcagagcct	catggagtac	gcgtggggta	360
gagcagcggc	tgccatgctc	ttctgtggct	tcatactcct	ggtgatctgt	ttcatcctct	420
ccttcttcgc	cctctgtgga	cccagatgc	ttgtcttctt	gagagtgatt	ggagggtctcc	480
ttgccttggc	tgctgtgttc	cagatcatct	ccctggtaat	ttaccccgctg	aagtacaccc	540
agaccttcac	ccttcatgcc	aacctgctg	tcacttacat	ctataactgg	gcctacggct	600
ttgggtgggc	agccacgatt	atcctgatcg	gctgtgcctt	cttcttctgc	tgccctccca	660
actacgaaga	tgaccttctg	ggcaatgcca	agcccaggta	cttctacaca	tctgcctaac	720
ttgggaatga	atgtggggaga	aaatcgctgc	tgctgagatg	gactccagaa	gaagaaactg	780
tttctccagg	cgactttgaa	cccatTTTTT	ggcagtgttc	atattattaa	actagtcaaa	840
aatgctaaaa	taatttggga	gaaaaatattt	tttaagtagt	gttatagttt	catgtttatc	900
ttttatttatg	ttttgtgaag	ttgtgtcttt	tcactaatta	cctatactat	gccaatattt	960
ccttataatct	atccataaca	tttatactac	atttgtaaga	gaatatgcac	gtgaaactta	1020
acactttata	aggtaaaaaat	gaggtttcca	agattttaata	atctgatcaa	gttcttgtta	1080
tttccaaaata	gaatggactt	ggtctgttaa	gggctaagga	gaagaggaag	ataagggtta	1140
aagtgtttaa	tgaccaaaaca	ttctaaaaga	aatgcaaaaa	aaaagtttat	tttcaagcct	1200
tcgaactatt	taaggaaagc	aaaatcattt	cctaaatgca	tatcatttgt	gagaatttct	1260
cattaatatc	ctgaatcatt	catttcagct	aaggcttcat	gttgactcga	tatgtcatct	1320
aggaaaagtac	tatttcatgg	tccaaacctg	ttgccatagt	tggtaaaggct	ttcctttaag	1380
tgtgaaatat	ttagatgaaa	ttttctcttt	taaagttctt	tatagggtta	gggtgtggga	1440
aaatgctata	ttaataaatc	tgtagtgttt	tgtgtttata	tgttcagaac	cagagtagac	1500
tggattgaaa	gatggactgg	gtctaattta	tcatgactga	tagatctggt	taagttgtgt	1560
agtaaagcat	taggagggct	attcytgtca	caaaagtgcc	actaaaacag	cctcaggaga	1620
ataaatgact	tgcttttcta	aatctcaggt	ttatctgggc	tctatcatat	agacaggctt	1680
ctgatagttt	gcarctgtaa	gcagaaaacct	acatatagtt	aaaatcctgg	tctttcttgg	1740
taaacagatt	ttaaatgtct	gatataaaac	atgccacagg	agaattcggg	gatttgagtt	1800
ttctctgaata	gcataatat	gatgcactcg	ataggtcatt	atgatttttt	accatttcga	1860
cttacataat	gaaaaccaat	tcattttaaa	tatcagatta	ttattttgta	agttgtggaa	1920
aaagctaatt	gtagttttca	ttatgaagtt	ttcccaataa	accagggtatt	ctaaaaaaaa	1980
aaaaaaaa						1988

```
<210> 174
<211> 238
<212> PRT
<213> Homo sapiens
```

<400> 174
Gly Ala Ala Ser Pro Arg Pro Leu Arg Phe Cys Gly Gly Ala Arg Ala
5 10 15
Arg Arg Pro Leu Ser Ala Val Ala Arg Pro Ala Arg Ser Ser Asp Pro
20 25 30
Leu Arg Ser Ala Pro Leu Gly Pro Ala Pro Pro Val Asn Met Ile Arg

35	40	45
Cys Gly Leu Ala Cys Glu Arg Cys Arg Trp Ile Leu Pro Leu Leu Leu		
50	55	60
Leu Ser Ala Ile Ala Phe Asp Ile Ile Ala Leu Ala Gly Arg Gly Trp		
65	70	75 80
Leu Gln Ser Ser Asp His Gly Gln Thr Ser Ser Leu Trp Trp Lys Cys		
	85	90 95
Ser Gln Glu Gly Gly Gly Ser Gly Ser Tyr Glu Glu Gly Cys Gln Ser		
	100	105 110
Leu Met Glu Tyr Ala Trp Gly Arg Ala Ala Ala Ala Met Leu Phe Cys		
	115	120 125
Gly Phe Ile Ile Leu Val Ile Cys Phe Ile Leu Ser Phe Phe Ala Leu		
	130	135 140
Cys Gly Pro Gln Met Leu Val Phe Leu Arg Val Ile Gly Gly Leu Leu		
145	150	155 160
Ala Leu Ala Ala Val Phe Gln Ile Ile Ser Leu Val Ile Tyr Pro Val		
	165	170 175
Lys Tyr Thr Gln Thr Phe Thr Leu His Ala Asn Pro Ala Val Thr Tyr		
	180	185 190
Ile Tyr Asn Trp Ala Tyr Gly Phe Gly Trp Ala Ala Thr Ile Ile Leu		
	195	200 205
Ile Gly Cys Ala Phe Phe Phe Cys Cys Leu Pro Asn Tyr Glu Asp Asp		
	210	215 220
Leu Leu Gly Asn Ala Lys Pro Arg Tyr Phe Tyr Thr Ser Ala		
225	230	235

<210> 175

<211> 4181

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (3347)

<223> n=A,T,C or G

<221> unsure

<222> (3502)

<223> n=A,T,C or G

<221> unsure

<222> (3506)

<223> n=A,T,C or G

<221> unsure
 <222> (3520)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3538)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3549)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3646)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3940)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3968)
 <223> n=A,T,C or G
 <221> unsure
 <222> (3974)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4036)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4056)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4062)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4080)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4088)
 <223> n=A,T,C or G
 <221> unsure
 <222> (4115)
 <223> n=A,T,C or G

<400> 175

```

ggtggatgcg tttgggttgt agctaggctt tttcttttct ttctctttta aaacacatct 60
agacaaggaa aaaacaagcc tcggatctga ttttctactc ctctgtcttg tgcttggttc 120
ttactgtgtt tgtgtatttt aaaggcgaga agacgagggg aacaaaacca gctggatcca 180
tccatcaccg tgggtgggtt taatttttctg ttttttctcg ttattttttt ttaaacacc 240
actcttcaca atgaacaaac tgtatatcgg aaacctcagc gagaacgcgc cccctcggga 300
cctagaaagt atcttcaagg acgccaagat cccggtgtcg ggacccttcc tgggtgaagac 360
tggtctacgc ttcgtggact gcccggaaga gagctgggccc ctcaaggcca tcgaggcgct 420
ttcaggtaaa atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag 480
gcaaaggatt cggaaacttc agatacgaat tatccgcct catttacagt gggaggtgct 540
ggatagttta ctagtccagt atggagtggg ggagagctgt gagcaagtga acactgactc 600
ggaaactgca gttgtaaatg taacctatc cagtaaggac caagctagac aagcactaga 660
caaactgaat ggatttcagt tagagaattt caccttgaaa gtagcctata tccctgatga 720
aatggccgcc cagcaaaacc ccttgacgca gcccgagggt cgccgggggc ttgggcagag 780
gggctectca aggcaggggt ctccaggatc cgtatccaag cagaaaccat gtgatttgcc 840
  
```

```

tctgcgcctg ctgggtccca cccaatttgt tggagccatc ataggaaaag aagggtgccac 900
cattcggaac atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc 960
gggggctgct gagaagtcga ttactatcct ctctactcct gaaggcacct ctgcggcttg 1020
taagctctatt ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat 1080
ccccctgaag attttagctc ataataactt tgttggacgt cttattggta aagaaggag 1140
aaatcttaaa aaaattgagc aagacacaga cactaaaatc acgatatctc cattgcagga 1200
attgacgctg tataatccag aacgcactat tacagttaaa ggcaatgttg agacatgtgc 1260
caaagctgag gaggagatca tgaagaaaat cagggagtcct tatgaaaatg atattgcttc 1320
tatgaatctt caagcacatt taattcctgg attaaatctg aacgccttgg gtctgttccc 1380
accacttca gggatgccac ctcccacctc agggccccct tcagccatga ctctctccta 1440
ccgcagttt gagcaatcag aaacggagac tgttcatcag tttatcccag ctctatcagt 1500
cggtgccatc atcggcaagc agggccagca catcaagcag ctttctcgct ttgctggagc 1560
ttcaattaag attgctccag cggaagcacc agatgctaaa gtgaggatgg tgattatcac 1620
tggaccacca gaggctcagt tcaaggctca gggagaatt tatggaaaaa ttaagaaga 1680
aaactttgtt agtcctaaag aagaggtgaa acttgaagct catatcagag tgccatcctt 1740
tgctgctggc agagttattg gaaaaggagg caaacgggtg aatgaacttc agaatttgtc 1800
aagtgcagaa gttgttgtcc ctctgacca gacacctgat gagaatgacc aagtggttgt 1860
caaaataact ggtcacttct atgcttgcca ggttgcccag agaaaaattc aggaaattct 1920
gactcaggta aagcagcacc aacaacagaa ggctctgcaa agtggaccac ctcagtcaag 1980
acggaagtaa aggctcagga aacagcccac cacagaggca gatgccaaac caaagacaga 2040
ttgcttaacc aacagatggg cgctgacccc ctatccagaa tcacatgcac aagtttttac 2100
ctagccagtt gtttctgagg accaggcaac ttttgaactc ctgtctctgt gagaatgtat 2160
actttatgct ctctgaaatg tatgacaccc agctttaaaa caaacaacaa aacaaacaaa 2220
aaaaggggtg gggagggagg gaaagagaag agctctgcac ttccctttgt tgtagtctca 2280
cagtataaca gatattctaa ttcttcttaa tattcccca taatgccaga aattggctta 2340
atgatgcttt cactaaattc atcaaataga ttgctcctaa atccaattgt taaaattgga 2400
tcagaataat tatcacagga acttaaatgt taagccatta gcatagaaaa actgttctca 2460
gttttatttt tacctaacac taacatgagt aacctaaagg aagtgtgaa tgggtgtggc 2520
aggggtatta aacgtgcatt tttactcaac tacctcaggt attcagtaat acaatgaaaa 2580
gcaaaattgt tccttttttt tgaaaatttt atatacttta taatgataga agtccaaccg 2640
ttttttaaaa aataaattta aaatttaaca gcaatcagct aacaggcaaa ttaagatttt 2700
tacttctggc tgggtgacagt aaagctggaa aattaatttc agggtttttt gaggcttttg 2760
acacagttat tagttaaatc aaatgttcaa aaatacggag cagtgcctag tatctggaga 2820
gcagcactac catttattct ttcatttata gttgggaaag tttttgacgg tactaacaaa 2880
gtggctgcag gagatttttg aacggctggg ttaaattggc tcaggagact tcagtttttt 2940
gttttagctac atgattgaat gcataataaa tgctttgtgc ttctgactat caatacctaa 3000
agaaagtgca tcagtgaaga gatgcaagac tttcaactga ctggcaaaaa gcaagcttta 3060
gcttgtctta taggatgctt agtttgccac tacacttcag accaatggga cagtcataga 3120
tgggtgtgaca gtgttttaac gcaacaaaag gctacatttc catggggcca gcactgtcat 3180
gagcctcact aagctatttt gaagattttt aagcactgat aaattaaaaa aaaaaaaaaa 3240
aaattagact ccaccttaag tagtaaagta taacaggatt tctgtatact gtgcaatcag 3300
ttctttgaaa aaaaagtcaa aagatagaga atacaagaaa agttttnggg atataatttg 3360
aatgactgtg aaaacatatg acctttgata acgaactcat ttgctcactc cttgacagca 3420
aagcccagta cgtacaattg tgttgggtgt ggggtgtctc caaggccacg ctgctctctg 3480
aattgatttt ttgagttttg gnttgnaaga tgatcacagn catgttacac tgatcttnaa 3540
ggacatatnt tataaccctt taaaaaaaaa atccctgcc tcattcttat ttcgagatga 3600
atttcgatac agactagatg tctttctgaa gatcaattag acattntgaa aatgatttaa 3660
agtgttttcc ttaatgttct ctgaaaacaa gtttcttttg tagttttaac caaaaaagtg 3720
ccctttttgt cactggtttc tcttagcatt catgattttt ttttcacaca atgaattaaa 3780
attgctaaaa tcatggactg gctttctggg tggatttcag gtaagatgtg ttttaaggcca 3840
gagcttttct cagtatttga tttttttccc caatatttga ttttttaaaa atatacacat 3900
aggagctgca tttaaaacct gctggtttaa attctgtcan atttcacttc tagcctttta 3960
gtatggcnaa tcanaattta cttttactta agcatttgta atttggagta tctgggtacta 4020
gctaagaaat aattcnataa ttgagttttg tactcnccaa anatgggtca ttccatcatg 4080
ataatgtnc cccaatgcag cttcattttc caganacctt gacgcaggat aaattttttc 4140

```

atcatttagg tccccaaaaa aaaaaaaaaa aaaaaaaaaa a

4181

<210> 176

<211> 580

<212> PRT

<213> Homo sapiens

<400> 176

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln
100 105 110

Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser
115 120 125

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Met Ala Ala
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys
180 185 190

Pro Cys Asp Leu Pro Leu Arg Leu Leu Val Pro Thr Gln Phe Val Gly
195 200 205

Ala Ile Ile Gly Lys Glu Gly Ala Thr Ile Arg Asn Ile Thr Lys Gln
210 215 220

Thr Gln Ser Lys Ile Asp Val His Arg Lys Glu Asn Ala Gly Ala Ala
225 230 235 240

Glu Lys Ser Ile Thr Ile Leu Ser Thr Pro Glu Gly Thr Ser Ala Ala
245 250 255

Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys
 260 265 270

Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val
 275 280 285

Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln
 290 295 300

Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu
 305 310 315 320

Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys
 325 330 335

Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu
 340 345 350

Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu
 355 360 365

Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro
 370 375 380

Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe
 385 390 395 400

Glu Gln Ser Glu Thr Glu Thr Val His Gln Phe Ile Pro Ala Leu Ser
 405 410 415

Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser
 420 425 430

Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp
 435 440 445

Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe
 450 455 460

Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val
 465 470 475 480

Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495

Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510

Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525

Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 177

<211> 401

<212> DNA

<213> Homo sapiens

<400> 177

```
atgccccgta aatgtcttca gtgttcttca gggtagttgg gatctcaaaa gatttggttc 60
agatccaaac aaatacacat tctgtgtttt agctcagtgt tttctaaaaa aagaaactgc 120
cacacagcaa aaaattgttt actttgttgg acaaaccaaa tcagttctca aaaaatgacc 180
gggtgcttata aaaagttata aatatcgagt agctctaaaa caaaccacct gaccaagagg 240
gaagtgaact tgtgttagt atttacattg gatgccagtt ttgtaatcac tgacttatgt 300
gcaaaactgg gcagaaattc tataaactct ttgctgtttt tgatacctgc tttttgtttc 360
attttgtttt gttttgtaaa aatgataaaa cttcagaaaa t 401
```

<210> 178

<211> 561

<212> DNA

<213> Homo sapiens

<400> 178

```
acgcctttca aggggtgtacg caaagcactc attgataccc ttttggatgg ctatgaaaca 60
gcccgtatg ggacaggggt ctttggccag aatgagtacc tacgctatca ggaggccctg 120
agtgaactgg ccactgcggt taaagcacga attgggagct ctcagcgaca tcaccagtca 180
gcagccaaag acctaactca gtccctgtag gtctcccaa caaccatcca ggtgacatac 240
ctcccttcca gtcagaagag taaacgtgcc aagcacttcc ttgaattgaa gagctttaag 300
gataactata acacattgga gactactctg tgacggagct gaaggactct tgccgtagat 360
taagccagtc agttgcaatg tgcaagacag gctgcttgcc gggccgacct cggaacatct 420
ggcccagcag gccagactg taccatcca agttccggt gtatccagag ttcttagagc 480
ttgtgtctaa agggtaattc cccaaccctt ccttatgagc attttttagaa cattggctaa 540
gactattttc cccagtagc g 561
```

<210> 179

<211> 521

<212> DNA

<213> Homo sapiens

<400> 179

```
cccaacgcgt ttgcaaatat tccctggta gcctacttcc ttacccccga atattggtaa 60
gatcgagcaa tggttcagg acatgggttc tcttctctg tgatcattca agtgctcact 120
gcatgaagac tggttgtct cagtgtttca acctcaccag ggctgtctct tgggtccacac 180
ctcgtccct gttagtgcg tatgacagcc cccatcaaatt gaccttggcc aagtcacggc 240
ttctctgtgg tcaagggtgg ttggctgatt ggtggaaagt aggggtggacc aaaggaggcc 300
acgtgagcag tcagcaccag ttctgcacca gcagcgctc cgtcctagtg ggtgttctg 360
tttctctctg ccctgggtgg gctagggcct gattcgggaa gatgccttg caggaggagg 420
aggataagtg ggatctacca attgattctg gcaaaacaat ttctaagatt tttttgcttt 480
```


atgtgggaaa cagatctaaa tctcatttta tgctgtattt t

521

<210> 180

<211> 417

<212> DNA

<213> Homo sapiens

<400> 180

ggtggaattc gccgaagatg gcggaggtgc aggtcctggt gcttgatggt cgaggccatc 60
tcttgggccc cctggcgcc atcgtggcta aacaggtaact gctgggcccg aagggtggtg 120
tcgtacgctg tgaaggcatc aacatttctg gcaatttcta cagaaacaag ttgaagtacc 180
tggttttctt ccgcaagcgg atgaacacca acccttcccg agggccctac cacttccggg 240
ccccagccg catcttcttg cggaaccgtg gaggtatgct gcccacaaa accaagcgag 300
gccaggccgc tctggaccgt ctcaagggtg ttgacggcat cccaccgcc tacgacaaga 360
aaaagcggat ggtggttctt gctgccctca aggtcgtgcg tctgaagcct acaagaa 417

<210> 181

<211> 283

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (35)

<223> n=A,T,C or G

<400> 181

gatttcttct aaataggatg taaaacttct ttcanattac tcttctcag tctgacctgc 60
caagaactca agtgtaactg tgataaaaata acctttccca ggtatattgg caggtagtg 120
tgtaattctca gaatacacag gtgacataga tatgatatga caactggtaa tgggtgattc 180
atttacattg tttacacttc tatgaccagg ccttaaggga aggtcagttt tttaaaaaac 240
caagtagtgt cttcctacct atctccagat acatgtcaaa aaa 283

<210> 182

<211> 401

<212> DNA

<213> Homo sapiens

<400> 182

atattcttgc tgcttatgca gctgacattg ttgccctccc taaagcaacc aagtagcctt 60
tatttcccac agtgaaaagaa aacgctggcc tatcagttac attacaaaag gcagatttca 120
agaggattga gtaagtagtt ggatggcttt cataaaaaaca agaattcaag aagaggattc 180
atgctttaag aaacatttgt tatacattcc tcacaaatta tacctgggat aaaaactatg 240
tagcaggcag tgtgttttcc ttccatgtct ctctgcacta cctgcagtgt gtcctctgag 300
gctgcaagtc tgtcttatct gaattcccag cagaagcact aagaagctcc accctatcac 360
ctagcagata aaactatggg gaaaacttaa atctgtgcat a 401

<210> 183

<211> 366

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (325)

<223> n=A,T,C or G

<400> 183

```
accgtgtcca agtttttaga acccttggtta gccagaccga ggtgtcctgg tcaccgtttc 60
accatcatgc tttgatgttc ccctgtcttt ctctcttctg ctctcaagag caaagggttaa 120
tttaaggaca aagatgaagt cactgtaaac taatctgtca ttgtttttac ctcccttttc 180
tttttcagtg cagaaattaa aagtaagtat aaagcaccgt gattgggagt gtttttgagt 240
gtgtcggaat cactggtaaa tggtggctga gaacaatccc tccccttgca cttgtgaaaa 300
cactttgagc gctttaagag attancctga gaaataatta aatatctttt ctcttcaaaa 360
aaaaaa 366
```

<210> 184

<211> 370

<212> DNA

<213> Homo sapiens

<400> 184

```
tcttacttca aaagaaaaat aaacataaaa aataagttgc tggttcctaa caggaaaaat 60
tttaataatt gtactgagag aaactgctta cgtacacatt gcagatcaaa tatttgaggt 120
taaaatgtta gtctacatag atgggtgatt gtaactttat tgccattaaa agatttcaaa 180
ttgcattcat gcttctgtgt acacataatg aaaaatgggc aaataatgaa gatctctcct 240
tcagtctgct ctgtttaatt ctgctgtctg ctcttctcta atgctgcgtc cctaattgta 300
cacagtttag tgatatctag gagtataaag ttgtcgccca tcaataaaaa tcacaaagtt 360
ggtttaaaaa 370
```

<210> 185

<211> 107

<212> DNA

<213> Homo sapiens

<400> 185

```
ctcatattat tttccttttg agaaattgga aactctttct gttgctatta tattaataaa 60
gttgggtgtt attttctggt agtcaccttc cccatttaaa aaaaaaa 107
```

<210> 186

<211> 309

<212> DNA

<213> Homo sapiens

<400> 186

```
gaaaggatgg ctctggttgc cacagagctg ggacttcatg ttcttctaga gagggccaca 60
agagggccac aggggtggcc gggagttgtc agctgatgcc tgctgagagg caggaattgt 120
gccagtgagt gacagtcatg agggagtgtc tcttcttggg gaggaagaa ggtagagcct 180
ttctgtctga atgaaaggcc aaggctacag tacagggccc cgccccagcc aggggtgtta 240
tgcccacgta gtggaggcct ctggcagatc ctgcattcca aggtcactgg actgtacgtt 300
tttatgggtt 309
```

<210> 187

<211> 477

<212> DNA

<213> Homo sapiens

<400> 187

```
ttcagtccta gcaagaagcg agaattctga gatcctccag aaagtcgagc agcaccacc 60
tccaacctcg ggccagtgtc ttcaggcttt actggggacc tgcgagctgg cctaattgtg 120
```

```

tggcctgcaa gccaggccat ccctgggccc cacagacgag ctccgagcca ggtcaggctt 180
cggaggccac aagctcagcc tcaggcccag gcaactgattg tggcagaggg gccactaccc 240
aaggtctagc taggcccag acctagttac ccagacagtg agaagcccct ggaaggcaga 300
aaagttggga gcatggcaga caggggaagg aaacattttc agggaaaaga catgtatcac 360
atgtcttcag aagcaagtca ggtttcattgt aaccgagtggt cctcttgctg gtccaaaagt 420
agcccagggc tgtagcacag gcttcacagt gattttgtgt tcagccgtga gtcacac 477

```

<210> 188

<211> 220

<212> DNA

<213> Homo sapiens

<400> 188

```

taaatatggg agatattaat attcctctta gatgaccagt gattccaatt gtcccaagtt 60
ttaaataagt accctgtgag tatgagataa attagtgaca atcagaacaa gtttcagtat 120
cagatgttca agaggaagtt gctattgcat tgattttaat atttgtagat aaacactgat 180
ttttttgagc attattttgt atttggtgta cttaataacc 220

```

<210> 189

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (76)

<223> n=A,T,C or G

<221> unsure

<222> (77)

<223> n=A,T,C or G

<400> 189

```

accatcttga cagaggatac atgctcccaa aacgtttgtt accacactta aaaatcactg 60
ccatcattaa gcatcnnttt caaaattata gccattcatg atttactttt tccagatgac 120
tatcattatt ctatgccttt gaatttgtaa ggggaaaaaa aacaaaaaca aaaacttacg 180
atgcactttt ctccagcaca tcagatttca aattgaaaat taaagacatg ctatggtaat 240
gcacttgcta gtactacaca ctttgtacaa caaaaaacag aggcaagaaa caacggaaag 300
agaaaagcct tcctttgttg gcccttaaac tgagtcaaga tctgaaatgt agagatgatc 360
tctgacgata cctgtatgtt cttattgtgt aaataaaatt gctggtatga aatgaca 417

```

<210> 190

<211> 497

<212> DNA

<213> Homo sapiens

<400> 190

```

gcaactgcgg gctctcccgt cccgcggtgg ttgctgctgc tgccgctgct gctgggcctg 60
aacgcaggag ctgtcattga ctggcccaca gaggagggca aggaagtatg ggattatgtg 120
acggtccgca aggatgccta catgttcttg tggctctatt atgccaccaa ctctgcaag 180
aacttctcag aactgcccct ggtcatgtgg cttcaggggc gtccaggcgg ttctagcact 240
ggatttgga aactttgagga aattggggcc cttgacagtg atctcaaacc acggaaaacc 300
acctggctcc aggctgccag tctcctattt gtggataatc ccgtgggcac tgggttcagt 360
tatgtgaatg gtagtggtgc ctatgccaaag gacctggcta tgggtggctc agacatgatg 420
gttctcctga agaccttctt cagttgccac aaagaattcc agacagttcc attctacatt 480
ttctcagagt cctatgg 497

```

<210> 191
<211> 175
<212> DNA
<213> Homo sapiens

<400> 191
atgttgaata ttttgcttat taactttggt tattgtcttc tccctcgatt agaattattag 60
ctacttgagt acaaggattt gagcctgtta cattcactgc tgaatttttag gtccttgga 120
gatacccagc attcaataga gaccacacaa taaatatatg tcaaataaaa aaaaa 175

<210> 192
<211> 526
<212> DNA
<213> Homo sapiens

<400> 192
agtaaacatt attatTTTTT ttatatTTTgc aaaggaaaca tatctaattcc ttcctataga 60
agaacagta ttgctgtaat tcctTTTTctt ttcttctctca tttcctctgc cccttaaaag 120
attgaagaaa gagaaacttg tcaactcata tccacgttat ctagcaaagt acataagaat 180
ctatcactaa gtaatgtatc cttcagaatg tggttggttta ccagtgcacac cccatattca 240
tcacaaaatt aaagcaagaa gtccatagta atttatTTTgc taatagtga tttttaatgc 300
tcagagtttc tgaggtcaaa ttttatcttt tcacttaca gctctatgat cttaaataat 360
ttacttaatg tattttggtg tattttctct aaattaatat tgggtgttcaa gactatatct 420
aattcctctg atcactttga gaaacaaact tttattaaat gtaaggcact tttctatgaa 480
ttttaaatat aaaaataaat attgttctga ttattactga aaaaaa 526

<210> 193
<211> 553
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (290)
<223> n=A,T,C or G
<221> unsure
<222> (300)
<223> n=A,T,C or G
<221> unsure
<222> (411)
<223> n=A,T,C or G
<221> unsure
<222> (441)
<223> n=A,T,C or G

<400> 193
tccattgtgg tggaattcgc tctctggtaa aggcgtgcag gtggtggccg cggcctctga 60
gctgggatga gccgtgctcc cgggtggaagc aaggagagccc agccggagcc atggccagta 120
cagtggtagc agttggactg accattgctg ctgcaggatt tgcaggccgt tacgttttgc 180
aagccatgaa gcatatggag cctcaagtaa aacaagtttt tcaaagccta ccaaaatctg 240
ccttcagtgg tggctattat agaggtgggt ttgaacccaa aatgacaaan cgggaagcan 300
cattaatact aggtgtaagc cctactgcc aataagggaa aataagagat gctcatcgac 360
gaattatgct tttaaatcat cctgacaaag gaggatctcc ttatatagca nccaaaatca 420
atgaagctaa agatttacta naaggtcaag ctaaaaaatg aagtaaattg atgatgaatt 480

ttaagttcgt attagtttat gtatatgagt actaagtttt tataataaaa tgcctcagag 540
ctacaatttt aaa 553

<210> 194

<211> 320

<212> DNA

<213> Homo sapiens

<400> 194

cccttcccaa tccatcagta aagaccccat ctgccttgtc catgccgttt cccaacaggg 60
atgtcacttg atatgagaat ctcaaatctc aatgccttat aagcattcct tctgtgtgcc 120
attaagactc tgataattgt ctccccctca taggaatttc tcccaggaaa gaaatatatc 180
cccatctccg tttcatatca gaactaccgt ccccgatatt cccttcagag agattaaaga 240
ccagaaaaaa gtgagcctct tcatctgcac ctgtaatagt ttcagttcct attttcttcc 300
attgacccat atttatacct 320

<210> 195

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (203)

<223> n=A,T,C or G

<221> unsure

<222> (218)

<223> n=A,T,C or G

<400> 195

aagcatgacc tggggaaatg gtcagacctt gtatttgtgt tttggccttg aaagtagcaa 60
gtgaccagaa tctgccatgg caacaggctt taaaaaagac ccttaaaaag acactgtctc 120
aactgtggtg ttagcaccag ccagctctct gtacatttgc tagcttgtag ttttctaaga 180
ctgagtaaac ttcttatttt tanaaaaggg aggctggntt gtaactttcc ttgtacttaa 240
ttgggtaaaa gtctttttcca caaaccacca tctattttgt gaactttgtt agtcactctt 300
tatttggtaa attatgaact 320

<210> 196

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (36)

<223> n=A,T,C or G

<400> 196

atataaaata atacgaaact ttaaaaagca ttggantgtc agtatgttga atcagtagtt 60
tcactttaac tgtaaacaat ttcttaggac accatttggg ctagtttctg tgtaagtgtg 120
aatactacaa aaactttatt atactgttct tatgtcattt gttatattca tagatttata 180
tgatgatatg acatctggct aaaaagaaat tattgcaaaa ctaaccacta tgtacttttt 240
tataaatact gtatggacaa aaaatggcat tttttatatt aaattgttta gctctggcaa 300
aaaaaaaaa ttttaagagc tgggtactaat aaaggattat tatgactgtt aaaaaaa 357

<210> 197
 <211> 565
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (27)
 <223> n=A,T,C or G

<400> 197
 tcagctgagt accatcagga tatttanccc ttttaagtgt gttttgggag tagaaaacta 60
 aagcaacaat acttcctctt gacagctttg attggaatgg gggtattaga tcattcacct 120
 tggtcctaca ctttttagga tgcttggtga acataacacc acttataatg aacatccctg 180
 gttcctatat tttgggctat gtgggtagga attgttactt gttactgcag cagcagccct 240
 agaaagtaag cccagggtct cagatctaag ttagtccaaa agctaaatga tttaaagtca 300
 agttgtaatg ctaggcataa gcactctata atacattaaa ttataggccg agcaattagg 360
 gaatgtttct gaaacattaa acttgatatt atgtcactaa aattctaaca caaacttaaa 420
 aaatgtgtct catacatatg ctgtactagg cttcatcatg catttctaaa tttgtgtatg 480
 atttgaatat atgaaagaat ttatacaaga gtgttattta aaattattaa aaataaatgt 540
 atataatttg tacctattgt aaaaa 565

<210> 198
 <211> 484
 <212> DNA
 <213> Homo sapiens

<400> 198
 tatgtaagta ttggtgtctg ctttaaaaaa ggagaccag acttcacctg tccttttttaa 60
 acatttgaga acagtgttac tctgagcagt tggggccacct tcaccttatc cgacagctga 120
 ctgttggtat tgtccattgt cggcagtttg gctgttgccc ggacaggaca ggacctccat 180
 tgggcgcagc agcagggtggc aggggtgtgg cttgaggtgg gtggcagcgt ctggtcctcc 240
 tctctggtgc tttctgagag ggtctctaaa gcagagtgtg gttggcctgg gggaaggcag 300
 agcacgtatt tctccctct agtacctctg catttgtgag tgttccctct ggctttctga 360
 agggcagcag actcttgagt atactgcaga ggacatgctt tatcagtagg tcctgagggc 420
 tccaggggct caactgacca agtaacacag aagttggggg atgtggccta tttgggtcgg 480
 aaac 484

<210> 199
 <211> 429
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (77)
 <223> n=A,T,C or G
 <221> unsure
 <222> (88)
 <223> n=A,T,C or G
 <221> unsure
 <222> (134)
 <223> n=A,T,C or G
 <221> unsure
 <222> (151)

<223> n=A,T,C or G
 <221> unsure
 <222> (189)
 <223> n=A,T,C or G
 <221> unsure
 <222> (227)
 <223> n=A,T,C or G
 <221> unsure
 <222> (274)
 <223> n=A,T,C or G
 <221> unsure
 <222> (319)
 <223> n=A,T,C or G

<400> 199

```
gcttatgttt tttgttttaa cttttgtttt ttaacattta gaatattaca ttttgtatta 60
tacagtacct ttctcanaca ttttgtanaa ttcatttcgg cagctcacta ggattttgct 120
gaacattaaa aagngtgata gcgatattag ngccaatcaa atggaaaaaa ggtagtctta 180
ataaacaana cacaacgttt ttatacaaca tactttaaaa tattaanaaa actccttaat 240
attgtttcct attaagtatt attctttggg caanattttc tgatgctttt gattttctct 300
caatttagca tttgctttng gtttttttct ctatttagca ttctgttaag gcacaaaaac 360
tatgtactgt atgggaaatg ttgtaaatat taccttttcc acatttttaa cagacaactt 420
tgaatccaa 429
```

<210> 200

<211> 279

<212> DNA

<213> Homo sapiens

<400> 200

```
gcttttttga ggaattacag ggaagctcct ggaattgtac atggatatct ttatccctag 60
ggggaaatca aggagctggg caccctaat tctttatgga agtgttttaa actattttta 120
ttttattaca agtattacta gagtagtggt tctactctaa gatttcaaaa gtgcatttaa 180
aatcatatcat gttcccgctt gcaaatatat tgttattttg gtggagaaaa aaatagtata 240
ttctacataa aaaattaaag atattaacta agaaaaaaa 279
```

<210> 201

<211> 569

<212> DNA

<213> Homo sapiens

<400> 201

```
taggtcagta ttttttagaaa ctcttaatat ctcatactct tgataccaaa agcagccctg 60
attgttaaag cacacacctg cacaagaagc agtgatgggt gcattttacat ttcctgggtg 120
cacaaaaaaa aattctcaaa aagcaaggac ttacgctttt tgcaaagcct ttgagaagtt 180
actggatcat aggaagctta taacaagaat ggaagattct taaataactc actttctttg 240
gtatccagta acagtagatg ttcaaaatat gtagctgatt aataaccagca ttgtgaacgc 300
tgtacaacct tgtggttatt actaagcaag ttactactag cttctgaaaa gtagcttcat 360
aattaatggt attttatacac tgctttccat gacttttact ttgccctaag ctaatctcca 420
aaatctgaaa tgctactcca atatcagaaa aaaaggggga ggtggaatta tatttctctg 480
gattttaaga gtacagagaa tcatgcacat ctctgattag ttcatatatg tctagtgtgt 540
aataaaagtc aaagatgaac tctcaaaaa 569
```

<210> 202

<211> 501

<212> DNA

<213> Homo sapiens

<400> 202

```

attaataggc ttaataattg ttggcaagga tccttttgct ttctttggca tgcaagctcc 60
tagcatctgg cagtggggcc aagaaaataa ggtttatgca tgtatgatgg tttcttctt 120
gagcaacatg attgagaacc agtgtatgtc aacagggtgca tttgagataa ctttaaataga 180
tgtacctgtg tggctctaagc tggaatctgg tcaccttcca tccatgcaac aacttgttca 240
aattcttgac aatgaaatga agctcaatgt gcatatggat tcaatccac accatcgatc 300
atagcaccac ctatcagcac tgaaaactct tttgcattaa gggatcattg caagagcagc 360
gtgactgaca ttatgaaggc ctgtactgaa gacagcaagc tgtagtaca gaccagatgc 420
tttcttggca ggctcgttgt acctcttggg aaacctcaat gcaagatagt gtttcagtgc 480
tggcatattt tgggaattctg c                                     501

```

<210> 203

<211> 261

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (36)

<223> n=A,T,C or G

<221> unsure

<222> (96)

<223> n=A,T,C or G

<400> 203

```

gacaagctcc tggctcttgag atgtcttctc gttaangaga tgggcctttt ggaggtaaag 60
gataaaatga atgagttctg tcatgattca ctattntata acttgcatga cttttactgt 120
gttagctctt tgaatgttct tgaaatttta gactttcttt gtaaacaat gatatgtcct 180
tatcattgta taaaagctgt tatgtgcaac agtgtggaga ttccttgtct gatttaataa 240
aataacttaa cactgaaaaa a                                     261

```

<210> 204

<211> 421

<212> DNA

<213> Homo sapiens

<400> 204

```

agcatctttt ctacaacggt aaaattgcag aagtagctta tcattaataa acaacaacaa 60
caacaataac aataaatcct aagtgtaaat cagttattct accccctacc aaggatatca 120
gcctgttttt tccctttttt ctcttgggaa taattgtggg cttcttccca aatttctaca 180
gcctctttcc tcttctcatg cttgagcttc cctgtttgca cgcattgctg tgcaggactg 240
gcttgtgtgc ttggactcgg ctccagggtg aagcatgctt tcccttgtta ctgttggaga 300
aactcaaacc ttcaagccct aggtgtagcc attttgtcaa gtcattcaact gtatttttgt 360
actggcatta acaaaaaaag aagataaaat attgtaccat taaactttaa taaaacttta 420
a                                     421

```

<210> 205

<211> 460

<212> DNA

<213> Homo sapiens

<400> 205


```
tactctcaca atgaaggacc tggaatgaaa aatctgtgtc taaacaagtc ctcttttagat 60
tttagtgcaa atccagagcc agcgtcgggt gcctcgagta attctttcat gggtagcttt 120
ggaaaagctc tcaggagacc tcacctagat gcctattcaa gctttggaca gccatcagat 180
tgtcagccaa gagcctttta ttgaaaagct cattcttccc cagacttgga ctctgggtca 240
gaggaagatg ggaaagaaaag gacagatttt caggaagaaa atcacatttg tacctttaaa 300
cagactttag aaaactacag gactccaaat tttcagtcct atgacttgga cacatagact 360
gaatgagacc aaaggaaaag cttaacatac tacctcaagg tgaactttta tttaaaagag 420
agagaatctt atgtttttta aatggagtta tgaattttta 460
```

<210> 206

<211> 481

<212> DNA

<213> Homo sapiens

<400> 206

```
tgtggtggaa ttcgggacgc cccagagacc tgactttttc ctgctgtggc cgtctctccc 60
tgcggaagca gtgacctctg acccctgggt accttcgctt tgagtgcctt ttgaacgctg 120
gtcccgcggg acttggtttt ctcaagctct gtctgtccaa agacgctccg gtcgaggtcc 180
cgctgtccct ggggtggatac ttgaacccca gacgcccctc tgtgtgtgtg tgtccggagg 240
cggccttccc atctgcctgc ccaccggag ctctttccgc cggcgcaggg tcccaagccc 300
acctcccgcc ctcaagtctg cgggtgtgct ctgggcacgt cctgcacaca caatgcaagt 360
cctggcctcc gcgcccgcgc gccacgcga gccgtaccgc ccgccaactc tgttatttat 420
ggtgtgaccc cctggagggt ccctcgcccc accggggcta tttattgttt aatttatttg 480
t 481
```

<210> 207

<211> 605

<212> DNA

<213> Homo sapiens

<400> 207

```
accttttttg gattcagggc tctcacaat taaaatgagt gtaatgaaac aaggtgaaaa 60
tatagaagca tccctttgta tactgttttg ctacttacag tgtacttggc attgctttat 120
ctcactggat tctcacggta ggattttctga gatcttaatc taagctccaa agttgtctac 180
ttttttgatc ctagggtgct ctttttgttt tacagagcag ggtcacttga tttgctagct 240
ggtggcagaa ttggcaccat taccaggtc tgactgacca ccagtcagag gcactttatt 300
tgtatcatga aatgatttga aatcatttga aagcagcgaa gtctgataat gaatgccagc 360
tttccttgtg ctttgataac aaagactcca aatattctgg agaacctgga taaaagtttg 420
aagggctaga ttgggatttg aagacaaaat tgtaggaaat cttacatttt tgcaataaca 480
aacattaatg aaagcaaaac attataaaag taattttaat tcaccacata cttatcaatt 540
tcttgatgct tccaaatgac atctaccaga tatggttttg tggacatctt tttctgttta 600
cataa 605
```

<210> 208

<211> 655

<212> DNA

<213> Homo sapiens

<400> 208

```
ggcgttgttc tggattcccg tcgtaactta aagggaaact ttcacaatgt ccggagccct 60
tgatgtcctg caaatgaagg aggaggatgt ccttaagttc cttgcagcag gaaccacttt 120
agggtggcacc aatcttgact tccagatgga acagtacatc tataaaagga aaagtgatgg 180
catctatatc ataaatctca agaggacct ggagaagctt ctgctggcag ctctgtgcaat 240
tgttgccatt gaaaaccctg ctgatgtcag tgttatatcc tccaggaata ctggccagag 300
ggctgtgctg aagtttgctg ctgccactgg agccactcca attgctggcc gcttcactcc 360
```

```

tggaaccttc actaaccaga tccaggcagc cttccgggag ccacggcttc ttgtgggttac 420
tgaccccagg gctgaccacc agcctctcac ggaggcatct tatgttaacc tacctaccat 480
tgcgctgtgt aacacagatt ctctctgcg ctatgtggac attgccatcc catgcaacaa 540
caagggagct cactcagtgg gtttgatgtg gtggatgctg gctcgggaag ttctgcgcat 600
gcgtggcacc atttcccggtg aacacccatg ggaggtcatg cctgatctgt acttc 655

```

<210> 209

<211> 621

<212> DNA

<213> Homo sapiens

<400> 209

```

catttagaac atggttatca tccaagacta ctctaccctg caacattgaa ctcccaagag 60
caaatccaca ttctcttga gttctgcagc ttctgtgtaa atagggcagc tgcgtctat 120
gccgtagaat cacatgatct gaggaccatt catggaagct gctaaatagc ctagtctggg 180
gagtcttcca taaagttttg catggagcaa acaaacagga ttaaactagg tttggttcct 240
tcagccctct aaaagcatag ggcttagcct gcaggcttcc ttgggctttc tctgtgtgtg 300
tagttttgta aacactatag catctgttaa gatccagtgt ccatggaaac cttcccacat 360
gcogtgactc tggactatat cagttttttg aaagcagggt tcctctgcct gctaacaagc 420
ccacgtggac cagtctgaat gtctttcctt tacacctatg tttttaaata gtcaaacttc 480
aagaaacaat ctaaacaagt ttctgttgca tatgtgtttg tgaacttgta tttgtattta 540
gtaggcttct atattgcatt taacttgttt ttgtaactcc tgattcttcc ttttcggata 600
ctattgatga ataaagaaat t 621

```

<210> 210

<211> 533

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (20)

<223> n=A,T,C or G

<221> unsure

<222> (21)

<223> n=A,T,C or G

<221> unsure

<222> (61)

<223> n=A,T,C or G

<400> 210

```

cgccttgggg agccggcggn ngagtccggg acgtggagac ccgggggtccc ggcagccggg 60
ngggccgcgg gccaggggtg gggatgcacc gccgcgggggt gggagctggc gccatcgcca 120
agaagaaact tgcagaggcc aagtataagg agcaggggac ggtcttggct gaggaccagc 180
tagccagat gtcaaagcag ttggacatgt tcaagaccaa cctggaggaa ttgccagca 240
aacacaagca ggagatccgg aagaatcctg agttccgtgt gcagttccag gacatgtgtg 300
caaccattgg cgtggatccg ctggcctctg gaaaaggatt ttggtctgag atgctgggcg 360
tgggggactt ctattacgaa ctagggtgtcc aaattatcga agtgtgcctg gcgctgaagc 420
atcgggaatg aggtctgata actttggagg aactacatca acaggtgttg aagggaaggg 480
gcaagttcgc ccaggatgtc agtcaagatg acctgatcag agccatcaag aaa 533

```

<210> 211

<211> 451

<212> DNA

<213> Homo sapiens

<400> 211

```

ttagcttgag ccgagaacga ggcgagaaag ctggagaccg aggagaccgc ctagagcgga 60
gtgaacgggg aggggaccgt ggggaccggc ttgatcgtgc gcggacacct gctaccaagc 120
ggagcttcag caaggaaagt gaggagcgga gtagagaacg gccctcccag cctgaggggc 180
tgcgcaaggc agctagcctc acggaggatc gggaccgtgg gcgggatgcc gtgaagcgag 240
aagctgccct acccccagtg agccccctga aggcggctct ctctgaggag gagttagaga 300
agaaatccaa ggctatcatt gaggaatatc tccatctcaa tgacatgaaa gaggcagtcc 360
agtgcgtgca ggagctggcc tcaccctcct tgctcttcat ctttgtacgg catggtgtcg 420
agtctacgct ggagcgcagt gccattgctc g                                     451

```

<210> 212

<211> 471

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (54)

<223> n=A,T,C or G

<400> 212

```

gtgattattc ttgatcaggg agaagatcat ttagatttgt tttgcattcc ttanaatgga 60
gggcaacatt ccacagctgc cctggctgtg atgagtgtcc ttgcaggggc cggagtagga 120
gcaactggggg gggggcggaa ttgggggttac tcgatgtaag ggattccttg ttgttggtgtt 180
gagatccagt gcagttgtga tttctgtgga tcccagcttg gttccaggaa ttttgtgtga 240
ttggcttaaa tccagttttc aatcttcgac agctgggctg gaacgtgaac tcagtagctg 300
aacctgtctg acccgtgcac gttcttggtt cctcagaact ctttgcctct gtcgggggtgg 360
gggtgggaac tcacgtgggg agcgggtggc gagaaaatgt aaggattctg gaatacatat 420
tccatgggac tttccttccc tctcctgctt cctcttttcc tgctccctaa c                                     471

```

<210> 213

<211> 511

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (27)

<223> n=A,T,C or G

<221> unsure

<222> (63)

<223> n=A,T,C or G

<221> unsure

<222> (337)

<223> n=A,T,C or G

<221> unsure

<222> (442)

<223> n=A,T,C or G

<400> 213

```

ctaattagaa acttgctgta ctttttnttt tcttttaggg gtcaaggacc ctctttatag 60
ctnccatttg cctacaataa attattgcag cagtttgcaa tactaaaata ttttttatag 120
acttttatatt tttccttttg ataaagggat gctgcatagt agagtgggtg taattaaact 180
atctcagccg tttccctgct ttcccttctg ctccatatgc ctcatgtcc ttccaggag 240

```

```

ctctttttaat cttaaagttc tacatttcat gctcttagtc aaattctggt accttttttaa 300
taactcttcc cactgcatat ttccatcttg aattggnggt tctaaattct gaaactgtag 360
ttgagataca gctattttaat atttctggga gatgtgcac cctcttcttt gtgggtgccc 420
aaggttgttt tgcgtaactg anactccttg atatgcttca gagaatttag gcaaactg 480
gccatggccg tgggagtact gggagtaaaa t 511

```

<210> 214

<211> 521

<212> DNA

<213> Homo sapiens

<400> 214

```

agcattgcc aataatccct aattttccac taaaaatata atgaaatgat gttaagcttt 60
ttgaaaagt taggttaaac ctactgttgt tagattaatg tatttggtgc ttccctttat 120
ctggaatgtg gcattagctt ttttatttta accctcttta attcttattc aattccatga 180
cttaagggtg gagagctaaa cactgggatt tttggataac agactgacag ttttgcataa 240
ttataatcgg cattgtacat agaaaggata tggctacctt ttgttaaadc tgcactttct 300
aaatatcaaa aaagggaaat gaagtataaa tcaatttttg tataatctgt ttgaaacatg 360
agttttatatt gcttaatat agggtcttgc cccttttctg taagtctctt gggatcctgt 420
gtagaagctg ttctcattaa acaccaaaca gttaagtcca ttctctggta ctagctacaa 480
attcggtttc atattctact taacaattta aataaactga a 521

```

<210> 215

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (17)

<223> n=A,T,C or G

<221> unsure

<222> (20)

<223> n=A,T,C or G

<221> unsure

<222> (60)

<223> n=A,T,C or G

<221> unsure

<222> (61)

<223> n=A,T,C or G

<221> unsure

<222> (365)

<223> n=A,T,C or G

<400> 215

```

gagcggagag cggaccngtn agagccctga gcagccccac cgccgcccgc ggcctagttt 60
ncatcacacc ccgggaggag ccgcagctgc cgcagccggc cccagtcacc atcacgcaa 120
ccatgagcag cgaggccgag acccagcagc cgcccgcgc cccccgcgc gccccgcgc 180
tcagcgcgc cgacaccaag cccggcacta cgggcagcgc cgcagggagc ggtggcccg 240
gcggcctcac atcggcggcg cctgccggcg gggacaagaa ggtcatcgca acgaaggtt 300
tggaacagt aaaatggttc aatgtaagga acggatatgg tttcatcaac aggaatgaca 360
ccaangaaga tgtatttgta c 381

```

<210> 216

<211> 425

<212> DNA

<213> Homo sapiens

<400> 216

```

ttactaacta ggtcattcaa ggaagtcaag ttaacttaaa catgtcacct aaatgcactt 60
gatgggtgttg aaatgtccac cttctttaat ttttaagatg aacttagttc taaagaagat 120
aacaggccaa tcctgaaggt actccctggt tgctgcagaa tgtcagatat tttggatggt 180
gcataagagt cctatttgcc ccagttaatt caacttttgt ctgcctgttt tgtggactgg 240
ctggctctgt tagaactctg tccaaaaagt gcatggaata taacttgtaa agcttcccac 300
aattgacaat atatatgcat gtgttttaac caaatccaga aagcttaaac aatagagctg 360
cataatagta tttattaaag aatcacaaact gtaaacatga gaataactta aggattctag 420
tttag                                           425

```

<210> 217

<211> 181

<212> DNA

<213> Homo sapiens

<400> 217

```

gagaaaccaa atgatagggt gtagagcctg atgactccaa acaaagccat cccccgcatt 60
cttctctcctt cttctgggtgc tacagctcca agggcccttc accttcatgt ctgaaatgga 120
actttggcctt tttcagtggg agaatatgtt gaaggtttca ttttgttcta gaaaaaaaaa 180
a                                           181

```

<210> 218

<211> 405

<212> DNA

<213> Homo sapiens

<400> 218

```

caggccttcc agttcactga caaacatggg gaagtgtgcc cagctggctg gaaacctggc 60
agtgatacca tcaagcctga tgtccaaaag agcaaagaat atttctccaa gcagaagtga 120
gcgctgggct gttttagtgc caggctgcgg tgggcagcca tgagaacaaa acctcttctg 180
tatttttttt ttccattagt aaaacacaag acttcagatt cagccgaatt gtggtgtctt 240
acaaggcagg cctttcctac aggggggtgga gagaccagcc tttcttcctt tggtaggaat 300
ggcctgagtt ggcgttgttg gcaggctact ggtttgatg atgtattagt agagcaacct 360
attaatcttt tgtagtttgt attaaacttg aactgagaaa aaaaaa                    405

```

<210> 219

<211> 216

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (207)

<223> n=A,T,C or G

<221> unsure

<222> (210)

<223> n=A,T,C or G

<400> 219

```

actccaagag ttagggcagc agagtggagc gatttagaaa gaacatttta aaacaatcag 60
ttaatttacc atgtaaaatt gctgtaaaatg ataatgtgta cagattttct gttcaaatat 120
tcaattgtaa acttcttggt aagactgtta cgtttctatt gcttttgtat gggatattgc 180

```

aaaaataaaaa aggaaagaac cctcttnaan aaaaaa

216

<210> 220

<211> 380

<212> DNA

<213> Homo sapiens

<400> 220

```

cttacaaatt gcccccatgt gtaggggaca cagaaccctt tgagaaaact tagatttttg 60
tctgtacaaa gtctttgcct ttttccttct tcattttttt ccagtacatt aaatttgtca 120
atttcatctt tgagggaac tgattagatg ggttggtgtt gtgttctgat ggagaaaaca 180
gcaccccaag gactcagaag atgattttta cagttcagaa cagatgtgtg caatattggt 240
gcatgtaata atgttgagtg gcagtcaaaa gtcatgattt ttatcttagt tcttcattac 300
tgcattgaaa aggaaaacct gtctgagaaa atgcctgaca gtttaattta aaactatggt 360
gtaagtcttt gacaaaaaaa                                380

```

<210> 221

<211> 398

<212> DNA

<213> Homo sapiens

<400> 221

```

ggttagtaag ctgtcgactt tgtaaaaaag ttaaaaatga aaaaaaaagg aaaaatgaat 60
tgtatattta atgaatgaac atgtacaatt tgccactggg aggaggttcc tttttgttgg 120
gtgagtctgc aagtgaattt cactgatgtt gatattcatt gtgtgtagtt ttatttcggt 180
cccagccccg tttcctttta ttttgagact aatgccagct gcgtgtctag ttttgagtgc 240
agtaaaatag aatcagcaaa tcactcttat ttttcactct tttccggtat tttttgggtt 300
gtttctgtgg gagcagtgtg caccaactct tctgtatat tgcccttttg ctggaaaatg 360
ttgtatgttg aataaaattt tctataaaaa ttaaaaaa                                398

```

<210> 222

<211> 301

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (49)

<223> n=A,T,C or G

<221> unsure

<222> (64)

<223> n=A,T,C or G

<400> 222

```

ttcgataatt gatctcatgg gctttccctg gaggaaaggt ttttttgnt gtttattttt 60
taanaacttg aaacttgtaa actgagatgt ctgtagcttt tttgcccatc tgtagtgtat 120
gtgaagattt caaaacctga gagcactttt tctttgttta gaattatgag aaaggcacta 180
gatgacttta ggatttgcac ttttcccttt attgcctcat ttcttgtgac gccttggttg 240
ggaggggaaat ctgtttattt tttcctacaa ataaaaagct aagattctat atcgcaaaaa 300
a                                                                301

```

<210> 223

<211> 200

<212> DNA

<213> Homo sapiens

<400> 223

gtaagtgttt aggaagaaac ttgcaaaca tttaatgagg atacactgtt cattttttaa 60
 attccttcac actgtaattt aatgtgtttt atattctttt gtagtaaaac aacataactc 120
 agatttctac aggagacagt ggttttattt ggattgtctt ctgtaatagg tttcaataaa 180
 gctggatgaa cttaaaaaaa 200

<210> 224

<211> 385

<212> DNA

<213> Homo sapiens

<400> 224

gaaagggtttg atccggactc aaagaaagca aaggagtgtg agccgccatc tgctggagca 60
 gctgtaactg caagacctgg acaagagatt cgtcagcgaa ctgcagctca aagaaacctt 120
 tctccaacac cagcaagccc taaccagggc cctcctccac aagttccagt atctcctgga 180
 ccaccaaagg acagttctgc ccctgggtgga ccccccagaaa ggactgttac tccagcccta 240
 tcatcaaagt tgttaccaag acatcttgga tccccgtgcta cttcagtgcc tggaatgggt 300
 aaacagagca cttaatgtta tttacagttt atattgtttt ctctggttac caataaaacg 360
 ggccattttc aggtggtaaa aaaaa 385

<210> 225

<211> 560

<212> PRT

<213> Homo sapien

<400> 225

Met	Glu	Cys	Leu	Tyr	Tyr	Phe	Leu	Gly	Phe	Leu	Leu	Leu	Ala	Ala	Arg	1	5	10	15
Leu	Pro	Leu	Asp	Ala	Ala	Lys	Arg	Phe	His	Asp	Val	Leu	Gly	Asn	Glu	20	25	30	
Arg	Pro	Ser	Ala	Tyr	Met	Arg	Glu	His	Asn	Gln	Leu	Asn	Gly	Trp	Ser	35	40	45	
Ser	Asp	Glu	Asn	Asp	Trp	Asn	Glu	Lys	Leu	Tyr	Pro	Val	Trp	Lys	Arg	50	55	60	
Gly	Asp	Met	Arg	Trp	Lys	Asn	Ser	Trp	Lys	Gly	Gly	Arg	Val	Gln	Ala	65	70	75	80
Val	Leu	Thr	Ser	Asp	Ser	Pro	Ala	Leu	Val	Gly	Ser	Asn	Ile	Thr	Phe	85	90	95	
Ala	Val	Asn	Leu	Ile	Phe	Pro	Arg	Cys	Gln	Lys	Glu	Asp	Ala	Asn	Gly	100	105	110	
Asn	Ile	Val	Tyr	Glu	Lys	Asn	Cys	Arg	Asn	Glu	Ala	Gly	Leu	Ser	Ala	115	120	125	
Asp	Pro	Tyr	Val	Tyr	Asn	Trp	Thr	Ala	Trp	Ser	Glu	Asp	Ser	Asp	Gly	130	135	140	
Glu	Asn	Gly	Thr	Gly	Gln	Ser	His	His	Asn	Val	Phe	Pro	Asp	Gly	Lys	145	150	155	160
Pro	Phe	Pro	His	His	Pro	Gly	Trp	Arg	Arg	Trp	Asn	Phe	Ile	Tyr	Val	165	170	175	
Phe	His	Thr	Leu	Gly	Gln	Tyr	Phe	Gln	Lys	Leu	Gly	Arg	Cys	Ser	Val	180	185	190	
Arg	Val	Ser	Val	Asn	Thr	Ala	Asn	Val	Thr	Leu	Gly	Pro	Gln	Leu	Met	195	200	205	
Glu	Val	Thr	Val	Tyr	Arg	Arg	His	Gly	Arg	Ala	Tyr	Val	Pro	Ile	Ala				

210		215		220
Gln Val Lys Asp Val Tyr Val Val Thr Asp Gln Ile Pro Val Phe Val				
225		230		235
Thr Met Phe Gln Lys Asn Asp Arg Asn Ser Ser Asp Glu Thr Phe Leu				240
	245		250	255
Lys Asp Leu Pro Ile Met Phe Asp Val Leu Ile His Asp Pro Ser His				
	260	265		270
Phe Leu Asn Tyr Ser Thr Ile Asn Tyr Lys Trp Ser Phe Gly Asp Asn				
	275	280		285
Thr Gly Leu Phe Val Ser Thr Asn His Thr Val Asn His Thr Tyr Val				
	290	295		300
Leu Asn Gly Thr Phe Ser Leu Asn Leu Thr Val Lys Ala Ala Ala Pro				
305		310		315
Gly Pro Cys Pro Pro Pro Pro Pro Pro Arg Pro Ser Lys Pro Thr				
	325		330	335
Pro Ser Leu Gly Pro Ala Gly Asp Asn Pro Leu Glu Leu Ser Arg Ile				
	340	345		350
Pro Asp Glu Asn Cys Gln Ile Asn Arg Tyr Gly His Phe Gln Ala Thr				
	355	360		365
Ile Thr Ile Val Glu Gly Ile Leu Glu Val Asn Ile Ile Gln Met Thr				
	370	375		380
Asp Val Leu Met Pro Val Pro Trp Pro Glu Ser Ser Leu Ile Asp Phe				
385		390		395
Val Val Thr Cys Gln Gly Ser Ile Pro Thr Glu Val Cys Thr Ile Ile				
	405		410	415
Ser Asp Pro Thr Cys Glu Ile Thr Gln Asn Thr Val Cys Ser Pro Val				
	420	425		430
Asp Val Asp Glu Met Cys Leu Leu Thr Val Arg Arg Thr Phe Asn Gly				
	435	440		445
Ser Gly Thr Tyr Cys Val Asn Leu Thr Leu Gly Asp Asp Thr Ser Leu				
	450	455		460
Ala Leu Thr Ser Thr Leu Ile Ser Val Pro Asp Arg Asp Pro Ala Ser				
465		470		475
Pro Leu Arg Met Ala Asn Ser Ala Leu Ile Ser Val Gly Cys Leu Ala				
	485		490	495
Ile Phe Val Thr Val Ile Ser Leu Leu Val Tyr Lys Lys His Lys Glu				
	500		505	510
Tyr Asn Pro Ile Glu Asn Ser Pro Gly Asn Val Val Arg Ser Lys Gly				
	515	520		525
Leu Ser Val Phe Leu Asn Arg Ala Lys Ala Val Phe Phe Pro Gly Asn				
	530	535		540
Gln Glu Lys Asp Pro Leu Leu Lys Asn Gln Glu Phe Lys Gly Val Ser				
545		550		555
				560

<210> 226

<211> 9

<212> PRT

<213> Homo sapien

<400> 226

Ile Leu Ile Pro Ala Thr Trp Lys Ala

1

5

<210> 227

<211> 9

<212> PRT
 <213> Homo sapien

<400> 227
 Phe Leu Leu Asn Asp Asn Leu Thr Ala
 1 5

<210> 228
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 228
 Leu Leu Gly Asn Cys Leu Pro Thr Val
 1 5

<210> 229
 <211> 10
 <212> PRT
 <213> Homo sapien

<400> 229
 Lys Leu Leu Gly Asn Cys Leu Pro Thr Val
 1 5 10

<210> 230
 <211> 10
 <212> PRT
 <213> Homo sapien

<400> 230
 Arg Leu Thr Gly Gly Leu Lys Phe Phe Val
 1 5 10

<210> 231
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 231
 Ser Leu Gln Ala Leu Lys Val Thr Val
 1 5

<210> 232
 <211> 20
 <212> PRT
 <213> Homo sapiens

<400> 232
 Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr Ser Arg Tyr Phe
 5 10 15

Phe Ser Phe Ala
 20

<210> 233

<211> 21

<212> PRT

<213> Homo sapiens

<400> 233

Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys Val His Val
5 10 15

Asn His Ser Pro Ser
20

<210> 234

<211> 20

<212> PRT

<213> Homo sapiens

<400> 234

Phe Leu Val Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe
5 10 15

Asp Pro Asp Gly
20

<210> 235

<211> 20

<212> PRT

<213> Homo sapiens

<400> 235

Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu Phe Ile Pro
5 10 15

Pro Asn Ser Asp
20

<210> 236

<211> 20

<212> PRT

<213> Homo sapiens

<400> 236

Ile Gln Asp Asp Phe Asn Asn Ala Ile Leu Val Asn Thr Ser Lys Arg
5 10 15

Asn Pro Gln Gln
20

<210> 237

115

<211> 21

<212> PRT

<213> Homo sapiens

<400> 237

Arg Asn Ser Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu
5 10 15

Phe Ile Pro Pro Asn
20

<210> 238

<211> 20

<212> PRT

<213> Homo sapiens

<400> 238

Thr His Glu Ser His Arg Ile Tyr Val Ala Ile Arg Ala Met Asp Arg
5 10 15

Asn Ser Leu Gln
20

<210> 239

<211> 20

<212> PRT

<213> Homo sapiens

<400> 239

Arg Asn Pro Gln Gln Ala Gly Ile Arg Glu Ile Phe Thr Phe Ser Pro
5 10 15

Gln Ile Ser Thr
20

<210> 240

<211> 21

<212> PRT

<213> Homo sapiens

<400> 240

Gly Gln Ala Thr Ser Tyr Glu Ile Arg Met Ser Lys Ser Leu Gln Asn
5 10 15

Ile Gln Asp Asp Phe
20

<210> 241

<211> 20

<212> PRT

<213> Homo sapiens

<400> 241

Glu Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser
5 10 15

Val Leu Gly Val
20

<210> 242

<211> 20

<212> PRT

<213> Homo sapiens

<400> 242

Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn Ile
5 10 15

Gln Met Asn Ala
20

<210> 243

<211> 20

<212> PRT

<213> Homo sapiens

<400> 243

Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile Pro Gly
5 10 15

Ser His Ala Met
20

<210> 244

<211> 20

<212> PRT

<213> Homo sapiens

<400> 244

Ala Val Pro Pro Ala Thr Val Glu Ala Phe Val Glu Arg Asp Ser Leu
5 10 15

His Phe Pro His
20

<210> 245

<211> 20

<212> PRT

<213> Homo sapiens

<400> 245

Lys Pro Gly His Trp Thr Tyr Thr Leu Asn Asn Thr His His Ser Leu

117

5

10

15

Gln Ala Leu Lys
20

<210> 246
<211> 20
<212> PRT
<213> Homo sapiens

<400> 246
Asn Leu Thr Phe Arg Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys
5 10 15

Pro Gly His Trp
20

<210> 247
<211> 20
<212> PRT
<213> Homo sapiens

<400> 247
Leu His Phe Pro His Pro Val Met Ile Tyr Ala Asn Val Lys Gln Gly
5 10 15

Phe Tyr Pro Ile
20

<210> 248
<211> 20
<212> PRT
<213> Homo sapiens

<400> 248
Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu Leu Asp Asp Gly Ala
5 10 15

Gly Ala Asp Val
20

<210> 249
<211> 20
<212> PRT
<213> Homo sapiens

<400> 249
Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val Thr Ala Thr Val Glu Pro
5 10 15

Glu Thr Gly Asp

20

<210> 250
 <211> 20
 <212> PRT
 <213> Homo sapiens

<400> 250
 Phe Asp Pro Asp Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn
 5 10 15

Leu Thr Phe Arg
 20

<210> 251
 <211> 20
 <212> PRT
 <213> Homo sapiens

<400> 251
 Leu Gln Ala Leu Lys Val Thr Val Thr Ser Arg Ala Ser Asn Ser Ala
 5 10 15

Val Pro Pro Ala
 20

<210> 252
 <211> 153
 <212> PRT
 <213> Homo sapien

<400> 252
 Met Ala Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala
 1 5 10 15
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val
 20 25 30
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly
 35 40 45
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys
 50 55 60
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp
 65 70 75 80
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr
 85 90 95
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala
 100 105 110
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu
 115 120 125
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser
 130 135 140
 Glu Asn Gln Gly Ala Phe Lys Gly Met
 145 150

<210> 253
 <211> 462
 <212> DNA
 <213> Homo sapien

<400> 253

atggccagt	tccgcgtggc	ggcctacttt	gaaaactttc	tgcgggcgtg	gcggcccggtg	60
aaagcctctg	atggagatta	ctacaccttg	gctgtaccga	tgggagatgt	accaatggat	120
ggtatctctg	ttgctgatat	tggagcagcc	gtctctagca	tttttaattc	tccagaggaa	180
tttttaggca	aggccgtggg	gctcagtgc	gaagcactaa	caatacagca	atatgctgat	240
gttttgtcca	aggctttggg	gaaagaagtc	cgagatgcaa	agattacccc	ggaagctttc	300
gagaagctgg	gattccctgc	agcaaaggaa	atagccaata	tgtgtcgttt	ctatgaaatg	360
aagccagacc	gagatgtcaa	tctcaccac	caactaaatc	ccaaagtcaa	aagcttcagc	420
cagtttatct	cagagaacca	gggagccttc	aagggcattg	ag		462

<210> 254
 <211> 8031
 <212> DNA
 <213> Homo sapien

<400> 254

tggcgaatgg	gacgcgccct	gtagcggcgc	attaagcgcg	gcgggtgtgg	tggttacgcg	60
cagcgtgacc	gctacacttg	ccagcgccct	agcgcgcgct	cctttcgctt	tcttcccttc	120
ctttctcgcc	acgttcgcgc	gctttcccg	tcaagctcta	aatcgggggc	tccctttagg	180
gttccgattt	agtgccttac	ggcacctcga	ccccaaaaa	cttgattagg	gtgatgggtc	240
acgtagtggg	ccatcgccct	gatagacggt	ttttcgccct	ttgacgttgg	agtccacggt	300
ctttaatagt	ggactcttgt	tccaaactgg	aacaacactc	aaccctatct	cgggtctattc	360
ttttgattta	taagggattt	tgccgatttc	ggcctatttg	ttaaaaaatg	agctgattta	420
acaaaaattt	aacgcgaatt	ttaacaaaat	attaacgttt	acaatttcag	gtggcacttt	480
tcggggaaat	gtgcgcggaa	cccctatttg	tttatttttc	taaatacatt	caaatatgta	540
tccgctcatg	aattaattct	tagaaaaact	catcgagcat	caaatagaac	tgcaatttat	600
tcatatcagg	attatcaata	ccatattttt	gaaaaagccg	tttctgtaat	gaaggagaaa	660
actcaccgag	gcagttccat	aggatggcaa	gatectggta	tcggtctgcg	attccgactc	720
gtccaacatc	aatacaacct	attaatttcc	cctcgtcaaa	aataagggtta	tcaagtgaga	780
aatcaccatg	agtgcgact	gaatccgggtg	agaatggcaa	aagtttatgc	atttctttcc	840
agacttggtc	aacaggccag	ccattacgct	cgtcatcaaa	atcactcgca	tcaaccaaac	900
cgttatcat	tctgtattgc	gcctgagcga	gacgaaatac	gcgatcgtcg	ttaaaaggac	960
aattacaaac	aggaatcgaa	tgcaaccggc	gcaggaacac	tgccagcgca	tcaacaatat	1020
tttcacctga	atcaggatat	tcttctaata	cctggaatgc	tgttttcccg	gggatcgag	1080
tggtagtaaa	ccatgcatca	tcaggagtac	ggataaaatg	cttgatggtc	ggaagaggca	1140
taaattccgt	cagccagttt	agtctgacca	tctcatctgt	aacatcattg	gcaacgctac	1200
ctttgccatg	tttcagaaac	aactctggcg	catcgggctt	cccatacaat	cgatagattg	1260
tgcacctga	ttgcccagaca	ttatcgcgag	cccatttata	cccatataaa	tcagcatcca	1320
tgttggaatt	taatcgcggc	ctagagcaag	acgtttcccg	ttgaatatgg	ctcataacac	1380
cccttgattt	actgtttatg	taagcagaca	gttttattgt	tcatgaccaa	aatcccttaa	1440
cgtgagtttt	cgttccactg	agcgtcagac	cccgtagaaa	agatcaaagg	atcttcttga	1500
gatecttttt	ttctgcgcgt	aatctgctgc	ttgcaaacaa	aaaaaccacc	gctaccagcg	1560
gtggtttgtt	tgccggatca	agagctacca	actctttttc	cgaaggtaac	tggtttcagc	1620
agagcgcaga	taccaaatac	tgtccttcta	gtgtagecgt	agttaggcca	ccacttcaag	1680
aactctgtag	caccgcctac	atacctcgct	ctgctaatec	tgttaccagt	ggctgctgcc	1740
agtggcgata	agtcgtgtct	taccgggttg	gactcaagac	gatagttacc	ggataaggcg	1800
cagcggtcgg	gctgaacggg	gggttcgtgc	acacagccca	gcttggagcg	aacgacctac	1860
accgaactga	gatacctaca	gcgtgagcta	tgagaaagcg	ccacgcttcc	cgaagggaga	1920
aaggcggaca	ggtatccggt	aagcggcagg	gtcggaaacag	gagagcgcac	gagggagctt	1980

ccaggggggaa	acgcctggta	tctttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	2040
cgtcgatttt	tgtgatgctc	gtcagggggg	cggagcctat	ggaaaaacgc	cagcaacgcg	2100
gccttttttac	ggttcctggc	cttttgctgg	ccttttgctc	acatgttctt	tcctgcgtta	2160
tcccttgatt	ctgtggataa	ccgtattacc	gcctttgagt	gagctgatac	cgctcgccgc	2220
agccgaacga	ccgagcgcag	cgagtcagtg	agcagaggaag	cggaagagcg	cctgatgcgg	2280
tattttctcc	ttacgcctct	gtgcgggtatt	tcacaccgca	tatatggtgc	actctcagta	2340
caatctgctc	tgatgccgca	tagttaagcc	agtatacaact	ccgctatcgc	tacgtgactg	2400
ggtcatggct	gcgccccgac	acccgccaac	acccgctgac	gcgccctgac	gggcttgtct	2460
gtccccggca	tccgcttaca	gacaagctgt	gaccgtctcc	gggagctgca	tgtgtcagag	2520
gttttcaccg	tcacaccga	aacgcgcgag	gcagctgcgg	taaagctcat	cagcgtggtc	2580
gtgaagcgat	tcacagatgt	ctgcctgttc	atccgcgtcc	agctcgttga	gtttctccag	2640
aagcgttaat	gtctggcttc	tgataaagcg	ggccatgtta	agggcggttt	tttcctgttt	2700
ggtcactgat	gcctccgtgt	aagggggatt	tctgttcatg	ggggtaatga	taccgatgaa	2760
acgagagagg	atgctcacga	tacgggttac	tgatgatgaa	catgcccggt	tactggaacg	2820
ttgtgagggg	aaacaactgg	cggataggat	gcggcgggac	cagagaaaaa	tcactcaggg	2880
tcaatgccag	cgcttcgtta	atacagatgt	aggtgttcca	cagggtagcc	agcagcatcc	2940
tgcatgcatg	atccggaaca	taatgggtgca	gggcgctgac	ttccgcgttt	ccagacttta	3000
cgaaacacgg	aaaccgaaga	ccattcatgt	tggtgtcag	gtcgcagacg	ttttgcagca	3060
gcagtcgctt	cacgttcgct	cgcgatccgg	tgattcattc	tgctaaccag	taaggcaacc	3120
ccgccagcct	agccgggtcc	tcaacgacag	gagcacgata	atgcgcaccc	gtggggccgc	3180
catgccggcg	ataatggcct	gcttctcgcc	gaaacgtttg	gtggcgggac	cagtgaacga	3240
ggcttgagcg	agggcggtgca	agattccgaa	taccgcaagc	gacaggccga	tcactcgtcg	3300
gtccagcgca	aagcgggtcct	cgccgaaaat	gacccagagc	gctgcgggca	cctgtcctac	3360
gagttgcatg	ataaagaaga	cagtcataag	tgccggcgacg	atagtcatgc	cccgcgcccc	3420
ccggaaggag	ctgactgggt	tgaaggctct	caagggcata	ggtcgagatc	ccggtgccta	3480
atgagtgage	taacttacat	taattgcgtt	gcgctcactg	cccgttttcc	agtcgggaaa	3540
cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	gtttgcgtat	3600
tgggcgcag	ggtggttttt	cttttcacca	gtgagacggg	caacagctga	ttgcccttca	3660
ccgcctggcc	ctgagagagt	tgcaagcaagc	gggtccacgt	ggtttgcccc	agcaggcgaa	3720
aatcctgttt	gatggtggtt	aacggcggga	tataacatga	gctgtcttcg	gtatcgtcgt	3780
atcccactac	cgagatatcc	gcaccaacgc	gcagcccgga	ctcggtaatg	gcgcgcattg	3840
cgcccagcgc	catctgatcg	ttggcaacca	gcacgcagat	gggaacgatg	ccctcattca	3900
gcatttgcat	ggtttgttga	aaaccggaca	tggcactcca	gtcgcccttc	cgttccgcta	3960
tcggctgaat	ttgattgcga	gtgagatatt	tatgccagcc	agccagacgc	agacgcgcgc	4020
agacagaact	taatgggccc	gctaacagcg	cgatttgctg	gtgacccaat	gcgaccagat	4080
gtccacgcgc	cagtcgcgta	ccgtcttcac	gggagaaaaa	aatactgttg	atgggtgtct	4140
ggtcagagac	atcaagaaat	aacgcgggaa	cattagtgcg	ggcagcttcc	acagcaatgg	4200
catcctggtc	atccagcgga	tagttaatga	tcagcccaact	gacgcgttgc	gcgagaagat	4260
tgtgcaccgc	cgctttacag	gcttcgacgc	cgcttcgctt	taccatcgac	accaccacgc	4320
tggcaccag	ttgatcggcg	cgagatttaa	tcgcccgcgac	aatttgcgac	ggcgcggtgca	4380
gggccagact	ggaggtggca	acgccaatca	gcaacgactg	tttgcccgc	agttgtttgtg	4440
ccacgcgggt	gggaatgtaa	ttcagctccg	ccatcgccgc	ttccactttt	ttccgcgttt	4500
tcgcagaaac	gtggctggcc	tggttcacca	cgccgggaaac	ggtctgataa	gagacaccgg	4560
catactctgc	gacatcgtat	aacgttactg	gtttcacatt	caccaccctg	aattgactct	4620
cttccggggc	gatatcatgcc	ataccgcgaa	aggttttgcg	ccattcgatg	gtgtccggga	4680
tctcgacgct	ctcccttatg	cgactcctgc	attaggaagc	agcccagtag	taggttgagg	4740
ccgttgagca	ccgccgcgcg	aaggaatggt	gcatgcaagg	agatggcgcc	caacagtcct	4800
ccggccacgg	ggcctgccac	cataccacgc	ccgaaacaag	cgctcatgag	cccgaagtgg	4860
cgagcccgat	cttccccatc	ggtgatgtcg	gcgatatagg	cgccagcaac	cgcacctgtg	4920
gcgcgggtga	tgccggccac	gatgcgtccg	gcgtagaggga	tcgagatctc	gatcccgcga	4980
aattaatacg	actcactata	ggggaattgt	gagcggataa	caattccctc	ctagaaataa	5040
ttttgtttta	ctttaagaag	gagatatata	tatgcagcat	caccaccatc	accacggagt	5100
acagcttcaa	gacaatgggt	ataatggatt	gtcatttgca	attaatcctc	aggtacctga	5160
gaatcagaac	ctcatctcaa	acattaagga	aatgataaact	gaagcttcat	tttacctatt	5220
taatgctacc	aagagaagag	tatttttcag	aaatataaag	attttaatac	ctgccacatg	5280

gaaagcta	aat	aaataaaa	agaatcat	gaaaaggcaa	atgtcatagt	5340
gactgact	tatggggcac	atggagatga	tccatacacc	ctacaataca	gaggggtgtg	5400
aaaagaggga	aaatacattc	atttcacacc	taatttctcta	ctgaatgata	acttaacagc	5460
tggctacgga	tcacgaggcc	gagtgtttgt	ccatgaatgg	gccacacctcc	gttgggggtg	5520
gttcgatgag	tataacaatg	acaaaccttt	ctacataaat	gggcataaatc	aaatttaaagt	5580
gacaagggtg	tcattctgaca	tcacaggcat	ttttgtgtgt	gaaaaagggtc	cttgccccc	5640
agaaaactgt	attattagta	agctttttta	agaaggatgc	acctttatct	acaatagcac	5700
ccaaaatgca	actgcatcaa	taatgttcat	gcaaagttta	tcttctgtgg	ttgaattttg	5760
taatgcaagt	accacacaacc	aagaagcacc	aaacctacag	aaccagatgt	gcagcctcag	5820
aagtgcattg	gatgtaatca	cagactctgc	tgactttcac	cacagctttc	ccatgaacgg	5880
gactgagctt	ccacctcttc	ccacattctc	gcttgttagag	gctgggtgaca	aagtggctctg	5940
tttagtgctg	gatgtgtcca	gcaagatggc	agaggctgac	agactccttc	aactacaaca	6000
agccgcagaa	ttttatttga	tgacagattgt	tgaaattcat	accttcgtgg	gcattgccag	6060
tttcgacagc	aaaggagaga	tcagagccca	gctacaccaa	attaacagca	atgatgatcg	6120
aaagtgtctg	gtttcatatc	tgcccaccac	tgtatcagct	aaaacagaca	tcagcatttg	6180
ttcagggctt	aagaaaggat	ttgaggtggg	tgaaaaactg	aatggaaaag	cttatggctc	6240
tgtgatgata	ttagtgacca	gcggagatga	taagcttctt	ggcaattgct	tacctactgt	6300
gctcagcagt	ggttcaacaa	ttcactccat	tgccctgggt	tcattctgcag	ccccaaatct	6360
ggaggaatta	tcacgtctta	caggaggttt	aaagtctctt	gttccagata	tatcaaactc	6420
caatagcatg	attgatgctt	tcagtagaat	ttcctctgga	actggagaca	ttttccagca	6480
acatattcag	cttgaaagta	caggtgaaaa	tgtcaaacct	caccatcaat	tgaaaaacac	6540
agtgactgtg	gataatactg	tgggcaacga	cactatgttt	ctagttacgt	ggcaggccag	6600
tggctctcct	gagattatat	tatttgatcc	tgatggacga	aaatactaca	caaataattt	6660
tatcaccaat	ctaacttttc	ggacagctag	tctttggatt	ccaggaacag	ctaagcctgg	6720
gcactggact	tacaccctga	acaataccca	tcattctctg	caagccctga	aagtgcacagt	6780
gacctctcgc	gcctccaact	cagctgtgcc	cccagccact	gtggaagcct	ttgtggaaag	6840
agacagcctc	cattttcttc	atcctgtgat	gatttatgcc	aatgtgaaac	agggatttta	6900
tccattctct	aatgccactg	tcactgccac	agttgagcca	gagactggag	atcctgttac	6960
gctgagactc	cttgatgatg	gagcaggtgc	tgatgttata	aaaaatgatg	gaatttactc	7020
gaggtatttt	ttctcctttg	ctgcaaattg	tagatatagc	ttgaaagtgc	atgtcaatca	7080
ctctcccagc	ataagcacc	cagccactc	tattccaggg	agtcatgcta	tgtatgtacc	7140
aggttacaca	gcaaacggta	atattcagat	gaatgctcca	aggaaatcag	taggcagaaa	7200
tgaggaggag	cgaaagtggg	gctttagccg	agtcagctca	ggaggctcct	tttcagtgtc	7260
gggagttcca	gctggcccc	acctgatgt	gtttccacca	tgcaaaatta	ttgacctgga	7320
agctgtaaaa	gtagaagagg	aattgacctt	atcttgga	gcacctggag	aagactttga	7380
tcagggccag	gctacaagct	atgaaataag	aatgagtaaa	agtctacaga	atatccaaga	7440
tgactttaac	aatgctattt	tagtaaatac	atcaaagcga	aatcctcagc	aagctggcat	7500
caggagagata	tttacgttct	caccccaaat	ttccacgaat	ggacctgaac	atcagccaaa	7560
tggagaaaaca	catgaaagcc	acagaattta	tgttgcaata	cgagcaatgg	ataggaactc	7620
cttacagtct	gctgtatcta	acattgcccc	ggcgctctg	tttattcccc	ccaattctga	7680
tcctgtacct	gccagagatt	atcttatatt	gaaaggagtt	ttaacagcaa	tgggtttgat	7740
aggaatcatt	tgctttatta	tagttgtgac	acatcatact	ttaagcagga	aaaagagagc	7800
agacaagaaa	gagaatggaa	caaaattatt	ataatgaatt	ctgcagatat	ccatcacact	7860
ggcgccgct	cgagcaccac	caccaccacc	actgagatcc	ggctgctaac	aaagcccgaa	7920
aggaagctga	gttggtgctg	gccaccgctg	agcaataact	agcataaacc	cttggggcct	7980
ctaaacgggt	cttgaggggt	tttttgctga	aaggagggaac	tatatccgga	t	8031

<210> 255

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 255

gtggccagng actagaaggc gaggcgcgcg	gggaccatgg cggcgggcggc	ggacgagcgg	60
agtccanagg acggagaaga cgaggaagag	gaggagcagt tggttctggt	ggaattatca	120
ggaattattg attcagactt cctctcaaaa	tgtgaaaata aatgcaaggt	tttgggcatt	180
gacactgaga ggcccattct gcaagtggac	agctgtgtct ttgctgggga	gtatgaagac	240
actctangga cctgtgttat atttgaagaa	aatgntnaac atgctgatac	agaaggcaat	300
aataaaacag tgctaaaata taaatgccat	acaatgaaga agctcagcat	gacaagaact	360
ctcctgacag agaagaagga aggagaagaa	aacatangtg g		401

<210> 256

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 256

tggtggncct gggatgggga accgcggtgg	cttccgngga ggtttcggca	ntggcatccg	60
gggcccgggt cgcgcccgng gacggggccg	gggcnangc cgngganctc	gcggangcaa	120
ggccgaggat aaggagtgga tgcccgtcac	caacttgggc cgcttgncca	aggacatgaa	180
nancaagccc ctgnaggaga tctatntctt	cttcctgcc ccattaagga	atcaagagat	240
catttgattt ctctctgggg gcctctctca	aggatnagggt ttttgaagat	tatgccagtg	300
canaaannan accccgttgc ccngtccatc	tncacccaac ncttccaagg	gcnatttttg	360
tttaggcctc attncngggg ggaaccttaa	cccaattttg g		401

<210> 257

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (401)

<223> n = A,T,C or G

<400> 257

atgtatgtaa aacacttcac aaaatgtaaa	gggctataac aaatatgtta	taaagtgatt	60
ctctcagccc tgaggatatac agaatcattt	gcctcagact gctgttggtat	tttaaaattt	120
ttaaaatatac tgctaagtaa tttgctatgt	cttctccac actatcaata	tgctgtctc	180
taacaggctc cccactttct tttaatgtgc	tggttatgagc tttggacatg	agataaccgt	240
gcctgttcag agtgtctaca gtaagagctg	gacaaactct ggaggagacac	agtctttgag	300
acagctcttt tggttgcttt ccacttttct	gaaagggtta cagtaacctt	ctagataata	360
gaaactccca gttaaagcct angctancaa	tttttttttag t		401

<210> 258

<211> 401

<212> DNA

<213> Homo sapien

<400> 258

ggagcgctag gtcggtgtac gaccgagatt aggggtgcgtg ccagctccgg gaggccgcgg	60
tgagggggccg ggcccaagct gccgaccga gccgatcgtc agggtcgcca gcgcctcagc	120
tctgtggagg agcagcagta gtcggagggg gcaggatatt agaaatggct actccccagt	180
caattttcat ctttgcaatc tgcattttta tgataacaga attaattctg gcctcaaaaa	240
gctactatga tatcttaggt gtgccaaaat cggcatcaga gcgccaaatc aagaaggcct	300
ttcacaagtt ggccatgaag taccaccctg acaaaaaata gaccagatg ctgaagcaaa	360
attcagagag attgcagaag catatgaaac actctcagat g	401

<210> 259

<211> 401

<212> DNA

<213> Homo sapien

<400> 259

attgggtttg gagggaggat gatgacagag gaatgccctt tggccatcac ggttttgatt	60
ctccagaata ttgtgggttt gatcatcaat gcagtcatgt taggctgcat tttcatgaaa	120
acagctcagg ctacagaag ggcagaaact ttgattttca gccgccatgc tgtgattgcc	180
gtccgaaatg gcaagctgtg cttcatgttc cgagtgggtg acctgaggaa aagcatgatc	240
attagtgcct ctgtgcgcat ccaggtggtc aagaaaacaa ctacacctga aggggagggtg	300
gttcctattc accaactgga cattcctgtt gataacccaa tcgagagcaa taacattttt	360
ctggtggccc ctttgatcat ctgccacgtg attgacaagc g	401

<210> 260

<211> 363

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(363)

<223> n = A,T,C or G

<400> 260

aggaganang gaggggggana tgaataggga tggagaggga natagtggat gagcaggga	60
canggagagg aancagaaag gagaggcaag acagggagac acacancaca nangangana	120
caggtggggg ctgggggtggg gcatggagag ctttnangt cncaggcc accctgctct	180
cgctggngctg ttgaaacca ctccatggct tcctgccact gcagttgggc ccagggtgg	240
cttattnctg gaatgcaagt ggctgtggct tggagcctcc cctctggnnn anggaaannn	300
attgctccct tatctgcttg gaatatctga gtttttccan cccggaaata aaacacacac	360
aca	363

<210> 261

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 261

cggtctccg ccgtctccc ggggtttcgg ggcacttggg tcccacagtc tggctctgct	60
tcacctccc ctgacctgag tagtcgcat ggcacagggt ctcagaggca ctgngactga	120

```

cttccttgga tttgatgagc gggctgatgc anaaactcct cggaaggcta tgaaaggctt 180
gggcacagat gaggagagca tcctgaactc gttgacatcc cgaagtaatg ctcagcgcca 240
ggaaatctct gcagctttta agactctgtt tggcagggat cttctggatg acctgaaatc 300
agaactaact ggaaaatttg aaaaattaat tgtggctctg atgaaaccct ctcggcttta 360
tgatgcttat gaactgaaac atgccttgaa gggagctgga a 401

```

```

<210> 262
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (401)
<223> n = A,T,C or G

```

```

<400> 262
agtctanaac atttctaata ttttgngctt tcatatatca aaggagatta tgtgaaacta 60
tttttaata ctgtaaagtg acatatagtt ataagatata tttctgtaca gtagagaaag 120
agtttataac atgaagaata ttgtaccatt atacattttc attctcgatc tcataagaaa 180
ttcaaaagaa taatgataga ggtgaaaata tgtttacttt ctctaaatca agcctagtgtg 240
tcaactcaaa aattatgntg catagtttta ttttgaattt aggttttggg actacttttt 300
tccancttca atgagaaaat aaaatctaca actcaggagt tactacagaa gttctaanta 360
tttttttgct aannagcnaa aaatataaac atatgaaaat g 401

```

```

<210> 263
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (401)
<223> n = A,T,C or G

```

```

<400> 263
ctgtccgacc aagagaggcc ggccgagccc gaggcttggg cttttgcttt ctggcggagg 60
gatctgcggc ggtttaggag gcggcgctga tcctgggagg aagaggcagc tacggcggcg 120
gcggcggttg cggctagggc ggcggcgaat aaaggggccc cgcgcgggtg atgcggtgac 180
cactgcggca ggcccaggag ctgagtgggc cccggccctc agcccgtccc gncggacccg 240
ctttcctcaa ctctccatct tctcctgccg accgagatcg ccgaggcggn ctcaggctcc 300
ctanccctt ccccgteect tcccncccc cgtccccgcc ccgggggccc ccgccacccc 360
cctcccacca tggctctgaa ganaatccac aaggaattga a 401

```

```

<210> 264
<211> 401
<212> DNA
<213> Homo sapien

```

```

<400> 264
aacaccagcc actccaggac ccctgaaggc ctctaccagg tcaccagtgt tctgcgccta 60
aagccacccc ctggcagaaa cttcagctgt gtgttctgga atactcacgt gagggaaactt 120
actttggcca gcattgacct tcaaagtcag atggaaccca ggacccatcc aacttggctg 180
cttcacattt tcacccctc ctgcatcatt gctttcattt tcatagccac agtgatagcc 240
ctaagaaaac aactctgtca aaagctgtat tcttcaaaag acacaacaaa aagacctgtc 300

```

accacaacaa agaggggaagt gaacagtgct gtgaatctga acctgtggtc ttgggagcca 360
gggtgacctg atatgacatc taaagaagct tctggactct g 401

<210> 265
<211> 271
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(271)
<223> n = A,T,C or G

<400> 265
gccacttcct gtggacatgg gcagagcgct gctgccagtt cctggtagcc ttgaccacna 60
cgctgggggg tctttgtgat ggtcatgggt ctcatttgca cttgggggtg tgggattcaa 120
gttagaagtt tctagatctg gccgggcgca gtggctcaca cctgtaatcc cagcacttta 180
ggaggctgag gcaggcggat catgagggtca ggagatcgag accgtcctgg ctaacacagt 240
gaaaccccg tctactaaa aatacaaaaa a 271

<210> 266
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 266
attcataaat ttagctgaaa gatactgatt caatttgtat acagngaata taaatgagac 60
gacagcaaaa ttttcatgaa atgtaaaata tttttatagt ttgttcatac tatatgaggt 120
tctattttta atgactttct ggatttttaa aaatttcttt aaatacaatc atttttgtaa 180
tattttatatt atgcttatga tctagataat tgcagaatat cattttatct gactctgtct 240
tcataagaga gctgtggccg aattttgaac atctgttata gggagtgatc aaattagaag 300
gcaatgtgga aaaacaattc tgggaaagat ttctttatat gaagtccctg ccactagcca 360
gccatcctaa ttgatgaaag ttatctgttc acaggcctgc a 401

<210> 267
<211> 401
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

<400> 267
gaagaggcat cacctgatcc cggagacctt tggagttaag aggcggcgga agcgagggcc 60
tgtggagtcg gatcctcttc ggggtgagcc agggtcggcg cgcgcggctg tctcanaact 120
catgcagctg ttcccgcgag gcctgtttga ggacgcgctg ccgcccatcg tgctgaggag 180
ccaggtgtac agccttgtgc ctgacaggac cgtggccgac cggcagctga aggagcttca 240
agagcanggg gagacaaaat cgtccagctg ggcttcnact tggatgccca tggaaanttat 300

tctttcnctt ganggactta cnngggaccc aagaancctt tncaaggggc ccttngtgga	360
tgggnccccga aaccccnnta tttgcccttg ggggggncca a	401

<210> 268
 <211> 223
 <212> DNA
 <213> Homo sapien

<400> 268	
tgcgcatgtt ggccaggctg gtcttgaact cctgacttta agtgatccac ccgcctcaac	60
ctcccaaagt gctgggatta cagggtgtgag ccaccgcgcc tggcctgata catactttta	120
gaatcaagta gtcacgcact ttttctgttc atttttctaa aaagtaaata tacaaatgtt	180
ttgttttttg ttttttttgg ttgtttgttt ctgttttttt ttt	223

<210> 269
 <211> 401
 <212> DNA
 <213> Homo sapien

<400> 269	
actatgtaaa ccacattgta cttttttttta ctttggcaac aaatatttat acatacaaga	60
tgctagtcca ttggaatatt tctcccaact tatccaagga tctccagctc taacaaaatg	120
gtttattttt atttaaagt caatagttgt tttttaaaat ccaaatacaga ggtgcaggcc	180
accagttaaa tgccgtctat cagggtttgt gccttaagag actacagagt caaagctcat	240
ttttaaagga gtaggacaaa gttgtcacag gtttttggtg ttgtttttat tgccccaaa	300
attacatgtt aatttccatt tatatcaggg attctattta ctgaagact gtgaagttgc	360
cattttgtct cattgttttc ttgacataa ctaggatcca t	401

<210> 270
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (401)
 <223> n = A,T,C or G

<400> 270	
tggtgttga ttcaacctcag cactgcttgg tatctgcacc ctacctctct ttagaggctg	60
ccttgtcaac tgaaaaatgc acctgacttc gagcaagact ctttccttag gttctggatc	120
tgtttgagcc ccatggcact gagctggaat ctgagggctc tgttccaagg atgtgatgat	180
gtgggagaat gttctttgaa agagcagaaa tccagtctgc atggaaacag cctgtagagn	240
agaagtttcc agtgataagt gttcactgtt ctaaggagggt acaccacagc tacctgaatt	300
ttcccaaaat gagtgttct gtgcgttaca actggccttt gtacttgact gtgatgactt	360
tgttttttct tttcaattct anatgaacat gggaaaaaat g	401

<210> 271
 <211> 329
 <212> DNA
 <213> Homo sapien

<400> 271	
ccacagcctc caagtcagggt ggggtggagt ccagagctg cacagggttt ggcccaagtt	60
tctaaggag gcaattctc ccctcgccca tcaagtccag cccctgctgg ctggtgacctg	120

```

agccccctcag acagccccct gccccgcagg cctgccttct cagggacttc tgcggggcct      180
gaggcaagcc atggagttag acccaggagc cggacacttc tcaggaaatg gcttttccca      240
acccccagcc cccaccgggt ggttcttccct gttctgtgac tgtgtatagt gccaccacag      300
cttatggcat ctcataggag acaaaaaaa      329

```

```

<210> 272
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 272
nggctgntaa cntcggagggt nacttcctgg actatcctgg agacccccctc cgcttccacg      60
nncatnatat cntcatngc tgggcccntn angacacnat cccactccaa cacctgngng      120
atgctggncn cctnggaacc anentcagaa ngaccctgnt cntntgtntt ccgcaanctg      180
aagnnaangc gggntacacc tnentgcant ggnccacnct gcngggaact ntacacacct      240
acgggatgtg gctgcgccan gagccaagag cntttctgga tgattcccca gcctcttgnn      300
agggantcta caacattgct nnntaccttt ntcnnncngc nnntnntgga ntacaggngn      360
tnntaact acatcttttt tactgcncn tncctgggtg g      401

```

```

<210> 273
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 273
cagcaccatg aagatcaaga tcatcgacc cccagagcgc aagtactcgg tgtggatcgg      60
tggctccatc ctggcctcac tgtccacctt ccagcagatg tggattagca agcaggagta      120
cgacgagtcg ggccccctcca tegtccaccg caaatgcttc taaacggact cagcagatgc      180
gtagcatttg ctgcatgggt taattgagaa tagaaatttg cccctggcaa atgcacacac      240
ctcatgctag cctcacgaaa ctggaataag ccttcgaaaa gaaattgtcc ttgaagcttg      300
tatctgatat cagcactgga ttgtagaact tgttgctgat tttgaccttg tattgaagtt      360
aactgttccc cttggtatta acgtgtcagg gctgagtnt c      401

```

```

<210> 274
<211> 401
<212> DNA
<213> Homo sapien

```

```

<400> 274
ccaccacac ccaccgcgcc ctggttcgcc tcttctcggg gagccagtcc gcgccaccgc      60
cgccgccag gccatcgcca cctccgcag ccatgtccac caggtcctg tctcgtcct      120
cctaccgcag gatgttcggc ggccgggca ccgcgagccg gccgagctcc agccggagct      180
acgtgactac gtccaccgc acctacagcc tgggcagcgc gctgcgccc agcaccagcc      240
gcagcctcta cgctcgtcc ccggggcggc tgtatgccac gcgtcctct gccgtgcgc      300
tgcggagcag cgtgcccggg gtgcggctcc tgcaggactc ggtggacttc tcgctggccg      360

```

acgccatcaa caccgagttc aagaacaccc gcaccaacga g 401

<210> 275
 <211> 401
 <212> DNA
 <213> Homo sapien

<400> 275
 ccacttccac cactttgtgg agcagtgcct tcagcgcaac cgggatgcc a ggtatccctg 60
 ctggcctggg cctgggcttc gggagagcag aggggtgctca ggagggt aag gccagggtgt 120
 gaagggaactt acctcccaa ggttctgcag gggaatctgg agctacacac aggagggatc 180
 agtccttggg tgtgtcagag gccagcctgg ggagctctgg ccaactgcttc ccatgagctg 240
 agggagaggg agaggggacc cgaggctgag gcataagtgg caggatttcg ggaagctggg 300
 gacacggcag tgatgctgcg gtctctcttc ccctttccct ccaggcccag tgccagcacc 360
 ctctgaacc actctttctt caagcagatc aagcgacgtg c 401

<210> 276
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (401)
 <223> n = A,T,C or G

<400> 276
 tctgatattg ntacccttga gccacct aag ttagaagaaa ttggaaatca agaagttgtc 60
 attggtgaag aagcacagag ttcagaagac tttaacatgg gctcttcttc tagcagccag 120
 tatactttct gtcagccaga aactgtatit tcatctcagc ctagtgatga tgaatcaagt 180
 agtgatgaaa ccagtaatca gccagtcct gccttttagac gacgccgtgc taggaagaag 240
 accgtttctg cttcagaatc tgaagaccgg ctagtgtggg aacaagaaac tgaaccttct 300
 aaggagttga gtaaacgtca gttcagtagt ggtctcaata agtgtgttat acttgctttg 360
 gtgattgcaa tcagcatggg atttggccat ttctatggca c 401

<210> 277
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (401)
 <223> n = A,T,C or G

<400> 277
 aactttggca acatatctca gcaaaaacta cagctatggt attcatgcc a aaataaaagc 60
 tgtgcagagg agtggctgca atgaggtcac aacggtgggt gatgtaaaag agatcttcaa 120
 gtcctcatca cccatccctc gaactcaagt cccgctcatt acaaattctt cttgccagtg 180
 tccacacatc ctgccccatc aagatgttct catcatgtgt tacgagnggc gctcaaggat 240
 gatgcttctt gaaaattgct tagttgaaaa atggagagat cagcttagta aaagatccat 300
 acagtgggaa gagaggctgc aggaacagcg ganaacagtt caggacaaga agaaaacagc 360
 cgggcgcacc agtcgtagta atcccccaa accaaaggga a 401

<210> 278

<211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 278
 aatgagtgtg agaccacaaa tgaatgccgg gaggatgaaa tgtgttggaa ttatcatggc 60
 ggcttccgtt gttatccacg aaatccttgt caagatccct acattctaac accagagAAC 120
 cgatgtgttt gccagtcctc aaatgccatg tgccgagAAC tgccccagtc aatagtctac 180
 aaatacatga gcatccgatc tgataggtct gtgccatcag acatcttcca gatacaggcc 240
 acaactatTT atgccaacac catcaatact tttcggatta aatctggaaa tgaaaatgga 300
 gagtctacct acgacaacaa anccctgtaa gtgcaatgct tgtgctcgtg aagncattat 360
 caggaccaag agaacatatc gtggacctgg agatgctgac a 401

<210> 279
 <211> 401
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 279
 aaattattgc ctctgataca tacctaagtn aacanaacat taatacctaa gtaaACATAA 60
 cattaacttg aggggttgag nttctaantg aaactgtatt tgaaactttt aagtatactt 120
 taggaaacaa gcatgaacgg cagtctagaa taccagAAC atctacttgg gtagcttggn 180
 gccattatcc tgtggaatct gatatgtctg gnagcatgtc attgatggga catgaagaca 240
 tctttggaaa tgatgagatt atttcctgtg ttaaaaaaaaa aaaaaatctt aaattcctac 300
 aatgtgAAC tgaaactaat aattttgatc ctgatgtatg ggacagcgta tctgtaccag 360
 gctctaaata acaaaagnta gggngacaag nacatgttcc t 401

<210> 280
 <211> 326
 <212> DNA
 <213> Homo sapien

<400> 280
 gaagtggAAT tgtataattc aattcgataa ttgatctcat gggctttccc tggaggAAC 60
 gttttttttg ttgttttttt tttAagaact tgaaacttgt aaactgagat gtctgtagct 120
 tttttgcca tctgtagtgt atgtgaagat ttcaaaacct gagagcactt tttctttgtt 180
 tagaattatg agaaaggcac tagatgactt taggatttgc atttttccct ttattgcctc 240
 atttcttgtg acgccttgtt ggggagggaa atctgtttat tttttcctac aaataaaaaag 300
 ctaagattct atatcgcaaa aaaaaa 326

<210> 281
 <211> 374
 <212> DNA
 <213> Homo sapien

<400> 281
caacgcggtt gcaaatatc ccctggtagc ctacttcctt acccccgaat attggtaaga 60
tcgagcaatg gcttcaggac atgggttctc ttctcctgtg atcattcaag tgctcactgc 120
atgaagactg gcttgtctca gtgtttcaac ctcaccaggg ctgtctcttg gtccacacct 180
cgctccctgt tagtgccgta tgacagcccc catcaaataga ccttggccaa gtcacgggtt 240
ctctgtggtc aagggttggtt ggctgattgg tggaaagtag ggtggaccaa aggaggccac 300
gtgagcagtc agcaccagtt ctgcaccagc agcgccctccg tcctagtggg tgttcctgtt 360
tctcctggcc ctgg 374

<210> 282
<211> 404
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (404)
<223> n = A,T,C or G

<400> 282
agtgtggtgg aattcccgcg tcctannccg cgactcacac aaggcagagt ngccatggag 60
aaaattccag tgtcagcatt cttgtctcct gtggccctct cctacactct ggccagagat 120
accacagtca aacctgnagc caaaaaggac acaaaggact ctcgacccaa actgccccan 180
accctctcca gaggttgggg tgaccaactc atctggactc anacatatga agaagctcta 240
tataaatcca agacaagcaa caaaccttg atgattattc atcacttgga tgagtgecca 300
cacagtcaag ctttaaagaa agtgtttgct gaaaataaag aaatccagaa attggcagag 360
cagtttgtcc tcctcaatct ggtttatgaa acaactgaca aaca 404

<210> 283
<211> 184
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (184)
<223> n = A,T,C or G

<400> 283
agtgtggtgg aattcacttg cttaanttgt gggcaaaaga gaaaaagaag gattgatcag 60
agcattgtgc aatacagttt cattaactcc ttccctcgct cccccaaaaa tttgaatttt 120
tttttcaaca ctcttacacc tgttatggaa aatgtcaacc tttgtaagaa aaccaaaata 180
aaaa 184

<210> 284
<211> 421
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (421)
<223> n = A,T,C or G

<400> 284

```

ctattaatcc tgccacaata tttttaatta cgtacaaaga tctgacatgt caccagggga      60
cccatcttcac ccaactgctct gtttggecgc cagtcttttg tctctctctt cagcaatggg      120
gaggcgggata ccctttctctc ggggaanana aatccatggg ttggtgccct tgccaataac      180
aaaaatggtg gaaagtcgag tggcaaagct gttgccattg gcattcttca cgtgaaccac      240
gtcaaaagat ccagggtgcc tctctctgtt ggtgatcaca ccaattcttc ctagggttagc      300
acctccagtc accatacaca gggtaccagt gtogaacttg atgaaatcag taatcttgcc      360
agtctctaaa tcaatctgaa tggatatcatt caccttgatg aggggatcgg ggtagcggat      420
g                                                                    421

```

<210> 285

<211> 361

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(361)

<223> n = A,T,C or G

<400> 285

```

ctgggtggta actctttatt tcattgtccg gaanaaagat gggagtggga acagggtgga      60
cactgtgcag gcttcagctt ccactccggg caggattcag gctatctggg accgcaggga      120
ctgccaggtg cacagccctg gctcccagg caggcaggca aggtgacggg actggaagcc      180
ctttcanag ccttgaggga gctgggtccg ccacaagcaa tgagtgccac tctgcagttt      240
gcaggggatg gataaacagg gaaacactgt gcattcctca cagccaacag tgtaggtctt      300
ggtgaagccc cggcgctgag ctaagctcag gctgttccag ggagccacga aactgcaggt      360
a                                                                    361

```

<210> 286

<211> 336

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(336)

<223> n = A,T,C or G

<400> 286

```

tttgagtggc agcgccttta tttgtggggg ccttcaaggn agggtcgtgg ggggcagcgg      60
ggaggaanag ccganaaact gtgtgaccgg ggccctcagg ggtgggcatt gggggctcct      120
cttgcanatg ccatttgga tcaccgggtg agccattggg ggcagcgggt accggtcctt      180
tcttgttcaa catagggtag gtggcagcca cgggtccaac tcgcttgagg ctgggccctg      240
ggcgctccat tttgtgttcc angagcatgt ggttctgtgg cgggagcccc acgcaggccc      300
tgaggatgtt ctcatgacag ctgcgctggc ggaaaaa                        336

```

<210> 287

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 287
 tgggtaccaaa atttnttttat ttgaaggaat ggnacaaatc aaanaactta agnggatgtt 60
 ttggtacaac ttatanaaaa ggnaaaggaa accccaacat gcatgcnctg ccttgngnac 120
 caggggaagtc accccacggc tatggggaaa ttancccgag gcttancttt cattatcact 180
 gtctcccagg gngngcttgt caaaaanata ttccnccaag ccaaattcgg gcgctcccat 240
 nttgcncaag ttggtcacgt ggtcacccaa ttctttgatg gctttcacct gctcattcag 300
 g 301

<210> 288
 <211> 358
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(358)
 <223> n = A,T,C or G

<400> 288
 aagtttttaa acttttttatt tgcataattaa aaaaattgng cattccaata attaaaaatca 60
 tttgaacaaa aaaaaaatg gcactctgat taaactgcat tacagcctgc aggacacctt 120
 gggccagctt ggttttactc tanatttcac tgctgtccca cccacttct tccacccac 180
 ttcttccttc accaacatgc aagttctttc cttccctgcc agccanata tagacagat 240
 gggaaaggca ggcgcggcct tcgttgctcag tagttctttg atgtgaaagg ggcagcacag 300
 tcatttaaac ttgatccaac ctctttgcat cttacaaagt taaacagcta aaagaagt 358

<210> 289
 <211> 462
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(462)
 <223> n = A,T,C or G

<400> 289
 ggcatcagaa atgctgttta tttctctgct gctcccaagc tggctggcct ttgcagagga 60
 gcagacaaca gatgcatagt tgggganaaa gggaggacag gttccaggat agaggggtgca 120
 ggctgagga ggaagggtaa naggaaggaa ggccatcctg gatccccaca tttcagtctc 180
 anatgaggac aaagggactc ccaagcccc aaatcatcan aaaacaccaa ggagcaggag 240
 gagcttgagc aggccccagg gagcctcana gccataccag ccactgtcta cttcccatcc 300
 tcctctccca ttccctgtct gttcanacc acctccagc taagccccag ctccattccc 360
 ccaatcctgg cccttgccag cttgacagtc acagtgcctg gaattccacc actgaggctt 420
 ctcccagttg gattaggacg tcgcctgtt agcatgctgc cc 462

<210> 290
 <211> 481
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(481)

<223> n = A,T,C or G

<400> 290

tactttccta	aactttatta	aagaaaaaag	caataagcaa	tgngngtaaa	tctctanaac	60
ataccecaatt	ttctgggctt	cctccccoga	gaatgtgaca	ttttgatttc	caaacatgcc	120
anaagtgtat	ggttcccaac	tgtactaaag	taggtganaa	gctgaagtcc	tcaagtgttc	180
atcttccaac	ttttcccagt	ctgtggtctg	tctttggatc	agcaataatt	gcctgaacag	240
ctactatggc	ttcgttgatt	tttgtctgta	gctctctgag	ctcctctatg	tgacgaatc	300
gcanaatttg	agcagcttca	ttaanaactg	catctcctgt	gtcaaaaacca	anaatatgtt	360
tgtctaaagc	aacaggttaag	ccctcttttg	tttgatttgc	cttancaact	gcctcctgtg	420
tcaggcgctc	ctgaaccaa	atccgaattg	ccttaagcat	taccaggtaa	tcctcatgac	480
g						81

<210> 291

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 291

tcataagtaat	gtaaaaccat	ttgtttaatt	ctaaatcaaa	tcactttcac	aacagtgaag	60
attagtact	ggtaagng	tgccactgta	catatcatca	ttttctgact	ggggtcagga	120
cctggtccta	gtccacaagg	gtggcaggag	gagggtggag	gctaanaaca	cagaaaacac	180
acaaaanaaa	ggaaagctgc	cttggcanaa	ggatgagng	gtgagcttgc	cgaaggatgg	240
tggaagggg	gctccctgtt	ggggccgagc	caggagtccc	aagtcagctc	tcctgcctta	300
cttagctcct	ggcanagggt	gagtggggac	ctacgaggtt	caaaatcaaa	tggcatttgg	360
ccagcctggc	tttactaaca	g				381

<210> 292

<211> 371

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(371)

<223> n = A,T,C or G

<400> 292

gaaaaaataa	tcggtttaat	tgaaaaacct	gnaggatact	attccactcc	cccanatgag	60
gaggctgagg	anaccaaacc	cctacatcac	ctcgtagcca	cttctgatac	ttttcacgag	120
gcagcaggca	aagacaattc	ccaaaacctc	nacaaaagca	attccaaggg	ctgctgcagc	180
taccaccanc	acattttttc	tcagccagcc	cccaatcttc	tcacacagc	cctccttatg	240
gategccttc	tcgttgaaat	taatcccaca	gccacagta	acattaatgc	ancaggagtc	300
ggggactcgg	ttcttcgaca	tggaagggat	tttctcccaa	tctgtgtagt	tagcagcccc	360
acagcactta	a					371

<210> 293

<211> 361

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(361)
 <223> n = A,T,C or G

<400> 293
 gattttaaag aaaacacttt attgttcagc aattaaaagt tagccaaata tgtatttttc 60
 tccataattt attgngatgt tatcaacatc aagtaaaatg ctcattttca tcatttgctt 120
 ctgttcatgt tttcttgaac acgtcttcaa ttttccttcc aaaatgctgc atgccacact 180
 tgaggtaacg aagcanaagt atttttaaac atgacagcta anaacattca tctacagcaa 240
 cctatatgct caatacatgc cgcgtgatcc tagtagtttt ttcacaacct tctacaagtt 300
 tttggaaaac atctgttatg atgactttca tacaccttca cctcaaaggc tttcttgcac 360
 c 361

<210> 294
 <211> 391
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(391)
 <223> n = A,T,C or G

<400> 294
 tattttaaag tttaattatg attcanaaaa aatcgagcga ataactttct ctgaaaaaat 60
 atattgactc tgtatanacc acagttattg gggganaagg gctggtagg taaattatcc 120
 tattttttat tctgaaaatg atattaatan aaagtcctcg ttcagctctg attataaaga 180
 tacatatgcc caaaatggct ganaataaat acaacaggaa atgcaaaagc tgtaaagcta 240
 agggcatgca ananaaaatc tcanaatacc caaagnggca acaaggaacg tttggctgga 300
 atttgaagtt atttcagtca tctttgtctt tggctccatg tttcaggatg cgtgtgaact 360
 c gatgtaatt gaaattcccc tttttatcaa t 391

<210> 295
 <211> 343
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(343)
 <223> n = A,T,C or G

<400> 295
 ttcttttggt ttattgataa cagaaactgt gcataattac agatttgatg aggaatctgc 60
 aaataataaa gaatgtgtct actgccagca aaatacaatt attccatgcc ctctcaacat 120
 acaaatatag agttcttcac accanatggc tctggtgtaa caaagccatt ttanatgttt 180
 aattgtgctt ctacaaaacc ttcanagcat gaggtagttt cttttaccta cnatattttc 240
 cacattttca ttattacact tttagtgage taaaatcett ttaacatagc ctgcggatga 300
 tctttcacaa aagccaagcc tcatttaca agggtttatt tct 343

<210> 296
 <211> 241
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (241)

<223> n = A,T,C or G

<400> 296

ttcttgata ttggttggtt ttgtgaaaaa gtttttggtt ttcttctcag tcaactgaat	60
tatttctcta ctttgccctc ctgatgccca catgananaa cttaanataa tttctaacag	120
cttccacttt ggaaaaaaa aaaacctgtt ttctcatgg aacccagga gttgaaagtg	180
gatanatcgc tctcaaatc taaggctctg ttcagcttta cattatgta cctgacgtt	240
t	241

<210> 297

<211> 391

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (391)

<223> n = A,T,C or G

<400> 297

gttggtggtg anaatgctgg agatgctcag ttctctccct cacaaggtag gccacaaatt	60
cttggtggtg ccctcacatc tggggtcttc aggcaccagc catgcctgcc gaggagtgt	120
gtcaggacan accatgtccg tgctaggccc aggcacagcc caaccactcc tcatccaagt	180
ctctcccagg tttctggtcc cgatgggcaa ggatgacccc tccagtggct ggtacccac	240
catcccacta cccctcacat gctctcactc tccatcaggt cccaatcct ggcttccctc	300
ttcacgaact ctcaaagaaa aggaaggata aaacctaaat aaaccagaca gaagcagctc	360
tggaaaagta caaaaagaca gccagaggtg t	391

<210> 298

<211> 321

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (321)

<223> n = A,T,C or G

<400> 298

caagccaaac tgtntccagc tttattaaan atactttcca taaacaatca tggatatttca	60
ggcaggacat gggcanacaa tcgttaacag tatacaacaa ctttcaaact cccttnttca	120
atggactacc aaaaatcaaa aagccactat aaaacccaat gaagtcttca tctgatgtc	180
tgaacaggga aagttttaaag ngagggttga catttcacat ttagcatgtt gtttaacaac	240
ttttcacaag ccgacctga ctttcaggaa gtgaaatgaa aatggcanaa tttatctgaa	300
natccacaat ctaaaaatgg a	321

<210> 299

<211> 401

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 299
 tatcataaag agtgttgaag tttattttatt atagcaccat tgagacattt tgaaattgga 60
 attggtaaaa aaataaaaaca aaaagcattt gaattgtatt tggnggaaca gcaaaaaaag 120
 agaagtatca tttttctttg tcaaattata ctgtttccaa acattttgga aataaataac 180
 tggaattttg tcggtcactt gcaactgggtg acaagattag aacaagagga acacatatgg 240
 agttaaat tttttgttgg gatttcanaat agagtttggt ttataaaaag caaacagggc 300
 caacgtccac accaaaattct tgatcaggac caccaatgtc atagggngca atatctacaa 360
 taggtagtct cacagccttg cgtgttcgat attcaaagac t 401

<210> 300
 <211> 188
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(188)
 <223> n = A,T,C or G

<400> 300
 tgaatgcttt gtcataataa gaaagttaaa gtgcaataat gtttgaanac aataagtggg 60
 ggtgtatctt gttttctaata agataaaactt ttttgtcttt gctttatctt attagggagt 120
 tgtatgtcag tgtataaaac atactgtgtg gtataacagg cttaataaat tctttaaaag 180
 gaaaaaaa 188

<210> 301
 <211> 291
 <212> DNA
 <213> Homo sapien

<400> 301
 aagattttgt tttattttat tatggctaga aagacactgt tatagccaaa atcggcaatg 60
 acactaaaga aatcctctgt gcttttcaat atgcaaatat atttcttcca agagttgccc 120
 tgggtgtgact tcaagagttc atgttaactt cttttctgga aacttccttt tcttagttgt 180
 tgtattcttg aagagcctgg gccatgaaga gcttgccata gttttgggca gtgaactcct 240
 tgatgttctg gcagtaagtg tttatctggc ctgcaatgag cagcgagtcc a 291

<210> 302
 <211> 341
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(341)
 <223> n = A,T,C or G

<400> 302
 tgatttttca taattttatt aaatnatcac tgggaaaact aatggttcgc gtatcacaca 60


```

attacactac aatctgatag gagtggtaaa accagccaat ggaatccagg taaagtacaa      120
aaacgccacc ttttattgtc ctgtcttatt tctcggaag gaggggtcta ctttacacat      180
ttcatgagcc agcagtggac ttgagttaca atgtgtaggt tccttggtgt tatagctgca      240
gaagaagcca tcaaattctt gaggacttga catctctcgg aaagaagcaa actagtggat      300
ccccggggtc gcaggaattc gatatcaagc ttatcgatac c                          341

```

<210> 303

<211> 361

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(361)

<223> n = A,T,C or G

<400> 303

```

tgcagacagt aaatnaattt tatttgngtt cacagaacat actaggcgat ctcgacagtc      60
gctccgtgac agcccaccaa cccccaaccc tntacctcgc agccacccta aaggcgactt      120
caanaanatg gaaggatctc acggatctca ttcctaattgg tccgccgaag tctcacacag      180
tanacagacg gaggttganat gctggaggat gcagtcacct cctaaactta cgaccaccca      240
ccanacttca tcccagccgg gacgtcctcc cccacccgag tcctccccat ttcttctcct      300
actttgccgc agttccaggc gtcctgcttc caccagtcct acaaagctca ataaatacca      360
a

```

<210> 304

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 304

```

ctcttttaca cagcctttat ttncggccct tgatcctgct eggatgctgg tggaggccct      60
tagctccgcc cgccaggctc tgtgccgcct ccccgaggc gcanattcat gaacacgggtg      120
ctcagggggt tgaggccgta ctccccagc gggagctggt cctccagggg ctccccctcg      180
aaggtcagcc anaacaggtc gtcctgcaca cctccagcc egctcacttg ctgcttcagg      240
tgggccacgg tctgcgtcag ccgcacctcg taggtgctgc tgcggccctt gttattcctc      300
a

```

<210> 305

<211> 331

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(331)

<223> n = A,T,C or G

<400> 305

```

ganaggctag taacatcagt tttattgggt tggggnnggc accatagcct ggctgggggn      60

```

ggggctggcc	ctcacagggt	gttgagttcc	agcagggtct	ggccaagggt	ctggtgaatc	120
tcgacgttct	cctccttggc	actggccaag	gtctcttcta	ggcatcgat	ggttttctcc	180
aactttgcca	canacctctc	ggcaaacctc	gtcgggtct	cancctcctt	cagcttctcc	240
tccaacagtt	tgatctcctc	ttcatattta	tcttctttgg	gggaatactc	ctcctctgag	300
gccatcaggg	acttgagggc	ctggtccatg	g			331

<210> 306
 <211> 457
 <212> DNA
 <213> Homo sapien

<400> 306						
aatatgtaaa	ggtaataact	tttattatat	taaagacaat	gcaaacgaaa	aacagaattg	60
agcagtgcaa	aattttaaagg	actgttttgt	tctcaaagtt	gcaagtttca	aagccaaaag	120
aattatatgt	atcaaatata	taagtaaaaa	aaagttagac	tttcaagcct	gtaatccag	180
cactttggga	ggctgaggca	ggtggatcac	taacattaaa	aagacaacat	tagattttgt	240
cgatttatag	caattttata	aatatataac	tttgtcactt	ggatcctgaa	gcaaaataat	300
aaagtgaatt	tgggattttt	gtacttggta	aaaagtttaa	caccctaaat	tcacaactag	360
tggatccccc	gggctgcagg	aattcgatat	caagcttata	gataccgtcg	acctcgaggg	420
ggggcccggg	acccaattcg	ccctatagtg	agtcgta			457

<210> 307
 <211> 491
 <212> DNA
 <213> Homo sapien

<400> 307						
gtgcttggac	ggaacccggc	gtcgttccc	caccccgccc	ggccgccc	agccagccct	60
ccgtcacctc	ttcacgcac	cctcggaact	ccccaggccc	cccgcgccc	ctccagcgcc	120
gcgcagccac	cgccgcggc	gccgcctctc	cttagtcgcc	gccatgacga	ccgcgtccac	180
ctcgcagggt	cgccagaact	accaccagga	ctcagaggcc	gccatcaacc	gccagatcaa	240
cctggagctc	tacgcctcct	acgtttacct	gtccatgtct	tactactttg	accgcgatga	300
tgtggctttg	aagaactttg	ccaaataactt	tcttcaccaa	tctcatgagg	agaggggaaca	360
tgctgagaaa	ctgatgaagc	tgcagaacca	acgagggtggc	cgaatcttcc	ttcaggatat	420
caagaaacca	gactgtgatg	actgggagag	cgggctgaat	gcaatggagt	gtgcattaca	480
tttggaaaaa	a					491

<210> 308
 <211> 421
 <212> DNA
 <213> Homo sapien

<400> 308						
ctcagcgctt	cttctttctt	ggtttgatcc	tgactgctgt	catggcgctgc	cctctggaga	60
aggccctgga	tgtgatgggt	tccaccttcc	acaagtactc	gggcaaagag	ggtgacaagt	120
tcaagctcaa	caagtcagaa	ctaaaggagc	tgctgaccgg	ggagctgccc	agcttcttgg	180
ggaaaaggac	agatgaagct	gctttccaga	agctgatgag	caacttggac	agcaacaggg	240
acaacgaggt	ggacttccaa	gagtactgtg	tcttctgtc	ctgcacgcc	atgatgtgta	300
acgaattctt	tgaaggcttc	ccagataagc	agcccaggaa	gaaatgaaaa	ctcctctgat	360
gtggttgggg	ggtctgccag	ctggggccct	ccctgtcgcc	agtgggcact	tttttttttc	420
c						421

<210> 309
 <211> 321
 <212> DNA

<213> Homo sapien

<400> 309

accaaattggc	ggatgacgcc	ggtgcagcgg	gggggcccgg	gggccctggt	ggccctggga	60
tggggaaccg	cggtggcttc	cgcgagggtt	tcggcagtgg	catccggggc	cggggtcgcg	120
gccgtggacg	gggcccgggc	cgaggccgcg	gagctcgcg	aggcaaggcc	gaggataagg	180
agtggatgcc	cgtcaccaag	ttgggcccgt	tggtcaagga	catgaagatc	aagtccttgg	240
aggagatcta	tctcttctcc	ctgcccatta	aggaatcaga	gatcattgat	ttcttcttgg	300
gggcctctct	caaggatgag	g				321

<210> 310

<211> 381

<212> DNA

<213> Homo sapien

<400> 310

ttaaccagcc	atattggctc	aataaatagc	ttcggttaagg	agttaatttc	cttctagaaa	60
tcagtgccta	tttttcttgg	aaactcaatt	ttaaatagtc	caattccatc	tgaagccaag	120
ctgttgtcat	tttcattcgg	tgacattctc	tcccatgaca	cccagaaggg	gcagaagaac	180
cacatttttc	atttatagat	gtttgcatcc	tttgtattaa	aattattttg	aaggggttgc	240
ctcattggat	ggcttttttt	tttttctctc	agggagaagg	ggagaaatgt	acttggaaat	300
taatgtatgt	ttacatctct	ttgcaaattc	ctgtacatag	agatatattt	tttaagtgtg	360
aatgtaacaa	catactgtga	a				381

<210> 311

<211> 538

<212> DNA

<213> Homo sapien

<400> 311

tttgaattta	caccaagaac	ttctcaataa	aagaaaatca	tgaatgctcc	acaatttcaa	60
cataccacaa	gagaagttaa	tttcttaaca	ttgtgttcta	tgattatttg	taagaccttc	120
accaagttct	gatattcttt	aaagacatag	ttcaaaattg	cttttgaaaa	tctgtattct	180
tgaaaatata	cttgttgtgt	attagggttt	taaataaccag	ctaaaggatt	acctcactga	240
gtcatcagta	ccctcctatt	cagctcccca	agatgatgtg	tttttgctta	ccctaagaga	300
ggttttcttc	ttatttttag	ataattcaag	tgcttagata	aattatgttt	tctttaagtg	360
tttatggtaa	actcttttaa	agaaaattta	atatgttata	gctgaatctt	tttggttaact	420
ttaaatcttt	atcatagact	ctgtacatat	gttcaaatta	gctgcttgcc	tgatgtgtgt	480
atcatcggtg	ggatgacaga	acaaacatat	ttatgatcat	gaataatgtg	ctttgtaa	538

<210> 312

<211> 176

<212> DNA

<213> Homo sapien

<400> 312

ggaggagcag	ctgagagata	gggtcagtga	atgcggttca	gcctgctacc	tctcctgtct	60
tcatagaacc	attgccttag	aattattgta	tgacacgttt	tttggttggtt	aagctgtaag	120
gttttgttct	ttgtgaacat	gggtattttg	aggggagggg	ggagggagta	gggaag	176

<210> 313

<211> 396

<212> DNA

<213> Homo sapien

<400> 313

ccagcacc	ccccc	caggccctgg	gggacctggg	ttctcagact	gccaaagaag	ccttgccatc	60
tggcgctccc	atggctcttg	caacatctcc	ccttcgtttt	tgaggggggc	atgccggggg		120
agccaccagc	ccctcactgg	gttcggagga	gagtcaggaa	gggccaagca	cgacaaagca		180
gaaacatcgg	atttggggaa	cgcgtgtcaa	tcccttggtgc	cgcagggctg	ggcgggagag		240
actgtttctgt	tccttggtga	actgtgttgc	tgaaagacta	cctcgttctt	gtcttgatgt		300
gtcaccgggg	caactgcctg	ggggcgggga	tgggggcagg	gtggaagcgg	ctccccattt		360
tataccaaa	gtgctacatc	tatgtgatgg	gtgggg				396

<210> 314

<211> 311

<212> DNA

<213> Homo sapien

<400> 314

cctcaacatc	ctcagagagg	actggaagcc	agtccttacg	ataaactcca	taatttatgg	60
cctgcagtat	ctcttcttgg	agcccaaccc	cgaggaccca	ctgaacaagg	aggccgcaga	120
ggctctgcag	aacaaccggc	ggctgtttga	gcagaacgtg	cagcgctcca	tgcggggtgg	180
ctacatcggc	tccacctact	ttgagcgctg	cctgaaatag	ggttggcgca	taccaccccc	240
cgccacggcc	acaagccctg	gcatccctg	caaataattta	ttggggggcca	tgggtagggg	300
tttggggggc	g					311

<210> 315

<211> 336

<212> DNA

<213> Homo sapien

<400> 315

tttagaacat	ggttatcatc	caagactact	ctaccctgca	acattgaact	cccaagagca	60
aatccacatt	cctcttgagt	tctgcagctt	ctgtgtaaat	agggcagctg	tcgtctatgc	120
cgtagaatca	catgatctga	ggaccattca	tggagctgc	taaatagcct	agtctgggga	180
gtcttccata	aagttttgca	tggagcaaac	aaacaggatt	aaactagggt	tggttccttc	240
agccctctaa	aagcataggg	cttagcctgc	aggcttcctt	gggctttctc	tgtgtgtgta	300
gttttgtaaa	cactatagca	tctgttaaga	tccagt			336

<210> 316

<211> 436

<212> DNA

<213> Homo sapien

<400> 316

aacatgggtct	gcgtgcctta	agagagacgc	ttcctgcaga	acaggacctg	actacaaaga	60
atgtttccat	tggaattggt	ggtaaagact	tggagtttac	aatctatgat	gatgatgatg	120
tgtctccatt	cctggaagggt	cttgaagaaa	gaccacagag	aaaggcacag	cctgctcaac	180
ctgctgatga	acctgcagaa	aaggctgatg	aaccaatgga	acattaagtg	ataagccagt	240
ctatatatgt	attatcaaat	atgtaagaat	acaggcacca	catactgatg	acaataatct	300
atactttgaa	ccaaaagtgtg	cagagtgggtg	gaatgctatg	tttttaggaat	cagtccagat	360
gtgagttttt	tccaagcaac	ctcactgaaa	cctatataat	ggaatacatt	tttctttgaa	420
agggtctgta	taatca					436

<210> 317

<211> 196

<212> DNA

<213> Homo sapien

<400> 317
 tattccttgt gaagatgata tactatTTTT gttaagcgtg tctgtattta tgtgtgagga 60
 gctgctggct tgcagtgcgc gtgcacgtgg agagctgggt cccggagatt ggacggcctg 120
 atgctccctc cctgcccctg gtccagggaa gctggccgag ggtcctggct cctgaggggc 180
 atctgccccct ccccca 196

<210> 318
 <211> 381
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(381)
 <223> n = A,T,C or G

<400> 318
 gacgctttnng ccgtaacgat gatcggagac atcctgctgt tccgggacgtt gctgatgaat 60
 gccggggcggt tgctgaactt taagctgaaa aagaaggaca cncaggggctt tggggaggag 120
 tncagggagc ccaacacagg tgacaacatc cgggaattct tgctgancct cagatacttt 180
 cnaatcttca tcncctgtg gaacatcttc atgatgttct gcatgattgt gctgntcggc 240
 tcttgaatcc cancgatgaa accannaact cactttcccg ggatgcegan tctccattcc 300
 tccattcctg atgacttcaa naatgttttt gaccaaaaaa ccgacaacct tcccagaaag 360
 tccaagctcg tgggtggngg a 381

<210> 319
 <211> 506
 <212> DNA
 <213> Homo sapien

<400> 319
 ctaagcttta cgaatgggggt gacaacttat gataaaaaact agagctagtg aattagccta 60
 tttgtaaata cctttgttat aattgatagg atacatcttg gacatggaat tgttaagcca 120
 cctctgagca gtgtatgtca ggacttggtc attaggttgg cagcagaggg gcagaaggaa 180
 ttatacaggt agagatgtat gcagatgtgt ccatatatgt ccatatttac attttgatag 240
 ccattgatgt atgcatctct tggctgtact ataagaacac attaatcaa tggaaataca 300
 ctttgctaat attttaattg tatagatctg ctaatgaatt ctcttaaaaa catactgtat 360
 tctgttgctg tgtgtttcat tttaaattga gcattaaggg aatgcagcat ttaaatcaga 420
 actctgccaa tgcttttatc tagaggcgtg ttgccatttt tgtcttatat gaaatttctg 480
 tccaagaaa ggcaggatta catctt 506

<210> 320
 <211> 351
 <212> DNA
 <213> Homo sapien

<400> 320
 ctgacctgca ggacgaaacc atgaagagcc tgatccttct tgccatcctg gccgccttag 60
 cggtagtaac tttgtgttat gaatcacatg aaagcatgga atcttatgaa cttaatccct 120
 tcattaacag gagaaatgca aataccttca tatccctca gcagagatgg agagctaaag 180
 tccaagagag gatccgagaa cgctctaagc ctgtccacga gctcaatagg gaagcctgtg 240
 atgactacag actttgcgaa cgctacgcca tggtttatgg atacaatgct gcctataatc 300
 gctacttcag gaagcgccga gggaccaaact gagactgagg gaagaaaaaa a 351

<210> 321

<211> 421
 <212> DNA
 <213> Homo sapien

<400> 321
 ctccggaggcg ttcagctgct tcaagatgaa gctgaacatc tccttcccag ccactggctg 60
 ccagaaactc attgaagtgg acgatgaacg caaacttcgt actttctatg agaagcgtat 120
 ggccacagaa gttgctgctg acgctctggg tgaagaatgg aagggttatg tgggccgaat 180
 cagtgggtggg aacgacaaac aaggtttccc catgaagcag ggtgtcttga cccatggccg 240
 tgtccgcctg ctactgagta aggggcattc ctgttacaga ccaaggagaa ctggagaaaag 300
 aaagagaaaa tcagttcgtg gttgcattgt ggatgcaaat ctgagcggtc tcaacttggg 360
 tattgtaaaa aaaggagaga aggatattcc tggactgact gatactacag tgcctcgccg 420
 c 421

<210> 322
 <211> 521
 <212> DNA
 <213> Homo sapien

<400> 322
 agcagctctc ctgccacagc tcctcaccac ctgaaaatgt tcgcctgctc caagtttgctc 60
 tccactccct ccttggtcaa gagcacctca cagctgctga gccgtccgct atctgcagtg 120
 gtgctgaaac gaccggagat actgacagat gagagcctca gcagcttggc agtctcatgt 180
 ccccttacct cacttgctc tagccgcagc ttccaaacca gcgccatttc aaggagacatc 240
 gacacagcag ccaagttcat tggagctggg gctgccacag ttgggggtggc tggttctggg 300
 gctgggattg gaactgtgtt tgggagcctc atcattgggt atgccaggaa cccttctctg 360
 aagcaacagc tcttctccta cgccattctg ggctttgccc tctcggaggc catggggctc 420
 ttttgctcga tggtagcctt tctcatcctc tttgccatgt gaaggagccg tctccacctc 480
 ccatagttct ccgcgctctg gttggccccg tgtgttcctt t 521

<210> 323
 <211> 435
 <212> DNA
 <213> Homo sapien

<400> 323
 ccgaggctgc acgcgtgaga cttctccgcc gcagacgccg ccgcgatgcg ctacgtcgcc 60
 tcctacctgc tggctgccct agggggcaac tcctcccca gcgccaagga catcaagaag 120
 atcttggaac gcgtgggtat cgaggcggac gacgaccggc tcaacaaggt tatcagtga 180
 ctgaatggaa aaaacattga agacgtcatt gccagggtta ttggcaagct tgccagtga 240
 cctgctgggtg gggctgtagc cgtctctgct gcccaggct ctgcagcccc tggctgtggt 300
 tctgccccctg ctgcagcaga ggagaagaaa gatgagaaga aggaggagtc tgaagagtca 360
 gatgatgaca tgggatttgg cctttttgat taaattcctg ctcccctgca aataaagcct 420
 ttttacacat ctcaa 435

<210> 324
 <211> 521
 <212> DNA
 <213> Homo sapien

<400> 324
 aggagatcga ctttcggtgc ccgcaagacc agggctggaa cgccgagatc acgctgcaga 60
 tgggtgcagta caagaatcgt caggccatcc tggcgggtcaa atccacgcgg cagaagcagc 120
 agcacctggt ccagcagcag cccccctcgc agccgcagcc gcagccgcag ctccagcccc 180
 aaccccagcc tcagcctcag ccgcaacccc agccccaatc acaaccccag cctcagcccc 240

```

aaccgaagcc tcagccccag cagctccacc cgtatccgca tccacatcca catccacact 300
ctcatcctca ctgcaccca caccctcacc cgcaccgca tccgcaccaa ataccgcacc 360
cacaccaca gccgcactcg cagccgcacg ggcaccggct tctccgcagc acctccaact 420
ctgcctgaaa ggggcagctc ccgggcaaga caagggtttg aggacttgag gaagtgggac 480
gagcacattt ctattgtctt cacttggatc aaaagcaaaa c 521

```

<210> 325

<211> 451

<212> DNA

<213> Homo sapien

<400> 325

```

attttcattt ccattaacct ggaagctttc atgaatatcc tcttctttta aaacatttta 60
acattattta aacagaaaaa gatgggctct ttctgggttag ttgttacatg atagcagaga 120
tatttttact tagattactt tggaattgag agattgttgt cttgaactct ggcactgtac 180
agtgaatgtg tctgtagtgt tgtagtttg cattaagcat gtataacatt caagtatgtc 240
atccaaataa gaggcataata cattgaattg tttttaatcc tctgacaagt tgactcttcg 300
acccccaccc ccaccaaga cattttaata gtaaatagag agagagagaa gagttaatga 360
acatgaggta gtgttcactt ggcaggatga cttttcaata gctcaaatca atttcagtgc 420
ctttatcact tgaattatta acttaatttg a 451

```

<210> 326

<211> 421

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (421)

<223> n = A,T,C or G

<400> 326

```

cgcggtcgta agggctgagg atttttgggc cgcacgctcc tgctcctgac tcaccgctgt 60
tcgctctcgc cgaggaacaa gtcggtcagg aagcccgccg gcaacagcca tggcttttaa 120
ggataccgga aaaacacccg tggagccgga ggtggcaatt caccgaattc gaatcaccct 180
aacaagccgc aacgtaaaat ccttggaaaa ggtgtgtgct gacttgataa gaggcgcaaa 240
agaaaagaat ctcaaagtga aaggaccagt tcgaatgcct accaagactt tgagantcac 300
tacaagaaaa actccttgtg gtgaagggtc taagacgtgg gatcgtttcc agatgagaat 360
tcacaagcga ctcatgtact tgcacagtcc ttctgagatt gttaagcaga ttacttccat 420
c 421

```

<210> 327

<211> 456

<212> DNA

<213> Homo sapien

<400> 327

```

atcttgacga ggctgcggtg tctgctgcta ttctccgagc ttcgcaatgc cgcctaagga 60
cgacaagaag aagaaggacg ctggaaagtc ggccaagaaa gacaaagacc cagtgaacaa 120
atccgggggc aaggccaaaa agaagaagtg gtccaaaggc aaagtccggg acaagctcaa 180
taacttagtc ttgtttgaca aagctaccta tgataaactc tgtaagggaag ttcccaacta 240
taaaacttata accccagctg tggctctctga gagactgaag attcgaggct ccctggccag 300
ggcagccctt caggagctcc ttagtaaaag acttatcaaa ctgggtttcaa agcacagagc 360
tcaagtaatt tacaccagaa ataccaaggg tggagatgct ccagctgctg gtgaagatgc 420
atgaataggt ccaaccagct gtacatttgg aaaaat 456

```

<210> 328
 <211> 471
 <212> DNA
 <213> Homo sapien

<400> 328
 gtggaagtga catcgtcttt aaaccctgcg tggcaatccc tgacgcaccg ccgtgatgcc 60
 cagggaagac agggcgacct ggaagtccaa ctacttcctt aagatcatcc aactattgga 120
 tgattatccg aaatgtttca ttgtgggagc agacaatgtg ggctccaagc agatgcagca 180
 gatccgcatg tcccttcgcg ggaaggctgt ggtgctgatg ggcaagaaca ccatgatgcg 240
 caaggccatc cgagggcacc tggaaaacaa cccagctctg gagaaactgc tgcctcatat 300
 ccgggggaat gtgggctttg tgttcaccaa ggaggacctc actgagatca gggacatggt 360
 gctggccaat aaggtgccag ctgctgcccc tgctggtgcc attgccccat gtgaagtca 420
 tgtgccagcc cagaacactg gtctcgggcc cgagaagacc tcctttttcc a 471

<210> 329
 <211> 278
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (278)
 <223> n = A,T,C or G

<400> 329
 gtttaaactt aagcttggtg ccgagctcgg atccactagt ccagtgtggt ggaattctag 60
 aaattgagat gccccccag gccagcaaat gttccttttt gttcaaagtc tatttttatt 120
 ccttgatatt tttctttttt tttttttttt ttgnggatgg ggacttgtga atttttctaa 180
 aggtgctatt taacatggga gganagcgtg tgcggctcca gccagccccg ctgctcactt 240
 tccacctct ctccacctgc ctctggcttc tcaggcct 278

<210> 330
 <211> 338
 <212> DNA
 <213> Homo sapien

<400> 330
 ctcaggcttc aacatcgaat acgccgcagg ccccttcgcc ctattcttca tagccgaata 60
 cacaaacatt attataataa acaccctcac cactacaatc ttcctaggaa caacatatga 120
 cgcactctcc cctgaactct acacaacata ttttgtcacc aagaccctac ttctaacctc 180
 cctgttctta tgaattcgaa cagcataccc ccgattccgc tacgaccaac tcatacacct 240
 cctatgaaaa aacttcctac cactcaccct agcattactt atatgatatg tctccatacc 300
 cattacaatc tccagcattc cccctcaaac ctaaaaaa 338

<210> 331
 <211> 2820
 <212> DNA
 <213> Homo sapiens

<400> 331
 tggcaaaatc ctggagccag aagaaaggac agcagcattg atcaatctta cagctaaca 60
 gttgtacctg gaaaacaatg cccagactca atttagtgag ccacagtaca cgaacctggg 120


```

gtccctgaac agcatggacc agcagattcg gaacggctcc tcgtccacca gtccctataa 180
cacagaccac gcgcagaaca gcgtcacggc gccctcgccc tacgcacagc ccagccccac 240
cttcgatgct ctctctccat cccccgcat cccctccaac accgactacc caggccccga 300
cagttccgac gtgtcccttc agcagtcgag caccgccaag tcggccacct ggacgtattc 360
cactgaactg aagaaactct actgccaaat tgcaaagaca tgccccatcc agatcaaggt 420
gatgacccca cctcctcagg gagctgttat ccgcgccatg cctgtctaca aaaaagctga 480
gcacgtcacg gaggtggtga agcgggtgcc caaccatgag ctgagcctg agttcaacga 540
gggacagatt gccctccta gtcatttgat tcgagtagag gggaacagcc atgccagta 600
tgtagaagat cccatcacag gaagacagag tgtgctggtta ccttatgagc cccccaggt 660
tggcactgaa ttcacgacag tcttgtagaa tttcatgtgt aacagcagtt gtgttgagg 720
gatgaaccgc cgtccaattt taatcattgt tactctggaa accagagatg ggcaagtcct 780
gggcccagcg tgccttgagg cccggatctg tgcttgccca ggaagagaca ggaaggcgga 840
tgaagatagc atcagaaagc agcaagtttc ggacagtaca aagaacggtg atggtacgaa 900
gcgcccgttt cgtcagaaca cacatggtat ccagatgaca tccatcaaga aacgaagatc 960
cccagatgat gaactgttat acttaccagt gaggggcccgt gagacttatg aaatgctgtt 1020
gaagatcaaa gagtccctgg aactcatgca gtaccttcct cagcacacaa ttgaaacgta 1080
caggcaacag caacagcagc agcaccagca cttacttcag aaacagacct caatacagtc 1140
tccatcttca tatggtaaca gctccccacc tctgaacaaa atgaacagca tgaacaagct 1200
gccttctgtg agccagctta tcaaccctca gcagcgcaac gccctcactc ctacaaccat 1260
tcctgatggc atgggagcca acattcccat gatgggcacc cacatgccaa tggctggaga 1320
catgaatgga ctcagcccca cccaggcact ccctcccca ctctccatgc catccacctc 1380
ccactgcaca cccccacctc cgtatcccac agattgcagc attgtcagtt tcttagcgag 1440
gttggtgtgt tcatcatgtc tggactattt caccgcccag gggctgacca ccattctatca 1500
gattgagcat tactccatgg atgatctggc aagtctgaaa atccctgagc aatttcgaca 1560
tgcatctgg aagggcaccc tggaccaccg gcagctccac gaattctctc ccccttctca 1620
tctcctggg accccaagca gtgcctctac agtcagtgtg ggctccagtg agaccgggg 1680
tgagcgtgtt attgatgtg tgcgattcac cctccgccag accatctctt tcccacccg 1740
agatgagtgg aatgaactca actttgacat ggatgctcgc cgcaataagc aacagcgcat 1800
caaagaggag ggggagtgag cctcaccatg tgagctcttc ctatccctct cctaactgcc 1860
agccccctaa agcactcct gcttaatctt caaagccttc tccctagctc ccccccttc 1920
tcttgctga tttcttaggg gaaggagaag taaggagcta cctcttacct aacatctgac 1980
ctggcatcta attctgattc tggctttaag ccttcaaaac tatagcttgc agaactgtag 2040
ctgccatggc taggtagaag tgagcaaaaa agagttgggt gtctccttaa gctgcagaga 2100
tttctcattg acttttataa agcatgttca cccttatagt ctaagactat atatataaat 2160
gtataaatat acagtataga tttttgggtg gggggcattg agtattgttt aaaatgtaat 2220
ttaaatgaaa gaaaattgag ttgcacttat tgaccatttt ttaatttact tgttttggat 2280
ggcttgtcta tactccttcc cttaaggggt atcatgtatg gtgataggta tctagagctt 2340
aatgctacat gtgagtgcga tgatgtacag attccttcag ttctttggat tctaaataca 2400
tgccacatca aacctttgag tagatccatt tccattgctt attatgtagg taagactgta 2460
gatatgtatt cttttctcag tgttggtata ttttatatta ctgacatttc ttctagtgat 2520
gatggttcac gttggggtga tttaatccag ttataagaag aagttcatgt ccaaaccggtc 2580
ctctttagtt tttggttggg aatgaggaaa attcttaaaa ggcccatagc agccagttca 2640
aaaacacccg acgtcatgta tttgagcata tcagtaaccc ccttaaattt aatacccaga 2700
taccttatct tacaatgttg attgggaaaa catttgctgc ccattacaga ggtattaaaa 2760
ctaaatttca ctactagatt gactaactca aatacacatt tgctactgtt gtaagaattc 2820

```

<210> 332

<211> 2270

<212> DNA

<213> Homo sapiens

<400> 332

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggt gtgccaccct 60
acagtactgc cctgaccctt acatccagcg tttcgtagaa acccagctca tttctcttgg 120

```

```

aaagaaagtt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgcca tccctccaa caccgactac 540
ccaggcccgc acagtttcga cgtgtccttc cagcagtcga gcaccgcaa gtcggccacc 600
tggacgtatt ccaactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccctcctt agtcatttga ttcgagtaga ggggaacagc 840
catgccagat atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccacccagg ttggcactga attcacgaca gtcttgtaca atttcattgt taacagcagt 960
tgtgttgagg ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gcccgatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggg 1140
gatggtacga agcgcctgtt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380
tcaatacagt ctccatcttc atatggtaac agtccccac ctctgaacaa aatgaacagc 1440
atgaacaagc tgcttctgt gagccagctt atcaaccctc agcagcgcaa cgccctcact 1500
cctacaacca ttcttgatgg catgggagcc aacattccca tgatgggcac ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct cccactgcac acccccacct ccgtatccaa cagattgcag cattgtcggg 1680
ttcttagcga ggttgggctg ttcatcatgt ctggactatt tcacgacca ggggctgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caatttcgac atgcatctg gaagggcac ctggaccacc ggcagctcca cgaattcttc 1860
tccccttctc atctcctgcg gacccaagc agtgcctcta cagtcagtgt gggctccagt 1920
gagaccggg gtgagcgtgt tattgatgct gtgcattca cctccgcca gaccatctct 1980
ttccaccccc gagatgagt gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tcctaactgc cagcccccta aaagcactcc tgcttaatct tcaaagcctt ctccctagct 2160
cctccccttc ctcttgtctg atttcttagg ggaaggagaa gtaaggaggc acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa 2270

```

<210> 333

<211> 2816

<212> DNA

<213> Homo sapiens

<400> 333

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggg gtgccaccct 60
acagtactgc cctgaccctt acatccagcg ttctgtagaa acccagctca ttctcttg 120
aaagaaagtt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgcca tccctccaa caccgactac 540
ccaggcccgc acagtttcga cgtgtccttc cagcagtcga gcaccgcaa gtcggccacc 600
tggacgtatt ccaactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660

```

```

cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcgggtgcc ccaacccatga gctgagccgt 780
gaattcaacg agggacagat tgcccctcct agtcatttga ttcgagtaga ggggaacagc 840
catgccagat atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccacccaggg ttggcactga attcacgaca gtcttgtaca atttcattgt taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggccgacg ctgctttgag gcccggtatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcctcgt tcgtcagaac acacatggtg tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacatctc 1380
ctttcagcct gcttcaggaa tgagcttgtg gagccccgga gagaaactcc aaaacaatct 1440
gacgtcttct ttagacattc caagccccc aaccgatcag tgtaccata gagccctatc 1500
tctatatatt aagtgtgtgt gttgtatttc catgtgtata tgtgagtgtg tgtgtgtgta 1560
tgtgtgtgct gtgtgtatcta gccctcataa acaggacttg aagacacttt ggctcagaga 1620
cccaactgct caaaggcaca aagccactag tgagagaatc ttttgaaggg actcaaacct 1680
ttacaagaaa ggatgttttc tgcagatttt gtatccttag accggccatt ggtgggtgag 1740
gaaccactgt gtttgtctgt gagctttctg ttgtttcctg ggagggaggg gtcaggtggg 1800
gaaaggggca ttaagatgtt tattggaacc cttttctgtc ttcttctgtt gtttttctaa 1860
aattcacagg gaagcttttg agcaggtctc aaacttaaga tgtcttttta agaaaaggag 1920
aaaaaagtgt ttattgtctg tgcataagta agttgtaggt gactgagaga ctcagtcaga 1980
cccttttaat gctggtcatg taataatatt gcaagtagta agaaacgaag gtgtcaagtg 2040
tactgctggg cagcgagggtg atcattacca aaagtaatca actttgtggg tggagagttc 2100
tttgtgagaa cttgcattat ttgtgtcctc ccctcatgtg taggtagaac atttcttaat 2160
gctgtgtanc tgccctctgcc actgtatgtt ggcatctgtt atgctaaagt ttttcttcta 2220
catgaaaccc tgggaagacct actacaaaaa aactgttgtt tggcccccac agcaggtgaa 2280
ctcattttgt gcttttaata gaaagacaaa tccaccccag taatattgcc cttacgtagt 2340
tgtttaccat tattcaaagc tcaaaataga atttgaagcc ctctcacaaa atctgtgatt 2400
aatttgctta attagagctt ctatccctca agcctacct ccataaaacc agccatatta 2460
ctgatactgt tcagtgcatt tagccaggag acttacgttt tgagtaagtg agatccaagc 2520
agacgtgtta aaatcagcac tcctggactg gaaattaaag attgaaaggg tagactactt 2580
ttcttttttt tactcaaaag ttttagagaat ctctgtttct ttccatttta aaaacatatt 2640
ttaagataat agcataaaga ctttaaaaaat gttcctcccc tccatcttcc cacaccaggt 2700
caccagcact gtattttctg tcaccaagac aatgatttct tgttattgag gctgttgctt 2760
ttgtggatgt gtgattttta ttttcaataa acttttgcac cttggtttta aagaaa 2816

```

<210> 334

<211> 2082

<212> DNA

<213> Homo sapiens

<400> 334

```

agatgctaca gcgactgcac acccaggctg tatgatacag cctattgtct cggggtgca 60
aacctgtcca gcatgtgatg tgggtgggata ctgaattgaa taccgaatac tgtaggcaat 120
tgtaacacag tggtaagtct ttgtgtatct aaacatagct aaacaccaa aggtatagta 180
agaatatggt attataatct tatggaaacta tcattgtata tgtggtttgt caaccagaat 240
gtagttatac agcacaggac tgtgcttatg atgtgccaaag cacagctctc agtactaact 300
cctttaatct tcatatcaac cctaggaggt aacttcttaa gtagattcat attgtaaggg 360
tctcggggtg ggggggttgg caaaatcctg gagccagaag aaaggacagc agcattgatc 420
aatcttacag ctaacatggt gtacctggaa aacaatgccc agactcaatt tagtgagcca 480
cagtacacga acctggggct cctgaacagc atggaccagc agattcagaa cggctcctcg 540
tccaccagtc cctataacac agaccacgag cagaacagcg tcacggcgcc ctgcacctac 600
gcacagccca gctccacctt cgatgctctc tctccatcac ccgccatccc ctccaacacc 660

```

```

gactacccag gccgcacag tttcgacgtg tccttcacag agtcgagcac cgccaagtcg 720
gccacctgga cgtattccac tgaactgaag aaactctact gccaaattgc aaagacatgc 780
cccatccaga tcaaggatgat gacccacact cctcagggag ctgttatccg cgccatgcct 840
gtctacaaaa aagctgagca cgtcacggag gtggtgaagc ggtgccccaa ccatgagctg 900
agccgtgaat tcaacgaggg acagattgcc cctcctagtc atttgattcg agtagagggg 960
aacagccatg cccagtatgt agaagatccc atcacaggaa gacagagtgt gctggtacct 1020
tatgagccac cccaggttgg cactgaattc acgacagtct tgtacaattt catgtgtaac 1080
agcagttgtg ttggagggat gaaccgccgt ccaattttaa tcattgttac tctggaaacc 1140
agagatgggc aagtcctggg ccgacgctgc tttgaggccc ggatctgtgc ttgccagga 1200
agagacagga aggcggatga agatagcatc agaaagcagc aagtttcgga cagtacaaag 1260
aacggtgatg gtacgaagcg cccgtctcgt cagaacacac atggtatcca gatgacatcc 1320
atcaagaaac gaagatcccc agatgatgaa ctgttatact taccagttag gggccgtgag 1380
acttatgaaa tgctgttgaa gatcaaagag tccttggaac tcatgcagta ccttcctcag 1440
cacacaattg aaacgtacag gcaacagcaa cagcagcagc accagcactt acttcagaaa 1500
cagttagtgt atcaacgtgt catttttagga ggcagtagtg acggtgactt tatttggatc 1560
agcaataggg tgattgatga gcaatgtgga acataatggg agatagcaga ttgtcataga 1620
ttcagatgac ctggtatggc aacctctctt cagttgcaac cttttttacg tgtcttatta 1680
taaccttccc ttcagaattc cacttatgtt ctgaaattaa atacaaacca tttctggtga 1740
attacaaaga aactcacact aacagttctc ttctctatat gcctggtcca tacacactaa 1800
cagtaagtac aactctatt tggtagtgat gtgtatattt gaaaacatga aatcttttct 1860
catcccaatg gattgtctta taaatctcct gggatgcaca ctatccactt ttgggaataa 1920
cactgtagac cagggatagc aaataggctt tactataata taaagtgaat tgtttgaatg 1980
ctgtaatgag aagaattctg agacctagtg catgataatt ggggaaatat ctgggtgcag 2040
aaggataagg tagcatcatg ttgccgtatt ttagcatctc tg 2082

```

<210> 335

<211> 4849

<212> DNA

<213> Homo sapiens

<400> 335

```

cgttgatatc aaagacagtt gaaggaaatg aattttgaaa cttcacggtg tgccacccta 60
cagtactgcc ctgaccctta catccagcgt ttcgtagaaa cccagctca tttctcttgg 120
aaagaaaagt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagaggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaacctca gaagatggtg cgacaaaca gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgctccacc 420
agtccttata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgccca tccctccaa caccgactac 540
ccaggcccg c acagtttcga cgtgtccttc cagcagtcga gcaccgccaa gtcggccacc 600
tggaactgatt ccactgaact gaagaaactc tactgccaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcgggtgc ccaacctga gctgagccgt 780
gaattcaacg agggacagat tgccccctct agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt acctatgag 900
ccaccccgag ttggcactga attcacgaca gtcttgtaga atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gcccgatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaa g cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcctggt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380

```

tcaatacagt	ctccatcttc	atatggtaac	agctccccac	ctctgaacaa	aatgaacagc	1440
atgaacaagc	tgccttctgt	gagccagctt	atcaaccctc	agcagcgcaa	cgccctcact	1500
cctacaacca	ttcctgatgg	catgggagcc	aacattccca	tgatggggcac	ccacatgcc	1560
atggctggag	acatgaatgg	actcagcccc	accaggcac	tccctcccc	actctccatg	1620
ccatccacct	cccagtgac	acccccacct	ccgtatccca	cagattgcag	cattgtcagt	1680
ttcttagcga	ggttgggctg	ttcatcatgt	ctggactatt	tcacgaccca	ggggctgacc	1740
accatctatc	agattgagca	ttactccatg	gatgatctgg	caagtctgaa	aatccctgag	1800
caatttcgac	atgcgatctg	gaagggcatc	ctggaccacc	ggcagctcca	cgaattctcc	1860
tccctttctc	atctcctgcg	gaccccaagc	agtgcctcta	cagtcagtgt	gggctccagt	1920
gagaccggg	gtgagcgtgt	tattgatgct	gtgcgattca	ccctccgcca	gaccatctct	1980
ttcccacccc	gagatgagtg	gaatgacttc	aactttgaca	tggatgctcg	ccgcaataag	2040
caacagcgca	tcaaagagga	gggggagtg	gcctcaccat	gtgagctctt	cctatccctc	2100
tcctaactgc	cagcycccta	aaagcactcc	tgettaatct	tcaaagcctt	ctccctagct	2160
cctccccctc	ctcttgtctg	atctcttagg	ggaaggagaa	gtaagaggct	acctcttacc	2220
taacatctga	cctggcatct	aattctgatt	ctggctttaa	gccttcaaaa	ctatagcttg	2280
cagaactgta	gctgccatgg	ctaggtagaa	gtgagcaaaa	aagagttggg	tgtctcctta	2340
agctgcagag	atctctcatt	gacttttata	aagcatgttc	acccttatag	tctaagacta	2400
tatatataaa	tgtataaata	tacagtatag	atctttgggt	ggggggcatt	gagtattggt	2460
taaaatgtaa	tttaaattgaa	agaaaattga	gttgcaactta	ttgaccattt	tttaatttac	2520
ttgttttgga	tggcttgtct	atactccttc	ccttaagggg	tatcatgtat	ggtgataggt	2580
atctagagct	taatgetaca	tgtgagtgac	gatgatgtac	agattctttc	agttcttttg	2640
attctaaata	catgccacat	caaacccttg	agtagatcca	tttccattgc	ttattatgta	2700
ggtaagactg	tagatatgta	ttcttttctc	agtgttggt	tattttatat	tactgacatt	2760
tcttctagt	atgatggctc	acgttgggg	gatttaatcc	agttataaga	agaagttcat	2820
gtccaaacgt	cctcttttagt	ttttgggttg	gaatgaggaa	aattcttaaa	aggcccatag	2880
cagccagttc	aaaaacaccc	gacgtcatgt	atctgagcat	atcagtaacc	cccttaaaat	2940
taataccaga	taccttatct	tacaatattg	attgggaaaa	catttgctgc	cattacagag	3000
gtattaaaa	taaatttcac	tactagattg	actaactcaa	atacacattt	gctactgttg	3060
taagaattct	gattgatttg	attgggatga	atgccatcta	tctagtctta	acagtgaagt	3120
tttactgtct	attaatatcc	agggtaaaata	ggaactcattc	agaaatgttg	agtctgtact	3180
aaacagtaag	atatctcaat	gaaccataaa	ttcaactttg	taaaaatctt	ttgaagcata	3240
gataaatattg	tttggtaaat	gtttcttttg	tttggtaaat	gtttctttta	aagaccctcc	3300
tattctataa	aactctgcat	gtagaggctt	gtttaccttt	ctctctctaa	ggtttacaat	3360
aggagtgggtg	atgtgaaaaa	tataaaatta	tgagattggt	tttctgtgg	cataaattgc	3420
atcactgtat	cattttcttt	tttaaccggt	aagagtttca	gtttgttgga	aagtaactgt	3480
gagaaccag	tttcccgctc	atctccctta	gggactaccc	atagacatga	aaggccccca	3540
cagagcaaga	gataagtctt	tcatggctgc	tgttgcctaa	accacttaaa	cgaagagttc	3600
ccttgaaact	ttgggaaaac	atgttaatga	caaatattcca	gatctttcag	aaatataaca	3660
catttttttg	catgcattgc	aatgagctct	gaaatcttcc	catgcattct	ggtcaagggc	3720
tgtcattgca	cataagcttc	catttttaatt	ttaaagtgc	aaagggccag	cgtggctcta	3780
aaaggtaatg	tgtggattgc	ctctgaaaag	tgtgtatata	ttttgtgtga	aattgcatac	3840
tttgtatttt	gattattttt	ttttcttctt	tgggatagtg	ggatttccag	aaccacactt	3900
gaaacctttt	tttatcgttt	ttgtattttt	atgaaaatac	catttagtaa	gaataccaca	3960
tcaaataaga	aataatgcta	caatttttaag	aggggagggg	aggggaaagt	tttttttatt	4020
attttttttaa	aattttgtat	gttaaagaga	atgagtcctt	gatttcaaag	ttttgttgta	4080
cttaaatggt	aataagcact	gtaaacttct	gcaacaagca	tcagactttg	caaaccctat	4140
aaggggaaga	atgaaagctg	ttccttggtc	ctagtaagaa	gacaaaactgc	ttcccttact	4200
ttgctgaggg	tttgaataaa	cctaggactt	ccgagctatg	tcagtactat	tcaggtaaca	4260
ctagggcctt	ggaaattcct	gtactgtgtc	tcatggattt	ggcactagcc	aaagcgaggc	4320
acccttactg	gcttacctcc	tcatggcagc	ctactctcct	tgagtgtatg	agtagccagg	4380
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagtctt	4440
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4500
ataaacagaa	atggaaaagca	gagttttcat	taaatccttt	tacctttttt	ttttcttggt	4560
aatcccctaa	aataacagta	tgtgggatat	tgaatgttaa	agggatattt	ttttctattt	4620
atttttataa	ttgtacaaaa	ttaagcaaat	gttaaaagt	ttatatgctt	tattaatggt	4680

```

ttcaaaagggt attatacatg tgatacattt tttaagcttc agttgottgt cttctggtag 4740
tttctgttat gggcttttgg ggagccagaa gccaatctac aatctctttt tgtttgccag 4800
gacatgcaat aaaattttaa aaataaataa aaactaatta agaaataaa 4849

```

<210> 336

<211> 1386

<212> DNA

<213> Homo sapiens

<400> 336

```

atgttgtagc tggaaaacaa tgcccagact caatttagtg agccacagta cacgaacctg 60
gggctcctga acagcatgga ccagcagatt cagaacggct cctcgtccac cagtccctat 120
aacacagacc acgcgcagaa cagcgtcacg gcgccctcgc cctacgcaca gccagctcc 180
accttcgatg ctctctctcc atcaccgcc atccctcca acaccgacta cccaggcccc 240
cacagtttcg acgtgtcctt ccagcagtcg agcaccgcc agtcggccac ctggacgtat 300
tccactgaac tgaagaaact ctactgccaa attgcaaaga catgccccat ccagatcaag 360
gtgatgaccc cacctcctca gggagctgtt atccgcgcc tgctgtcta caaaaagct 420
gagcacgtca cggagggtgt gaagcgtgtc cccaaccatg agctgagccg tgaattcaac 480
gagggacaga ttgcccctcc tagtcatttg attcgagtag aggggaacag ccatgccag 540
tatgtagaag atcccatcac aggaagacag agtgtgtctg taccttatga gccacccag 600
gttggcactg aattcacgac agtctgttac aatttcattg gtaacagcag ttgtgttga 660
gggatgaacc gccgtccaat tttaatcatt gttactctgg aaaccagaga tgggcaagtc 720
ctggggccgac gctgctttga ggcccggatc tgtgcttgcc caggaagaga caggaaggcg 780
gatgaagata gcatcagaaa gcagcaagtt tcggacagta caaagaacgg tgatggtacg 840
aagcgcccggt ttcgtcagaa cacacatggt atccagatga catccatcaa gaaacgaaga 900
tcccagatg atgaactgtt atacttacca gtgaggggcc gtgagactta tgaaatgctg 960
ttgaagatca aagagtcctt ggaactcatg cagtacctc ctcagcacac aattgaaacg 1020
tacaggcaac agcaacagca gcagcaccag cacttacttc agaaacagac ctcaatacag 1080
tctccatctt catatggtaa cagctcccca cctctgaaca aaatgaacag catgaacaag 1140
ctgccttctg tgagccagct tatcaaccct cagcagcgca acgccctcac tcctacaacc 1200
attcctgatg gcatgggagc caacattccc atgatgggca cccacatgcc aatggctgga 1260
gacatgaatg gactcagccc caccaggca ctcctcccc cactctccat gccatccacc 1320
tccactgca cacccccacc tccgtatccc acagattgca gcattgtcag gatctggcaa 1380
gtctga 1386

```

<210> 337

<211> 1551

<212> DNA

<213> Homo sapiens

<400> 337

```

atgtcccaga gcacacagac aaatgaattc ctcagtccag aggttttcca gcatatctgg 60
gattttcttg aacagcctat atgttcagtt cagcccattg acttgaactt tgtggatgaa 120
ccatcagaag atggtgagac aaacaagatt gagattagca tggactgtat ccgcatgcag 180
gactcggacc tgagtgaccc catgtggcca cagtacacga acctggggct cctgaacagc 240
atggaccagc agattcagaa cggctcctcg tccaccagtc cctataaacac agaccacgcg 300
cagaacagcg tcacggcgcc ctgcacctac gcacagccca gctccacctt cgatgtctc 360
tctccatcac ccgcatccc ctccaacacc gactaccag gcccgcacag tttcgactgt 420
tccttcacag agtcgagcac cgccaagtcg gccacctgga cgtattccac tgaactgaag 480
aaactctact gccaaattgc aaagacatgc cccatccaga tcaagggtgat gacccacact 540
cctcagggag ctgttatccg cgccatgcct gtctacaaaa aagctgagca cgtcacggag 600
gtggtgaagc ggtgcccaca ccatgagctg agccgtgaat tcaacgaggg acagattgcc 660
cctcctagtc atttgattcg agtagagggg aacagccatg cccagtatgt agaagatccc 720

```

```

atcacaggaa gacagagtgt gctggtacct tatgagccac cccaggttgg cactgaattc 780
acgacagtct tgtacaattt catgtgtaac agcagttgtg ttggagggat gaaccgccgt 840
ccaattttta tcattgttac tctggaaacc agagatgggc aagtcctggg ccgacgctgc 900
tttgaggccc ggatctgtgc ttgcccagga agagacagga aggcgatga agatagcatc 960
agaaagcagc aagtttcgga cagtacaaag aacggtgatg gtacgaagcg cccgtttcgt 1020
cagaacacac atggtatcca gatgacatcc atcaagaaac gaagatcccc agatgatgaa 1080
ctgttatact taccagttag gggccgtgag acttatgaaa tgctgttgaa gatcaaagag 1140
tccttggaac tcatgcagta ctttctcag cacacaattg aaacgtacag gcaacagcaa 1200
cagcagcagc accagcactt acttcagaaa cagacctcaa tacagtctcc atcttcatat 1260
ggtaacagct ccccacctct gaacaaaatg aacagcatga acaagctgcc ttctgtgagc 1320
cagcttatca accctcagca gcgcaacgcc ctcaactcta caaccattcc tgatggcatg 1380
ggagccaaca ttcccatgat gggcacccac atgccaatgg ctggagacat gaatggactc 1440
agccccaccc aggcactccc tccccactc tccatgccat ccacctcca ctgcacaccc 1500
ccacctcgt atccacaga ttgcagcatt gtcaggatct ggcaagtctg a 1551

```

<210> 338

<211> 586

<212> PRT

<213> Homo sapiens

<400> 338

```

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
      5                                10                        15

```

```

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Arg Asn
      20                                25                        30

```

```

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
      35                                40                        45

```

```

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Pro Thr Phe Asp Ala
      50                                55                        60

```

```

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
      65                                70                        75                        80

```

```

His Ser Ser Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
      85                                90                        95

```

```

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
      100                               105                        110

```

```

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
      115                               120                        125

```

```

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
      130                               135                        140

```

```

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
      145                               150                        155                        160

```

```

Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
      165                               170                        175

```

```

Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val

```

180	185	190
Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val		
195	200	205
Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg		
210	215	220
Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val		
225	230	235 240
Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg		
245	250	255
Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp		
260	265	270
Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr		
275	280	285
His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp		
290	295	300
Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu		
305	310	315 320
Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His		
325	330	335
Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu		
340	345	350
Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser		
355	360	365
Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val		
370	375	380
Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr		
385	390	395 400
Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met		
405	410	415
Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro		
420	425	430
Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro		
435	440	445
Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys		
450	455	460
Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr		
465	470	475 480

Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro
485 490 495

Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln
500 505 510

Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser
515 520 525

Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val
530 535 540

Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro
545 550 555 560

Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn
565 570 575

Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu
580 585

<210> 339

<211> 641

<212> PRT

<213> Homo sapiens

<400> 339

Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
5 10 15

Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
20 25 30

Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
35 40 45

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
50 55 60

Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
65 70 75 80

Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
85 90 95

Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
100 105 110

Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
115 120 125

Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln·Gln
130 135 140

Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335
 Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400
 Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser
 405 410 415
 Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser
 420 425 430
 Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg

435	440	445
Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile		
450	455	460
Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu		
465	470	475 480
Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser		
	485	490 495
His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Gly		
	500	505 510
Phe Leu Ala Arg Leu Gly Cys Ser Ser Cys Leu Asp Tyr Phe Thr Thr		
	515	520 525
Gln Gly Leu Thr Thr Ile Tyr Gln Ile Glu His Tyr Ser Met Asp Asp		
	530	535 540
Leu Ala Ser Leu Lys Ile Pro Glu Gln Phe Arg His Ala Ile Trp Lys		
	545	550 555 560
Gly Ile Leu Asp His Arg Gln Leu His Glu Phe Ser Ser Pro Ser His		
	565	570 575
Leu Leu Arg Thr Pro Ser Ser Ala Ser Thr Val Ser Val Gly Ser Ser		
	580	585 590
Glu Thr Arg Gly Glu Arg Val Ile Asp Ala Val Arg Phe Thr Leu Arg		
	595	600 605
Gln Thr Ile Ser Phe Pro Pro Arg Asp Glu Trp Asn Asp Phe Asn Phe		
	610	615 620
Asp Met Asp Ala Arg Arg Asn Lys Gln Gln Arg Ile Lys Glu Glu Gly		
	625	630 635 640

Glu

<210> 340

<211> 448

<212> PRT

<213> Homo sapiens

<400> 340

Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
5 10 15

Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
20 25 30

Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
35 40 45

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu
 50 55 60
 Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser
 65 70 75 80
 Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn
 85 90 95
 Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln
 100 105 110
 Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser
 115 120 125
 Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln
 130 135 140
 Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys
 145 150 155 160
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val
 165 170 175
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr
 180 185 190
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His
 195 200 205
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His
 210 215 220
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro
 225 230 235 240
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val
 245 250 255
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser
 260 265 270
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu
 275 280 285
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg
 290 295 300
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile
 305 310 315 320
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys
 325 330 335

Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys
 340 345 350

Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly
 355 360 365

Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu
 370 375 380

Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln
 385 390 395 400

Gln Gln Gln His Gln His Leu Leu Gln Lys His Leu Leu Ser Ala Cys
 405 410 415

Phe Arg Asn Glu Leu Val Glu Pro Arg Arg Glu Thr Pro Lys Gln Ser
 420 425 430

Asp Val Phe Phe Arg His Ser Lys Pro Pro Asn Arg Ser Val Tyr Pro
 435 440 445

<210> 341

<211> 356

<212> PRT

<213> Homo sapiens

<400> 341

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80

His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn

Phe Leu Ser Pro Glu Val Phe Gln His Ile Trp Asp Phe Leu Glu Gln
 50 55 60
 Pro Ile Cys Ser Val Gln Pro Ile Asp Leu Asn Phe Val Asp Glu Pro
 65 70 75 80
 Ser Glu Asp Gly Ala Thr Asn Lys Ile Glu Ile Ser Met Asp Cys Ile
 85 90 95
 Arg Met Gln Asp Ser Asp Leu Ser Asp Pro Met Trp Pro Gln Tyr Thr
 100 105 110
 Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn Gly Ser
 115 120 125
 Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser Val Thr
 130 135 140
 Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala Leu Ser
 145 150 155 160
 Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro His Ser
 165 170 175
 Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala Thr Trp
 180 185 190
 Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala Lys Thr
 195 200 205
 Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly Ala Val
 210 215 220
 Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr Glu Val
 225 230 235 240
 Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn Glu Gly
 245 250 255
 Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn Ser His
 260 265 270
 Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val Leu Val
 275 280 285
 Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val Leu Tyr
 290 295 300
 Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg Arg Pro
 305 310 315 320
 Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val Leu Gly
 325 330 335

Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg Asp Arg
 340 345 350
 Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp Ser Thr
 355 360 365
 Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr His Gly
 370 375 380
 Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp Glu Leu
 385 390 395 400
 Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu Leu Lys
 405 410 415
 Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His Thr Ile
 420 425 430
 Glu Thr Tyr Arg Gln Gln Gln Gln Gln Gln His Gln His Leu Leu Gln
 435 440 445
 Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser Ser Pro
 450 455 460
 Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val Ser Gln
 465 470 475 480
 Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr Ile Pro
 485 490 495
 Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met Pro Met
 500 505 510
 Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro Pro Pro
 515 520 525
 Leu Ser Met Pro Ser Thr Ser Gln Cys Thr Pro Pro Pro Pro Tyr Pro
 530 535 540
 Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys Ser Ser
 545 550 555 560
 Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr Gln Ile
 565 570 575
 Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro Glu Gln
 580 585 590
 Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln Leu His
 595 600 605
 Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser Ala Ser
 610 615 620
 Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val Ile Asp

625 630 635 640
 Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro Arg Asp
 645 650 655
 Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn Lys Gln
 660 665 670
 Gln Arg Ile Lys Glu Glu Gly Glu
 675 680

 <210> 343
 <211> 461
 <212> PRT
 <213> Homo sapiens

 <400> 343
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
 5 10 15
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn
 20 25 30
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
 35 40 45
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala
 50 55 60
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
 65 70 75 80
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
 85 90 95
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
 100 105 110
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
 115 120 125
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
 130 135 140
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
 145 150 155 160
 Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
 165 170 175
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val
 180 185 190
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val
 195 200 205

Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg
 210 215 220
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val
 225 230 235 240
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg
 245 250 255
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp
 260 265 270
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr
 275 280 285
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp
 290 295 300
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu
 305 310 315 320
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His
 325 330 335
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu
 340 345 350
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser
 355 360 365
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val
 370 375 380
 Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr
 385 390 395 400
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met
 405 410 415
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro
 420 425 430
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro
 435 440 445
 Tyr Pro Thr Asp Cys Ser Ile Val Arg Ile Trp Gln Val
 450 455 460

<210> 344

<211> 516

<212> PRT

<213> Homo sapiens

<400> 344

Met	Ser	Gln	Ser	Thr	Asn	Glu	Phe	Leu	Ser	Pro	Glu	Val	Phe				
				5				10					15				
Gln	His	Ile	Trp	Asp	Phe	Leu	Glu	Gln	Pro	Ile	Cys	Ser	Val	Gln	Pro		
			20					25					30				
Ile	Asp	Leu	Asn	Phe	Val	Asp	Glu	Pro	Ser	Glu	Asp	Gly	Ala	Thr	Asn		
		35					40					45					
Lys	Ile	Glu	Ile	Ser	Met	Asp	Cys	Ile	Arg	Met	Gln	Asp	Ser	Asp	Leu		
	50					55					60						
Ser	Asp	Pro	Met	Trp	Pro	Gln	Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser		
65					70					75					80		
Met	Asp	Gln	Gln	Ile	Gln	Asn	Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn		
				85					90						95		
Thr	Asp	His	Ala	Gln	Asn	Ser	Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln		
			100					105									
Pro	Ser	Ser	Thr	Phe	Asp	Ala	Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser		
			115				120					125					
Asn	Thr	Asp	Tyr	Pro	Gly	Pro	His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln		
	130					135					140						
Ser	Ser	Thr	Ala	Lys	Ser	Ala	Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys		
145					150					155					160		
Lys	Leu	Tyr	Cys	Gln	Ile	Ala	Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val		
				165					170					175			
Met	Thr	Pro	Pro	Pro	Gln	Gly	Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr		
			180					185					190				
Lys	Lys	Ala	Glu	His	Val	Thr	Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His		
		195					200					205					
Glu	Leu	Ser	Arg	Glu	Phe	Asn	Glu	Gly	Gln	Ile	Ala	Pro	Pro	Ser	His		
						215					220						
Leu	Ile	Arg	Val	Glu	Gly	Asn	Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro		
225					230					235					240		
Ile	Thr	Gly	Arg	Gln	Ser	Val	Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val		
				245					250						255		
Gly	Thr	Glu	Phe	Thr	Thr	Val	Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser		
			260					265						270			
Cys	Val	Gly	Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu		
			275				280					285					
Glu	Thr	Arg	Asp	Gly	Gln	Val	Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg		

290	295	300
Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile		
305	310	315 320
Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys		
	325	330 335
Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys		
	340	345 350
Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly		
	355	360 365
Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu		
	370	375 380
Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln		
385	390	395 400
Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser		
	405	410 415
Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser		
	420	425 430
Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg		
	435	440 445
Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile		
	450	455 460
Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu		
465	470	475 480
Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser		
	485	490 495
His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Arg		
	500	505 510
Ile Trp Gln Val		
	515	

<210> 345

<211> 1800

<212> DNA

<213> Homo sapiens

<400> 345

ggcgcctcatt gccactgcag tgactaaagc tgggaagacg ctgggtcagtt cacctgcccc 60
 actgggttggt ttttaaacaa attctgatac aggcgacatc ctactgacc gagcaaagat 120
 tgacattcgt atcatcactg tgcaccattg gcttctaggc actccagtgg ggtaggagaa 180

```

ggaggtctga aaccctcgca gagggatctt gccctcattc tttgggtctg aaacactggc 240
agtcgttggg aacaggactc agggataaac cagcgcaatg gattggggga cgctgcacac 300
tttcatcggg ggtgtcaaca aacactccac cagcatcggg aaggtgtgga tcacagtcac 360
ctttatcttc cgagtcacga tcttagtggt ggctgcccag gaagtgtggg gtgacgagca 420
agaggacttc gtctgcaaca cactgcaacc gggatgcaaa aatgtgtgct atgaccactt 480
tttcccggtg tcccacatcc ggctgtgggc cctccagctg atcttcgtct ccaccccagc 540
gctgctgggt gccatgcatg tggcctacta caggcacgaa accactcgca agttcaggcg 600
aggagagaag aggaatgatt tcaaagacat agaggacatt aaaaagcaca aggttcggat 660
agaggggtcg ctgtggtgga cgtacaccag cagcatcttt ttccgaatca tctttgaagc 720
agcctttatg tatgtgtttt acttccttta caatgggtac cacctgccct gggtgttgaa 780
atgtgggatt gacccctgcc ccaaccttgt tgactgcttt atttctaggc caacagagaa 840
gaccgtgttt accatcttta tgatttctgc gtctgtgatt tgcattgctg ttaacgtggc 900
agagttgtgc tacctgctgc tgaaagtgtg ttttaggaga tcaaagagag cacagacgca 960
aaaaaatcac cccaatcatg ccctaaagga gagtaagcag aatgaaatga atgagctgat 1020
ttcagatagt ggtcaaaatg caatcacagg tttcccaagc taaacatttc aaggtaaaat 1080
gtagctgcgt cataaggaga cttctgtctt ctccagaagg caataccaac ctgaaagttc 1140
cttctgtagc ctgaagagtt tgtaaataac tttcataata aatagacact tgagtttaact 1200
ttttgtagga tacttgctcc attcatacac aacgtaata aatatgtggt ccattctctga 1260
aaacaagaga ctgcttgaca aaggagcatt gcagtcactt tgacaggttc cttttaagtg 1320
gactctctga caaagtgggt actttctgaa aatttatata actgtgtgtg ataaggaaca 1380
tttatccagg aattgatacg tttattagga aaagatatat ttataggctt ggatgttttt 1440
agttccgact ttgaatttat ataaagtatt tttataatga ctggtcttcc ttacctggaa 1500
aaacatgcga tgtagttttt agaattacac cacaagtatc taaatttcca acttacaag 1560
ggctctatct tgtaaataat gttttgcatt gtctgttggc aaatttgtga actgtcatga 1620
tacgcttaag gtgggaaagt gttcattgca caatatattt ttactgcttt ctgaatgtag 1680
acggaacagt gtggaagcag aaggcttttt taactcatcc gtttgccga tcgttgacga 1740
ccactgggag atgtggatgt ggttgccctc ttttgctcgt ccccggtggc taacccttct 1800

```

<210> 346

<211> 261

<212> PRT

<213> Homo sapiens

<400> 346

```

Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
          5                      10                      15

```

```

Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
          20                      25                      30

```

```

Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
          35                      40                      45

```

```

Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
          50                      55                      60

```

```

Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
          65                      70                      75                      80

```

```

Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
          85                      90                      95

```

```

Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
          100                     105                     110

```

Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys His Lys Val Arg Ile
 115 120 125

 Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile
 130 135 140

 Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly
 145 150 155 160

 Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn
 165 170 175

 Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr
 180 185 190

 Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala
 195 200 205

 Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg
 210 215 220

 Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys
 225 230 235 240

 Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile
 245 250 255

 Thr Gly Phe Pro Ser
 260

<210> 347

<211> 1740

<212> DNA

<213> Homo sapiens

<400> 347

atgaacaaac tgtatatcgg aaacctcagc gagaacgccg cccctcggga cctagaaagt 60
 atcttcaagg acgccaagat cccggtgtcg ggacccttcc tggatgaagac tggctacgcg 120
 ttcgtggact gcccgacga gagctgggccc ctcaaggcca tcgaggcgct ttcaggtaaa 180
 atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag gcaaaggatt 240
 cggaaacttc agatacgaaa tatcccgccct catttacagt gggaggtgct ggatagttaa 300
 ctagtccagt atggagtggg ggagagctgt gagcaagtga aactgactc ggaaactgca 360
 gttgtaaagt taacctattc cagtaaggac caagctagac aagcactaga caaactgaat 420
 ggatttcagt tagagaattt caccttgaaa gtacccata tccctgatga aacggccgcc 480
 cagcaaaacc ccttgacga gcccagagg cgccgggggc ttgggcagag gggctcctca 540
 aggcaggggt ctccaggatc cgtatccaag cagaaacat gtgatttgcc tctgcgctg 600
 ctgggttcca cccaatttgt tggagccatc ataggaaaag aaggtgccac cattcggaac 660
 atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc gggggctgct 720
 gagaagtcca ttactatcct ctctactcct gaaggcacct ctgcggcttg taagtctatt 780
 ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat ccccttgaag 840
 atttttagctc ataataactt tgttggacgt cttattggta aagaaggaag aaatcttaaa 900
 aaaattgagc aagacacaga cactaaaatc acgatatctc cattgcagga attgacgctg 960

tataatccag aacgcactat tacagttaaa ggcaatgttg agacatgtgc caaagctgag 1020
gaggagatca tgaagaaaat cagggagtct tatgaaaatg atattgcttc tatgaatctt 1080
caagcacatt taattcctgg attaaatctg aacgccttgg gtctgttccc acccacttca 1140
gggatgccac ctcccacctc agggcccccct tcagccatga ctctcccta cccgcagttt 1200
gagcaatcag aaacggagac tgttcatctg tttatcccag ctctatcagt cggtgccatc 1260
atcggaagc agggccagca catcaagcag ctttctcgtt ttgctggagc ttcaattaag 1320
attgctccag cggaagcacc agatgctaaa gtgaggatgg tgattatcac tggaccacca 1380
gaggctcagt tcaaggctca gggaagaatt tatggaaaaa ttaaagaaga aaactttgtt 1440
agtctaaag aagaggtgaa acttgaagct catatcagag tgccatcctt tgctgctggc 1500
agagttattg gaaaaggagg caaacgggtg aatgaacttc agaatttgtc aagtgcagaa 1560
gttgttgtcc ctctgacca gacacctgat gagaatgacc aagtggttgt caaaataact 1620
ggtcacttct atgcttgcca gggtgcccag agaaaaattc aggaattct gactcaggta 1680
aagcagcacc aacaacagaa ggctctgcaa agtggaccac ctcagtcaag acggaagtaa 1740

<210> 348

<211> 579

<212> PRT

<213> Homo sapiens

<400> 348

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln
100 105 110

Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser
115 120 125

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Thr Ala Ala
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys

180					185					190					
Pro	Cys	Asp	Leu	Pro	Leu	Arg	Leu	Leu	Val	Pro	Thr	Gln	Phe	Val	Gly
		195					200					205			
Ala	Ile	Ile	Gly	Lys	Glu	Gly	Ala	Thr	Ile	Arg	Asn	Ile	Thr	Lys	Gln
	210					215					220				
Thr	Gln	Ser	Lys	Ile	Asp	Val	His	Arg	Lys	Glu	Asn	Ala	Gly	Ala	Ala
225					230					235					240
Glu	Lys	Ser	Ile	Thr	Ile	Leu	Ser	Thr	Pro	Glu	Gly	Thr	Ser	Ala	Ala
			245						250					255	
Cys	Lys	Ser	Ile	Leu	Glu	Ile	Met	His	Lys	Glu	Ala	Gln	Asp	Ile	Lys
			260					265					270		
Phe	Thr	Glu	Glu	Ile	Pro	Leu	Lys	Ile	Leu	Ala	His	Asn	Asn	Phe	Val
		275					280					285			
Gly	Arg	Leu	Ile	Gly	Lys	Glu	Gly	Arg	Asn	Leu	Lys	Lys	Ile	Glu	Gln
	290					295					300				
Asp	Thr	Asp	Thr	Lys	Ile	Thr	Ile	Ser	Pro	Leu	Gln	Glu	Leu	Thr	Leu
305					310					315					320
Tyr	Asn	Pro	Glu	Arg	Thr	Ile	Thr	Val	Lys	Gly	Asn	Val	Glu	Thr	Cys
			325						330					335	
Ala	Lys	Ala	Glu	Glu	Glu	Ile	Met	Lys	Lys	Ile	Arg	Glu	Ser	Tyr	Glu
			340					345					350		
Asn	Asp	Ile	Ala	Ser	Met	Asn	Leu	Gln	Ala	His	Leu	Ile	Pro	Gly	Leu
		355					360					365			
Asn	Leu	Asn	Ala	Leu	Gly	Leu	Phe	Pro	Pro	Thr	Ser	Gly	Met	Pro	Pro
	370					375					380				
Pro	Thr	Ser	Gly	Pro	Pro	Ser	Ala	Met	Thr	Pro	Pro	Tyr	Pro	Gln	Phe
385					390					395					400
Glu	Gln	Ser	Glu	Thr	Glu	Thr	Val	His	Leu	Phe	Ile	Pro	Ala	Leu	Ser
			405					410						415	
Val	Gly	Ala	Ile	Ile	Gly	Lys	Gln	Gly	Gln	His	Ile	Lys	Gln	Leu	Ser
			420					425					430		
Arg	Phe	Ala	Gly	Ala	Ser	Ile	Lys	Ile	Ala	Pro	Ala	Glu	Ala	Pro	Asp
		435					440					445			
Ala	Lys	Val	Arg	Met	Val	Ile	Ile	Thr	Gly	Pro	Pro	Glu	Ala	Gln	Phe
	450					455				460					
Lys	Ala	Gln	Gly	Arg	Ile	Tyr	Gly	Lys	Ile	Lys	Glu	Glu	Asn	Phe	Val
465					470					475					480

Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser
 485 490 495

Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu
 500 505 510

Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr
 515 520 525

Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser
 565 570 575

Arg Arg Lys

<210> 349
 <211> 207
 <212> DNA
 <213> Homo sapiens

<400> 349
 atgtggcagc cctcttcttt caagtggctc ttgtcctggt gccctgggag ttctcaaatt 60
 gctgcagcag cctccaccca gctgaggat gacatcaata cacagaggaa gaagagtcag 120
 gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag 180
 acttcttcac atggtgctaa cagattt 207

<210> 350
 <211> 69
 <212> PRT
 <213> Homo sapiens

<400> 350
 Met Trp Gln Pro Leu Phe Phe Lys Trp Leu Leu Ser Cys Cys Pro Gly
 5 10 15

Ser Ser Gln Ile Ala Ala Ala Ala Ser Thr Gln Pro Glu Asp Asp Ile
 20 25 30

Asn Thr Gln Arg Lys Lys Ser Gln Glu Lys Met Arg Glu Val Thr Asp
 35 40 45

Ser Pro Gly Arg Pro Arg Glu Leu Thr Ile Pro Gln Thr Ser Ser His
 50 55 60

Gly Ala Asn Arg Phe
 65

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 October 2000 (19.10.2000)

PCT

(10) International Publication Number
WO 00/61612 A3

- (51) International Patent Classification⁷: C07K 14/47, C12N 15/12, 15/10, 15/62, C07K 16/30, G01N 33/53, C12N 15/11, C12Q 1/68, A61K 39/395, 38/17, A61P 35/00
- (74) Agents: MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 et al. (US).
- (21) International Application Number: PCT/US00/08896
- (22) International Filing Date: 3 April 2000 (03.04.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 09/285,479 | 2 April 1999 (02.04.1999) | US |
| 09/466,396 | 17 December 1999 (17.12.1999) | US |
| 09/476,496 | 30 December 1999 (30.12.1999) | US |
| 09/480,884 | 10 January 2000 (10.01.2000) | US |
| 09/510,376 | 22 February 2000 (22.02.2000) | US |
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US). FAN, Liqun [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US).
- Published:
— With international search report.
- (88) Date of publication of the international search report:
26 April 2001
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER

(57) Abstract: Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08896

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/47 C12N15/12 C12N15/10 C12N15/62 C07K16/30
G01N33/53 C12N15/11 C12Q1/68 A61K39/395 A61K38/17
A61P35/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BRASS N ET AL: "Translation initiation factor eIF-4gamma is encoded by an amplified gene and induces an immune response in squamous cell lung carcinoma" HUMAN MOLECULAR GENETICS,GB,OXFORD UNIVERSITY PRESS, SURREY, vol. 6, no. 1, January 1997 (1997-01), pages 33-39, XP002112603 ISSN: 0964-6906 the whole document --- -/--	1,11,17, 18,21, 22,29, 40-53

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

5 October 2000

Date of mailing of the international search report

05. 1. 01

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mateo Rosell, A.M.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BALDI A ET AL: "DIFFERENTIAL EXPRESSION OF RB2/P130 AND P107 IN NORMAL HUMAN TISSUES AND IN PRIMARY LUNG CANCER" CLINICAL CANCER RESEARCH,US,THE AMERICAN ASSOCIATION FOR CANCER RESEARCH, vol. 3, no. 10, October 1997 (1997-10), pages 1691-1697, XP002910343 ISSN: 1078-0432 the whole document	1,11, 40-47, 54,56,57
X	WO 98 35985 A (ELECTROPHORETICS INTERNATIONAL ;HANASH SAMIR M (US)) 20 August 1998 (1998-08-20) the whole document	1,11,17, 21,54,57
X	WO 96 30389 A (MILLENNIUM PHARM INC) 3 October 1996 (1996-10-03) the whole document page 10, line 15 -page 12, line 10	1,9-11, 17,18, 40-60
X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,17 March 1999 (1999-03-17), XP002149009 HINXTON, GB AC = AI468638. Soares NhHMPu S1 Homo sapiens cDNA clone IMAGE:2125318 3', mRNA sequence. EST. abstract	1,2,5-8, 58,59
X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,18 April 1997 (1997-04-18), XP002149010 HINXTON, GB AC = AA340797. EST46165 Fetal kidney II Homo sapiens cDNA 3' end, mRNA sequence. EST. abstract	1,2,5-8, 58,59
X	EP 0 695 760 A (HOFFMANN LA ROCHE) 7 February 1996 (1996-02-07) the whole document	1,9-11, 18, 40-47, 54-57
X	WO 94 06929 A (MERCK PATENT GMBH ;STAHEL ROLF (CH)) 31 March 1994 (1994-03-31) abstract page 2, line 6-32 page 3, line 5-14	1,11,54, 57

-/--

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 28473 A (MEDENICA RAJKO D) 19 September 1996 (1996-09-19) abstract page 2, line 15 -page 3, line 18 page 4, line 1-30 ---	1,11,17, 18,21, 22,35-47
X	WO 98 46788 A (KUFER PETER ;MICROMET GMBH (DE); ZIPPELIUS ALFRED (DE)) 22 October 1998 (1998-10-22) abstract page 1-10; examples 1-4,6 ---	1,18, 48-53, 58-60
X	WO 95 21862 A (BRIGHAM & WOMENS HOSPITAL) 17 August 1995 (1995-08-17) page 3, paragraph 2 -page 5, paragraph 4 page 10-41 ---	1,9-12, 17,18, 22,25, 35-39, 51,52, 58-60
X	WO 97 07244 A (US GOVERNMENT) 27 February 1997 (1997-02-27) the whole document ---	1
X	MARSHALL A AND HODGSON J: "DNAchips: an array of possibilities" NATURE BIOTECHNOLOGY, vol. 16, January 1998 (1998-01), pages 27-31, XP002917754 the whole document ---	1
X	RAMSEY GRAHAM: "DNA chips: state of the art" NATURE BIOTECNOLOGY, vol. 16, January 1998 (1998-01), pages 40-44, XP002917751 the whole document ---	1
A	WO 91 18926 A (FORSGREN ARNE) 12 December 1991 (1991-12-12) cited in the application page 5, line 22-35 ---	14,25

	-/--	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>LELIEVRE D ET AL: "STRUCTURAL PROPERTIES OF CHIMERIC PEPTIDES CONTAINING A T-CELL EPITOPE LINKED TO A FUSION PEPTIDE AND THEIR IMPORTANCE FOR IN VIVO INDUCTION OF CYTOTOXIC T-CELL RESPONSES" EUROPEAN JOURNAL OF BIOCHEMISTRY, BERLIN, DE, vol. 249, no. 3, 1997, pages 895-904, XP000929575 ISSN: 0014-2956 the whole document</p> <p>---</p>	12,14,25
A	<p>HOGAN KEVIN T ET AL: "The peptide recognized by HLA-A68.2-restricted, squamous cell carcinoma of the lung-specific cytotoxic T lymphocytes is derived from a mutated elongation factor 2 gene." CANCER RESEARCH, vol. 58, no. 22, 15 November 1998 (1998-11-15), pages 5144-5150, XP000946579 ISSN: 0008-5472 the whole document</p> <p>---</p>	14,25
A	<p>VISSEREN M J W ET AL: "IDENTIFICATION OF HLA-A 0201-RESTRICTED CTL EPITOPES ENCODED BY THE TUMOR-SPECIFIC MAGE-2 GENE PRODUCT" INTERNATIONAL JOURNAL OF CANCER, NEW YORK, NY, US, vol. 73, no. 1, 1997, pages 125-130, XP000914539 ISSN: 0020-7136 the whole document</p> <p>---</p>	14,25
P,X	<p>WO 99 47674 A (CORIXA CORP) 23 September 1999 (1999-09-23) cited in the application SEQ.ID.N.1 page 1, last paragraph -page 32, paragraph 1</p> <p>---</p>	1-60
P,X	<p>WO 99 38973 A (CORIXA CORP) 5 August 1999 (1999-08-05) page 1, line 28 -page 4, line 15 page 16, line 12 -page 17, line 10 page 18, line 14 -page 34, line 15</p> <p>---</p> <p>-/--</p>	1-60

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/08896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WANG TONGTONG ET AL: "Identification of genes differentially over-expressed in lung squamous cell carcinoma using combination of cDNA subtraction and microarray analysis." ONCOGENE, vol. 19, no. 12, 16 March 2000 (2000-03-16), pages 1519-1528, XP000951444 ISSN: 0950-9232 the whole document	1-60
T	----- HENDERSON R A ET AL: "Identification of lung tumor antigens for cancer immunotherapy: Immunological and molecular approaches." IMMUNOLOGICAL INVESTIGATIONS, vol. 29, no. 2, May 2000 (2000-05), pages 87-91, XP000951456 Fourteenth International Convocation on Immunology; Buffalo, New York, USA; October 08-11, 1999 ISSN: 0882-0139 the whole document -----	1-60

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 00/08896

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-60 all partially

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

1. Claims: Invention 1 : Claims 1-60 all partially.

An isolated polypeptide, comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence as recited in SEQ.ID.N.1 (a) or sequences that hybridize to SEQ.ID.N.1 (b) and the complements of sequences of (a) or (b); as well as an expression vector, a host cell, an antibody, a fusion protein, a pharmaceutical composition, a vaccine, oligonucleotides and diagnostic kits thereof.

2. Claims: Inventions 2 to 130 : Claims 1-60, all partially.

Same as invention 1, but according to each single sequence as recited in claim 1
(SEQ.ID.N.1-3,6-8,10-13,15-27,29,30,32,34-49,51,52,54,55,57-59,61-69,71,73,74,77,78,80-82,84,86-96,107-109,111,113,125,127-129,131-133,142,144,148-151,153,154,157,158,160,167,168,171,173,175,179,182,184-186,188-191,193,194,198-207,209,210,213,214,217,220-224,253,254-258,260,262-264,270,272,275,276,279-281,286,287,291,293,295,296,300,302,308-310,313,315-317,323,345,347 and 349)

and as recited in claim 3
(SEQ.ID.N.110,112,114,152,155,156,159,161,165,166,169,170,172,174,176,226-252,346,348 and 350)

starting from the second in the list: SEQ.ID.N.2 and following with SEQ.ID.N.3, SEQ.ID.N.6, etc... and ending with SEQ.ID.N.350.

and with the provision that sequences tht belong to the same antigen has been counted as one invention (see below)

3. Claims: Inventions 131-258 : Claims 25-61 all partially

A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein wherein the protein comprises an aminoacid sequence encoded by a polynucleotide sequence as recited in claim 25
(SEQ.ID.N.4,5,9,14,28,31,33,50,53,56,60,70,72,75,76,79,83,85,97-106,115-124,126,130,134-141,143,145-147,162-164,177,178,180,181,183,187,192,195-197,208,211,212,215,216,218,219,255-259,261,265-269,271,273,274,277,278,282-285,288-290,292,294,297-299,301,303-307,311,312,314,319-322 and 324-337) and kits for diagnostic thereof.

Same as invention 130, but according to each single sequence as recited in claim 25 and not included in claim 1, starting from the SEQ.ID.N.4 and following with SEQ.ID.N.5, SEQ.ID.N.9, etc... and ending with SEQ.ID.N.337.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

and with the provision that sequences tht belong to the same antigen has been counted as one invention (see below)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Although claims 21, 22, 29-31, 34, and 37-39 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

Although claim(s) 40-53 are directed to a diagnostic method practised on the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 00/08896

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9835985	A	20-08-1998	AU 6111298	A	08-09-1998
			EP 0961780	A	08-12-1999

WO 9630389	A	03-10-1996	US 5633161	A	27-05-1997
			AT 190982	T	15-04-2000
			AU 708746	B	12-08-1999
			AU 5437896	A	16-10-1996
			CA 2216717	A	03-10-1996
			DE 69607332	D	27-04-2000
			DE 69607332	T	30-11-2000
			EP 0817792	A	14-01-1998
			EP 1006187	A	07-06-2000
			ES 2147646	T	16-09-2000
			GR 3033478	T	29-09-2000
			PT 817792	T	31-08-2000
			US 5674739	A	07-10-1997
			US 6025137	A	15-02-2000

EP 0695760	A	07-02-1996	WO 9604302	A	15-02-1996

WO 9406929	A	31-03-1994	AT 146528	T	15-01-1997
			AU 683845	B	27-11-1997
			AU 4705293	A	12-04-1994
			DE 69306803	D	30-01-1997
			DE 69306803	T	15-05-1997
			EP 0662147	A	12-07-1995
			JP 8504088	T	07-05-1996
			US 5614373	A	25-03-1997

WO 9628473	A	19-09-1996	US 5744585	A	28-04-1998
			AU 5365296	A	02-10-1996

WO 9846788	A	22-10-1998	AU 8013498	A	11-11-1998
			EP 0972084	A	19-01-2000

WO 9521862	A	17-08-1995	US 5550214	A	27-08-1996
			AU 1914595	A	29-08-1995

WO 9707244	A	27-02-1997	AU 6643596	A	12-03-1997

WO 9118926	A	12-12-1991	SE 466259	B	20-01-1992
			AT 170531	T	15-09-1998
			AU 650011	B	09-06-1994
			AU 7559391	A	31-12-1991
			CA 2083172	A	01-12-1991
			DE 69130116	D	08-10-1998
			DE 69130116	T	18-02-1999
			DK 594610	T	02-11-1998
			EP 0594610	A	04-05-1994
			ES 2119776	T	16-10-1998
			FI 925460	A	30-11-1992
			JP 3066072	B	17-07-2000
			NO 924507	A	30-11-1992
			NO 20003716	A	30-11-1992
			SE 9001949	A	01-12-1991
			US 6139846	A	31-10-2000
			US 5989828	A	23-11-1999
			US 5888517	A	30-03-1999

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 00/08896

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9118926 A		US 5858677 A US 6025484 A	12-01-1999 15-02-2000
WO 9947674 A	23-09-1999	AU 3094999 A BR 9908823 A EP 1064372 A NO 20004631 A	11-10-1999 21-11-2000 03-01-2001 15-11-2000
WO 9938973 A	05-08-1999	AU 2344399 A EP 1051489 A NO 20003853 A	16-08-1999 15-11-2000 27-09-2000

This Page Blank (uspto)